

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.50	-	-	-	1.50 1.50 - 2.20	0.570 - 0.870	2.39	2.50	2.61	99
18	1.80	-	-	-	1.80 1.50 - 4.20	0.580 - 1.060	2.44	2.55	2.66	99
20	2.00	-	-	-	2.00 1.50 - 2.40	0.580 - 0.870	2.44	2.55	2.66	99
22	2.20	-	-	-	2.20 1.50 - 4.20	0.610 - 1.060	2.56	2.68	2.80	99
25	2.50	-	-	-	2.50 1.50 - 4.20	0.630 - 1.060	2.65	2.77	2.89	99
35	3.50	-	-	-	3.50 1.50 - 4.30	0.790 - 1.120	3.32	3.47	3.62	99
42	4.20	-	-	-	4.20 1.50 - 5.00	0.960 - 1.740	4.04	4.22	4.40	99
50	5.00	-	-	-	5.00 1.50 - 5.50	1.270 - 1.780	5.34	5.58	5.82	99
60	6.00	-	-	-	6.00 1.50 - 6.40	1.780 - 1.950	7.48	7.82	8.16	99
71	7.10	-	-	-	7.10 1.50 - 7.40	2.480 - 2.930	10.42	10.89	11.36	99
15+15	1.50	1.50	-	-	3.00 2.00 - 4.40	0.640 - 1.520	2.69	2.81	2.93	99
15+18	1.41	1.69	-	-	3.10 2.00 - 5.00	0.706 - 1.486	2.97	3.10	3.23	99
15+20	1.46	1.94	-	-	3.40 2.00 - 5.40	0.767 - 1.477	3.22	3.37	3.52	99
15+22	1.42	2.08	-	-	3.50 2.00 - 5.60	0.824 - 1.484	3.46	3.62	3.78	99
15+25	1.46	2.44	-	-	3.90 2.00 - 5.60	0.887 - 1.477	3.73	3.90	4.07	99
15+35	1.47	3.43	-	-	4.90 2.00 - 6.20	1.197 - 1.807	5.03	5.26	5.49	99
15+42	1.47	4.13	-	-	5.60 2.00 - 6.70	1.487 - 2.157	6.25	6.53	6.81	99
15+50	1.48	4.92	-	-	6.40 2.00 - 7.30	1.811 - 2.541	7.60	7.95	8.30	99
15+60	1.44	5.76	-	-	7.20 2.00 - 8.10	2.251 - 2.871	9.46	9.89	10.32	99
15+71	1.36	6.44	-	-	7.80 2.00 - 8.80	2.684 - 3.024	11.28	11.79	12.30	99
18+18	1.75	1.75	-	-	3.50 2.00 - 5.60	0.778 - 1.458	3.27	3.42	3.57	99
18+20	1.80	2.00	-	-	3.80 2.00 - 5.60	0.838 - 1.468	3.52	3.68	3.84	99
18+22	1.76	2.15	-	-	3.90 2.00 - 5.60	0.885 - 1.475	3.72	3.89	4.06	99
18+25	1.80	2.50	-	-	4.30 2.00 - 5.60	0.948 - 1.468	3.98	4.16	4.34	99
18+35	1.80	3.50	-	-	5.30 2.00 - 6.40	1.308 - 1.948	5.49	5.74	5.99	99
18+42	1.80	4.20	-	-	6.00 2.00 - 7.00	1.608 - 2.298	6.75	7.06	7.37	99
18+50	1.80	5.00	-	-	6.80 2.00 - 7.60	1.932 - 2.682	8.11	8.48	8.85	99
18+60	1.73	5.77	-	-	7.50 2.00 - 8.30	2.382 - 2.912	10.01	10.46	10.91	99
18+71	1.62	6.38	-	-	8.00 2.00 - 8.90	2.735 - 3.065	11.49	12.01	12.53	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.60	0.859 - 1.449	3.61	3.77	3.93	99
20+22	1.90	2.10	-	-	4.00 2.00 - 5.60	0.942 - 1.482	3.96	4.14	4.32	99
20+25	1.96	2.44	-	-	4.40 2.00 - 5.70	1.015 - 1.535	4.27	4.46	4.65	99
20+35	1.96	3.44	-	-	5.40 2.00 - 6.60	1.405 - 2.055	5.90	6.17	6.44	99
20+42	1.97	4.13	-	-	6.10 2.00 - 7.10	1.695 - 2.395	7.12	7.44	7.76	99
20+50	1.97	4.93	-	-	6.90 2.00 - 7.70	2.019 - 2.789	8.48	8.87	9.26	99
20+60	1.88	5.63	-	-	7.50 2.00 - 8.50	2.479 - 2.949	10.42	10.89	11.36	99
20+71	1.74	6.16	-	-	7.90 2.00 - 8.90	2.782 - 3.102	11.69	12.22	12.75	99
22+22	2.15	2.15	-	-	4.30 2.00 - 5.60	0.956 - 1.456	4.02	4.20	4.38	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.90	1.078 - 1.638	4.52	4.73	4.94	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.20	3.50	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.21	6.49	6.77	99
22+42	2.20	4.20	-	-	6.40 2.00 - 7.30	1.768 0.580 - 2.488	7.42	7.76	8.10	99
22+50	2.17	4.93	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	8.83	9.23	9.63	99
22+60	2.07	5.63	-	-	7.70 2.00 - 8.60	2.562 0.580 - 2.972	10.76	11.25	11.74	99
22+71	1.92	6.18	-	-	8.10 2.10 - 9.00	2.805 0.580 - 3.125	11.78	12.32	12.86	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.169 0.590 - 1.779	4.91	5.13	5.35	99
25+35	2.50	3.50	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	6.75	7.06	7.37	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.50	1.898 0.580 - 2.638	7.98	8.34	8.70	99
25+50	2.43	4.87	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	9.42	9.85	10.28	99
25+60	2.29	5.51	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
25+71	2.14	6.06	-	-	8.20 2.10 - 9.00	2.865 0.580 - 3.175	12.03	12.58	13.13	99
35+35	3.50	3.50	-	-	7.00 2.00 - 7.70	1.999 0.580 - 2.769	8.40	8.78	9.16	99
35+42	3.36	4.04	-	-	7.40 2.00 - 8.30	2.338 0.580 - 2.898	9.82	10.27	10.72	99
35+50	3.21	4.59	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
35+60	2.98	5.12	-	-	8.10 2.10 - 9.00	2.862 0.580 - 3.172	12.02	12.57	13.12	99
35+71	2.81	5.69	-	-	8.50 2.10 - 9.10	3.035 0.570 - 3.265	12.75	13.33	13.91	99
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.639 0.580 - 2.989	11.09	11.59	12.09	99
42+50	3.70	4.40	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	11.78	12.32	12.86	99
42+71	3.23	5.47	-	-	8.70 2.10 - 9.20	3.146 0.560 - 3.316	13.22	13.82	14.42	99
50+50	4.15	4.15	-	-	8.30 2.10 - 9.10	2.943 0.580 - 3.233	12.36	12.92	13.48	99
50+60	3.91	4.69	-	-	8.60 2.10 - 9.20	3.106 0.570 - 3.306	13.05	13.64	14.23	99
50+71	3.68	5.22	-	-	8.90 2.10 - 9.20	3.239 0.550 - 3.349	13.60	14.22	14.84	99
60+60	4.45	4.45	-	-	8.90 2.10 - 9.20	3.233 0.550 - 3.343	13.58	14.20	14.82	99
60+71	4.12	4.88	-	-	9.00 2.10 - 9.20	3.342 0.550 - 3.412	14.04	14.68	15.32	99
71+71	4.55	4.55	-	-	9.10 2.10 - 9.20	3.466 0.550 - 3.506	14.56	15.22	15.88	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.30	0.970 0.690 - 2.320	4.07	4.26	4.45	99
15+15+18	1.41	1.41	1.69	-	4.50 2.90 - 6.90	1.079 0.690 - 2.359	4.53	4.74	4.95	99
15+15+20	1.44	1.44	1.92	-	4.80 2.90 - 7.30	1.120 0.690 - 2.350	4.71	4.92	5.13	99
15+15+22	1.41	1.41	2.07	-	4.90 2.90 - 7.70	1.167 0.690 - 2.357	4.91	5.13	5.35	99
15+15+25	1.45	1.45	2.41	-	5.30 2.90 - 8.10	1.230 0.690 - 2.350	5.17	5.40	5.63	99
15+15+35	1.45	1.45	3.39	-	6.30 2.90 - 8.10	1.480 0.690 - 2.350	6.22	6.50	6.78	99
15+15+42	1.46	1.46	4.08	*	7.00 2.90 - 8.70	1.660 0.690 - 2.620	6.97	7.29	7.61	99
15+15+50	1.41	1.41	4.69	*	7.50 2.90 - 9.00	1.884 0.690 - 2.774	7.91	8.27	8.63	99
15+15+60	1.32	1.32	5.27	-	7.90 2.90 - 9.10	2.194 0.690 - 2.804	9.22	9.64	10.06	99
15+15+71	1.23	1.23	5.83	-	8.30 2.90 - 9.20	2.517 0.690 - 2.817	10.57	11.05	11.53	99
15+18+18	1.44	1.73	1.73	-	4.90 2.90 - 7.50	1.121 0.690 - 2.331	4.71	4.92	5.13	99
15+18+20	1.47	1.77	1.96	-	5.20 2.90 - 7.90	1.181 0.690 - 2.341	4.96	5.19	5.42	99
15+18+22	1.45	1.73	2.12	-	5.30 2.90 - 8.10	1.228 0.690 - 2.348	5.16	5.39	5.62	99
15+18+25	1.47	1.77	2.46	-	5.70 2.90 - 8.10	1.291 0.690 - 2.341	5.42	5.67	5.92	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.48	1.77	3.45	-	6.70 2.90 - 8.30	1.541 0.690 - 2.431	6.48	6.77	7.06	99
15+18+42	1.48	1.78	4.14 *	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+18+60	1.31	1.57	5.23	-	8.10 2.90 - 9.10	2.275 0.690 - 2.795	9.56	9.99	10.42	99
15+18+71	1.23	1.47	5.80	-	8.50 2.90 - 9.20	2.598 0.690 - 2.818	10.91	11.41	11.91	99
15+20+20	1.47	1.96	1.96	-	5.40 2.90 - 8.10	1.202 0.690 - 2.322	5.05	5.28	5.51	99
15+20+22	1.42	1.89	2.08	-	5.40 2.90 - 8.10	1.285 0.690 - 2.355	5.39	5.64	5.89	99
15+20+25	1.45	1.93	2.42	-	5.80 2.90 - 8.10	1.348 0.690 - 2.348	5.66	5.92	6.18	99
15+20+35	1.46	1.94	3.40	-	6.80 2.90 - 8.50	1.608 0.690 - 2.528	6.75	7.06	7.37	99
15+20+42	1.44	1.92	4.04 *	-	7.40 2.90 - 9.00	1.798 0.690 - 2.768	7.56	7.90	8.24	99
15+20+50	1.36	1.81	4.53 *	-	7.70 2.90 - 9.10	2.042 0.690 - 2.782	8.58	8.97	9.36	99
15+20+60	1.26	1.68	5.05	-	8.00 2.90 - 9.10	2.342 0.690 - 2.812	9.84	10.29	10.74	99
15+20+71	1.19	1.58	5.63	-	8.40 2.90 - 9.20	2.645 0.690 - 2.825	11.11	11.62	12.13	99
15+22+22	1.45	2.13	2.13	-	5.70 2.90 - 8.10	1.309 0.690 - 2.329	5.50	5.75	6.00	99
15+22+25	1.48	2.16	2.46	-	6.10 2.90 - 8.10	1.391 0.690 - 2.341	5.84	6.11	6.38	99
15+22+35	1.48	2.17	3.45	-	7.10 2.90 - 8.70	1.651 0.690 - 2.611	6.93	7.25	7.57	99
15+22+42	1.42	2.09	3.99 *	-	7.50 2.90 - 9.00	1.851 0.690 - 2.761	7.78	8.13	8.48	99
15+22+50	1.34	1.97	4.48 *	-	7.80 2.90 - 9.10	2.095 0.690 - 2.785	8.80	9.20	9.60	99
15+22+60	1.27	1.86	5.07	-	8.20 2.90 - 9.10	2.395 0.690 - 2.815	10.06	10.52	10.98	99
15+22+71	1.19	1.75	5.65	-	8.60 2.90 - 9.20	2.648 0.690 - 2.828	11.12	11.63	12.14	99
15+25+25	1.48	2.46	2.46	-	6.40 2.90 - 8.10	1.452 0.690 - 2.322	6.10	6.38	6.66	99
15+25+35	1.48	2.47	3.45	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+25+42	1.41	2.35	3.94 *	-	7.70 2.90 - 9.00	1.941 0.690 - 2.771	8.15	8.52	8.89	99
15+25+50	1.33	2.22	4.44 *	-	8.00 2.90 - 9.10	2.185 0.690 - 2.795	9.18	9.60	10.02	99
15+25+60	1.25	2.08	4.98	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+25+71	1.16	1.94	5.50	-	8.60 2.90 - 9.20	2.668 0.690 - 2.838	11.21	11.72	12.23	99
15+35+35	1.38	3.21	3.21	-	7.80 2.90 - 9.10	2.022 0.690 - 2.762	8.49	8.88	9.27	99
15+35+42	1.30	3.04	3.65 *	-	8.00 2.90 - 9.10	2.251 0.690 - 2.801	9.46	9.89	10.32	99
15+35+50	1.25	2.91	4.15 *	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+35+60	1.17	2.74	4.69	-	8.60 2.90 - 9.20	2.685 0.690 - 2.855	11.28	11.79	12.30	99
15+35+71	1.09	2.55	5.16	-	8.80 2.90 - 9.20	2.738 0.690 - 2.878	11.50	12.02	12.54	99
15+42+42	1.26	3.52	3.52 *	-	8.30 2.90 - 9.20	2.452 0.690 - 2.802	10.30	10.77	11.24	99
15+42+50	1.19	3.34	3.97 *	-	8.50 2.90 - 9.20	2.649 0.690 - 2.839	11.12	11.63	12.14	99
15+42+60	1.12	3.12	4.46	-	8.70 2.90 - 9.20	2.729 0.690 - 2.879	11.47	11.99	12.51	99
15+42+71	1.04	2.92	4.94	-	8.90 2.90 - 9.20	2.792 0.690 - 2.902	11.73	12.26	12.79	99
15+50+50	1.13	3.78	3.78 *	-	8.70 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
15+50+60	1.07	3.56	4.27	-	8.90 2.90 - 9.20	2.779 0.690 - 2.909	11.67	12.20	12.73	99
15+50+71	0.98	3.27	4.65	-	8.90 2.90 - 9.20	2.872 0.690 - 2.962	12.06	12.61	13.16	99
15+60+60	0.99	3.96	3.96	-	8.90 2.90 - 9.20	2.866 0.690 - 2.966	12.04	12.59	13.14	99
18+18+18	1.77	1.77	1.77	-	5.30 2.90 - 8.10	1.155 0.690 - 2.295	4.85	5.07	5.29	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.242 0.690 - 2.332	5.21	5.45	5.69	99
18+18+22	1.77	1.77	2.16	-	5.70 2.90 - 8.10	1.289 0.690 - 2.339	5.41	5.66	5.91	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	5.72	5.98	6.24	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	6.77	7.08	7.39	99
18+18+42	1.75	1.75	4.09 *	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+18+50	1.65	1.65	4.59 *	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	8.64	9.03	9.42	99
18+18+60	1.56	1.56	5.19	-	8.30 2.90 - 9.10	2.356 0.690 - 2.796	9.90	10.35	10.80	99
18+18+71	1.45	1.45	5.71	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	11.05	11.55	12.05	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.263 0.690 - 2.313	5.31	5.55	5.79	99
18+20+22	1.74	1.93	2.13	-	5.80 2.90 - 8.10	1.346 0.690 - 2.346	5.65	5.91	6.17	99
18+20+25	1.77	1.97	2.46	-	6.20 2.90 - 8.10	1.419 0.690 - 2.339	5.96	6.23	6.50	99
18+20+35	1.78	1.97	3.45	-	7.20 2.90 - 8.80	1.679 0.690 - 2.659	7.05	7.37	7.69	99
18+20+42	1.71	1.90	3.99 *	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
18+20+50	1.62	1.80	4.49 *	-	7.90 2.90 - 9.10	2.123 0.690 - 2.783	8.91	9.32	9.73	99
18+20+60	1.51	1.67	5.02	-	8.20 2.90 - 9.20	2.433 0.690 - 2.813	10.23	10.69	11.15	99
18+20+71	1.42	1.58	5.60	-	8.60 2.90 - 9.20	2.656 0.690 - 2.836	11.15	11.66	12.17	99
18+22+22	1.77	2.16	2.16	-	6.10 2.90 - 8.10	1.370 0.690 - 2.320	5.76	6.02	6.28	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.14	6.42	6.70	99
18+22+35	1.80	2.20	3.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.23	7.56	7.89	99
18+22+42	1.71	2.09	4.00 *	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
18+22+50	1.62	1.98	4.50 *	-	8.10 2.90 - 9.10	2.176 0.690 - 2.786	9.14	9.56	9.98	99
18+22+60	1.51	1.85	5.04	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
18+22+71	1.41	1.72	5.56	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	11.17	11.68	12.19	99
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.30	1.513 0.690 - 2.403	6.35	6.64	6.93	99
18+25+35	1.75	2.44	3.41	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+25+42	1.67	2.32	3.90 *	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
18+25+50	1.59	2.20	4.41 *	-	8.20 2.90 - 9.10	2.266 0.690 - 2.786	9.52	9.95	10.38	99
18+25+60	1.49	2.06	4.95	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+25+71	1.39	1.93	5.48	-	8.80 2.90 - 9.20	2.679 0.690 - 2.839	11.26	11.77	12.28	99
18+35+35	1.64	3.18	3.18	-	8.00 2.90 - 9.10	2.103 0.690 - 2.763	8.84	9.24	9.64	99
18+35+42	1.55	3.02	3.63 *	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	9.79	10.24	10.69	99
18+35+50	1.49	2.89	4.13 *	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+35+60	1.40	2.73	4.67	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
18+35+71	1.31	2.54	5.15	-	9.00 2.90 - 9.20	2.759 0.690 - 2.879	11.59	12.12	12.65	99
18+42+42	1.50	3.50	3.50 *	-	8.50 2.90 - 9.20	2.533 0.690 - 2.803	10.64	11.12	11.60	99
18+42+50	1.42	3.32	3.95 *	-	8.70 2.90 - 9.20	2.670 0.690 - 2.840	11.22	11.73	12.24	99
18+42+60	1.34	3.12	4.45	-	8.90 2.90 - 9.20	2.740 0.690 - 2.880	11.51	12.03	12.55	99
18+42+71	1.24	2.89	4.88	-	9.00 2.90 - 9.20	2.813 0.690 - 2.923	11.81	12.35	12.89	99
18+50+50	1.34	3.73	3.73 *	-	8.80 2.90 - 9.20	2.707 0.690 - 2.857	11.37	11.89	12.41	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.27	3.52	4.22	-	9.00 2.90 - 9.20	2.800 0.690 - 2.910	11.77	12.30	12.83	99
18+50+71	1.17	3.24	4.60	-	9.00 2.90 - 9.20	2.893 0.690 - 2.983	12.16	12.71	13.26	99
18+60+60	1.17	3.91	3.91	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	12.13	12.68	13.23	99
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.286 0.690 - 2.286	5.40	5.65	5.90	99
20+20+22	1.90	1.90	2.09	-	5.90 2.90 - 8.10	1.403 0.690 - 2.353	5.89	6.16	6.43	99
20+20+25	1.94	1.94	2.42	-	6.30 2.90 - 8.10	1.476 0.690 - 2.346	6.20	6.48	6.76	99
20+20+35	1.95	1.95	3.41	-	7.30 2.90 - 9.00	1.736 0.690 - 2.756	7.29	7.62	7.95	99
20+20+42	1.85	1.85	3.89 *	-	7.60 2.90 - 9.00	1.946 0.690 - 2.776	8.18	8.55	8.92	99
20+20+50	1.76	1.76	4.39 *	-	7.90 2.90 - 9.10	2.190 0.690 - 2.800	9.20	9.62	10.04	99
20+20+60	1.64	1.64	4.92	-	8.20 2.90 - 9.20	2.500 0.690 - 2.830	10.50	10.98	11.46	99
20+20+71	1.53	1.53	5.44	-	8.50 2.90 - 9.20	2.673 0.690 - 2.843	11.23	11.74	12.25	99
20+22+22	1.94	2.13	2.13	-	6.20 2.90 - 8.10	1.427 0.690 - 2.327	6.00	6.27	6.54	99
20+22+25	1.97	2.17	2.46	-	6.60 2.90 - 8.20	1.519 0.690 - 2.389	6.38	6.67	6.96	99
20+22+35	1.95	2.14	3.41	-	7.50 2.90 - 9.00	1.789 0.690 - 2.759	7.52	7.86	8.20	99
20+22+42	1.83	2.02	3.85 *	-	7.70 2.90 - 9.10	2.009 0.690 - 2.779	8.44	8.82	9.20	99
20+22+50	1.74	1.91	4.35 *	-	8.00 2.90 - 9.10	2.243 0.690 - 2.793	9.42	9.85	10.28	99
20+22+60	1.65	1.81	4.94	-	8.40 2.90 - 9.20	2.553 0.690 - 2.823	10.72	11.21	11.70	99
20+22+71	1.54	1.69	5.47	-	8.70 2.90 - 9.20	2.686 0.690 - 2.846	11.29	11.80	12.31	99
20+25+25	1.97	2.46	2.46	-	6.90 2.90 - 8.50	1.580 0.690 - 2.500	6.64	6.94	7.24	99
20+25+35	1.90	2.38	3.33	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
20+25+42	1.79	2.24	3.77 *	-	7.80 2.90 - 9.10	2.099 0.690 - 2.789	8.82	9.22	9.62	99
20+25+50	1.71	2.13	4.26 *	-	8.10 2.90 - 9.10	2.333 0.690 - 2.803	9.80	10.25	10.70	99
20+25+60	1.62	2.02	4.86	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+25+71	1.50	1.88	5.33	-	8.70 2.90 - 9.20	2.706 0.690 - 2.856	11.36	11.88	12.40	99
20+35+35	1.78	3.11	3.11	-	8.00 2.90 - 9.10	2.170 0.690 - 2.780	9.12	9.53	9.94	99
20+35+42	1.69	2.96	3.55 *	-	8.20 2.90 - 9.10	2.399 0.690 - 2.819	10.08	10.54	11.00	99
20+35+50	1.62	2.83	4.05 *	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+35+60	1.51	2.65	4.54	-	8.70 2.90 - 9.20	2.713 0.690 - 2.873	11.39	11.91	12.43	99
20+35+71	1.41	2.47	5.02	-	8.90 2.90 - 9.20	2.776 0.690 - 2.896	11.66	12.19	12.72	99
20+42+42	1.63	3.43	3.43 *	-	8.50 2.90 - 9.20	2.600 0.690 - 2.820	10.92	11.42	11.92	99
20+42+50	1.54	3.23	3.84 *	-	8.60 2.90 - 9.20	2.687 0.690 - 2.857	11.29	11.80	12.31	99
20+42+60	1.44	3.03	4.33	-	8.80 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
20+42+71	1.34	2.81	4.75	-	8.90 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
20+50+50	1.47	3.67	3.67 *	-	8.80 2.90 - 9.20	2.734 0.690 - 2.874	11.49	12.01	12.53	99
20+50+60	1.37	3.42	4.11	-	8.90 2.90 - 9.20	2.827 0.690 - 2.937	11.88	12.42	12.96	99
20+50+71	1.26	3.16	4.48	-	8.90 2.90 - 9.20	2.920 0.690 - 3.000	12.26	12.82	13.38	99
20+60+60	1.27	3.81	3.81	-	8.90 2.90 - 9.20	2.914 0.690 - 2.994	12.24	12.80	13.36	99
22+22+22	2.17	2.17	2.17	-	6.50 2.90 - 8.10	1.443 0.690 - 2.293	6.06	6.34	6.62	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	6.56	6.86	7.16	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.12	2.12	3.37	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	7.74	8.09	8.44	99
22+22+42	2.02	2.02	3.86 *	-	7.90 2.90 - 9.10	2.062 0.690 - 2.772	8.67	9.06	9.45	99
22+22+50	1.92	1.92	4.36 *	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	9.64	10.08	10.52	99
22+22+60	1.82	1.82	4.96	-	8.60 2.90 - 9.20	2.606 0.690 - 2.826	10.94	11.44	11.94	99
22+22+71	1.68	1.68	5.43	-	8.80 2.90 - 9.20	2.689 0.690 - 2.849	11.30	11.81	12.32	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.70	1.623 0.690 - 2.583	6.82	7.13	7.44	99
22+25+35	2.09	2.38	3.33	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
22+25+42	1.98	2.25	3.78 *	-	8.00 2.90 - 9.10	2.152 0.690 - 2.782	9.04	9.45	9.86	99
22+25+50	1.88	2.14	4.28 *	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.02	10.48	10.94	99
22+25+60	1.77	2.01	4.82	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+25+71	1.64	1.86	5.29	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	11.38	11.90	12.42	99
22+35+35	1.94	3.08	3.08	-	8.10 2.90 - 9.10	2.223 0.690 - 2.773	9.34	9.76	10.18	99
22+35+42	1.87	2.97	3.56 *	-	8.40 2.90 - 9.20	2.462 0.690 - 2.812	10.34	10.81	11.28	99
22+35+50	1.77	2.81	4.02 *	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+35+60	1.65	2.63	4.51	-	8.80 2.90 - 9.20	2.726 0.690 - 2.876	11.45	11.97	12.49	99
22+35+71	1.55	2.46	4.99	-	9.00 2.90 - 9.20	2.789 0.690 - 2.899	11.72	12.25	12.78	99
22+42+42	1.78	3.41	3.41 *	-	8.60 2.90 - 9.20	2.633 0.690 - 2.813	11.06	11.56	12.06	99
22+42+50	1.70	3.24	3.86 *	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	11.30	11.81	12.32	99
22+42+60	1.60	3.05	4.35	-	9.00 2.90 - 9.20	2.770 0.690 - 2.890	11.64	12.17	12.70	99
22+42+71	1.47	2.80	4.73	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
22+50+50	1.60	3.65	3.65 *	-	8.90 2.90 - 9.20	2.737 0.690 - 2.867	11.50	12.02	12.54	99
22+50+60	1.50	3.41	4.09	-	9.00 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
22+50+71	1.38	3.15	4.47	-	9.00 2.90 - 9.20	2.933 0.690 - 3.013	12.32	12.88	13.44	99
22+60+60	1.39	3.80	3.80	-	9.00 2.90 - 9.20	2.927 0.690 - 3.007	12.29	12.85	13.41	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 9.00	1.676 0.690 - 2.696	7.04	7.36	7.68	99
25+25+35	2.32	2.32	3.25	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
25+25+42	2.20	2.20	3.70 *	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	9.42	9.85	10.28	99
25+25+50	2.10	2.10	4.20 *	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
25+25+60	1.98	1.98	4.75	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+25+71	1.84	1.84	5.22	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	11.47	11.99	12.51	99
25+35+35	2.16	3.02	3.02	-	8.20 2.90 - 9.10	2.313 0.690 - 2.783	9.72	10.16	10.60	99
25+35+42	2.08	2.92	3.50 *	-	8.50 2.90 - 9.20	2.552 0.690 - 2.822	10.72	11.21	11.70	99
25+35+50	1.98	2.77	3.95 *	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+35+60	1.85	2.60	4.45	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
25+35+71	1.72	2.40	4.88	-	9.00 2.90 - 9.20	2.819 0.690 - 2.929	11.84	12.38	12.92	99
25+42+42	2.00	3.35	3.35 *	-	8.70 2.90 - 9.20	2.653 0.690 - 2.833	11.14	11.65	12.16	99
25+42+50	1.88	3.16	3.76 *	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	11.43	11.95	12.47	99
25+42+60	1.77	2.98	4.25	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
25+42+71	1.63	2.74	4.63	-	9.00 2.90 - 9.20	2.883 0.690 - 2.973	12.11	12.66	13.21	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.80	3.60	3.60 *	-	9.00 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
25+50+60	1.67	3.33	4.00	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	12.05	12.60	13.15	99
25+60+60	1.55	3.72	3.72	-	9.00 2.90 - 9.20	2.953 0.690 - 3.023	12.41	12.97	13.53	99
35+35+35	2.87	2.87	2.87	-	8.60 2.90 - 9.20	2.596 0.690 - 2.786	10.90	11.40	11.90	99
35+35+42	2.72	2.72	3.26 *	-	8.70 2.90 - 9.20	2.692 0.690 - 2.862	11.31	11.82	12.33	99
35+35+50	2.60	2.60	3.71 *	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
35+35+60	2.42	2.42	4.15	-	9.00 2.90 - 9.20	2.826 0.690 - 2.936	11.87	12.41	12.95	99
35+35+71	2.23	2.23	4.53	-	9.00 2.90 - 9.20	2.919 0.690 - 2.999	12.26	12.82	13.38	99
35+42+42	2.62	3.14	3.14 *	-	8.90 2.90 - 9.20	2.723 0.690 - 2.863	11.44	11.96	12.48	99
35+42+50	2.48	2.98	3.54 *	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
35+42+60	2.30	2.76	3.94	-	9.00 2.90 - 9.20	2.890 0.690 - 2.980	12.14	12.69	13.24	99
35+50+50	2.33	3.33	3.33 *	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
35+50+60	2.17	3.10	3.72	-	9.00 2.90 - 9.20	2.970 0.690 - 3.040	12.47	13.04	13.61	99
42+42+42	3.00	3.00	3.00 *	-	9.00 2.90 - 9.20	2.763 0.690 - 2.883	11.60	12.13	12.66	99
42+42+50	2.82	2.82	3.36 *	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	11.99	12.53	13.07	99
42+42+60	2.63	2.63	3.75	-	9.00 2.90 - 9.20	2.954 0.690 - 3.024	12.41	12.97	13.53	99
42+50+50	2.66	3.17	3.17 *	-	9.00 2.90 - 9.20	2.917 0.690 - 2.997	12.25	12.81	13.37	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 7.20	1.324 0.660 - 2.944	5.56	5.81	6.06	99
15+15+15+18	1.40	1.40	1.40	1.69	5.90 3.70 - 7.70	1.422 0.660 - 3.242	5.98	6.25	6.52	99
15+15+15+20	1.43	1.43	1.43	1.91	6.20 3.70 - 8.00	1.463 0.660 - 3.413	6.15	6.43	6.71	99
15+15+15+22	1.41	1.41	1.41	2.07	6.30 3.70 - 8.40	1.520 0.660 - 3.600	6.39	6.68	6.97	99
15+15+15+25	1.44	1.44	1.44	2.39	6.70 3.70 - 8.90	1.583 0.660 - 3.863	6.65	6.95	7.25	99
15+15+15+35	1.44	1.44	1.44	3.37	7.70 3.70 - 9.20	1.823 0.660 - 4.043	7.66	8.01	8.36	99
15+15+15+42	1.45	1.45	1.45	4.06 *	8.40 3.70 - 9.20	1.993 0.660 - 4.043	8.37	8.75	9.13	99
15+15+15+50	1.07	1.07	1.07	3.58 *	6.80 3.70 - 9.20	1.597 0.660 - 4.037	6.71	7.01	7.31	99
15+15+15+60	1.20	1.20	1.20	4.80	8.40 3.70 - 9.20	2.177 0.660 - 4.037	9.14	9.56	9.98	99
15+15+15+71	1.11	1.11	1.11	5.26	8.60 3.70 - 9.20	2.640 0.660 - 4.020	11.09	11.59	12.09	99
15+15+18+18	1.43	1.43	1.72	1.72	6.30 3.70 - 8.20	1.474 0.660 - 3.484	6.19	6.47	6.75	99
15+15+18+20	1.46	1.46	1.75	1.94	6.60 3.70 - 8.50	1.524 0.660 - 3.674	6.40	6.69	6.98	99
15+15+18+22	1.44	1.44	1.72	2.11	6.70 3.70 - 8.90	1.581 0.660 - 3.861	6.64	6.94	7.24	99
15+15+18+25	1.46	1.46	1.75	2.43	7.10 3.70 - 9.20	1.644 0.660 - 4.034	6.91	7.22	7.53	99
15+15+18+42	1.17	1.17	1.40	3.27 *	7.00 3.70 - 9.20	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+18+50	1.04	1.04	1.25	3.47 *	6.80 3.70 - 9.20	1.578 0.660 - 4.028	6.63	6.93	7.23	99
15+15+18+60	1.19	1.19	1.43	4.78	8.60 3.70 - 9.20	2.298 0.660 - 4.028	9.65	10.09	10.53	99
15+15+18+71	1.11	1.11	1.33	5.25	8.80 3.70 - 9.20	2.761 0.660 - 4.011	11.60	12.13	12.66	99
15+15+20+20	1.46	1.46	1.94	1.94	6.80 3.70 - 8.90	1.555 0.660 - 3.835	6.53	6.83	7.13	99
15+15+20+22	1.42	1.42	1.89	2.08	6.80 3.70 - 9.20	1.638 0.660 - 4.048	6.88	7.19	7.50	99
15+15+20+25	1.44	1.44	1.92	2.40	7.20 3.70 - 9.20	1.701 0.660 - 4.041	7.15	7.47	7.79	99
15+15+20+35	1.45	1.45	1.93	3.38	8.20 3.70 - 9.20	1.941 0.660 - 4.041	8.15	8.52	8.89	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+42	1.11	1.11	1.48	3.10 *	6.80 3.70 - 9.20	1.611 0.660 - 4.041	6.77	7.08	7.39	99
15+15+20+50	1.25	1.25	1.66	4.15 *	8.30 3.70 - 9.20	1.955 0.660 - 4.035	8.22	8.59	8.96	99
15+15+20+60	1.16	1.16	1.55	4.64	8.50 3.70 - 9.20	2.395 0.660 - 4.035	10.06	10.52	10.98	99
15+15+20+71	1.08	1.08	1.44	5.10	8.70 3.70 - 9.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
15+15+22+22	1.44	1.44	2.11	2.11	7.10 3.70 - 9.20	1.662 0.660 - 4.022	6.98	7.30	7.62	99
15+15+22+25	1.46	1.46	2.14	2.44	7.50 3.70 - 9.20	1.744 0.660 - 4.034	7.33	7.66	7.99	99
15+15+22+35	1.47	1.47	2.15	3.42	8.50 3.70 - 9.20	1.984 0.660 - 4.034	8.33	8.71	9.09	99
15+15+22+42	1.10	1.10	1.61	3.08 *	6.90 3.70 - 9.20	1.604 0.660 - 4.034	6.73	7.04	7.35	99
15+15+22+50	1.24	1.24	1.81	4.12 *	8.40 3.70 - 9.20	2.038 0.660 - 4.028	8.56	8.95	9.34	99
15+15+22+60	1.15	1.15	1.69	4.61	8.60 3.70 - 9.20	2.468 0.660 - 4.028	10.37	10.84	11.31	99
15+15+22+71	1.07	1.07	1.57	5.08	8.80 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+25+25	1.46	1.46	2.44	2.44	7.80 3.70 - 9.20	1.795 0.660 - 4.015	7.54	7.88	8.22	99
15+15+25+35	1.17	1.17	1.94	2.72	7.00 3.70 - 9.20	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+25+42	1.07	1.07	1.78	2.99 *	6.90 3.70 - 9.20	1.584 0.660 - 4.034	6.66	6.96	7.26	99
15+15+25+50	1.21	1.21	2.02	4.05 *	8.50 3.70 - 9.20	2.168 0.660 - 4.028	9.11	9.52	9.93	99
15+15+25+60	1.13	1.13	1.89	4.54	8.70 3.70 - 9.20	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+25+71	1.05	1.05	1.75	4.96	8.80 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+35+35	1.26	1.26	2.94	2.94	8.40 3.70 - 9.20	1.935 0.660 - 4.015	8.13	8.50	8.87	99
15+15+35+42	1.19	1.19	2.78	3.34 *	8.50 3.70 - 9.20	2.254 0.660 - 4.034	9.47	9.90	10.33	99
15+15+35+50	1.13	1.13	2.65	3.78 *	8.70 3.70 - 9.20	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+35+60	1.06	1.06	2.46	4.22	8.80 3.70 - 9.20	2.818 0.660 - 4.028	11.84	12.38	12.92	99
15+15+35+71	0.97	0.97	2.26	4.59	8.80 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+42+42	1.14	1.14	3.21 *	3.21 *	8.70 3.70 - 9.20	2.545 0.660 - 4.015	10.69	11.18	11.67	99
15+15+42+50	1.08	1.08	3.03 *	3.61 *	8.80 3.70 - 9.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+60	1.00	1.00	2.80 *	4.00	8.80 3.70 - 9.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+71	0.92	0.92	2.58 *	4.37	8.80 3.70 - 9.20	2.795 0.660 - 4.005	11.74	12.27	12.80	99
15+15+50+50	1.02	1.02	3.38 *	3.38 *	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+15+50+60	0.94	0.94	3.14 *	3.77	8.80 3.70 - 9.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+18+18+18	1.46	1.75	1.75	1.75	6.70 3.70 - 8.70	1.525 0.660 - 3.735	6.41	6.70	6.99	99
15+18+18+20	1.48	1.77	1.77	1.97	7.00 3.70 - 9.00	1.595 0.660 - 3.935	6.70	7.00	7.30	99
15+18+18+22	1.46	1.75	1.75	2.14	7.10 3.70 - 9.20	1.642 0.660 - 4.032	6.90	7.21	7.52	99
15+18+18+25	1.48	1.78	1.78	2.47	7.50 3.70 - 9.20	1.715 0.660 - 4.025	7.20	7.53	7.86	99
15+18+18+35	1.48	1.78	1.78	3.46	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+18+42	1.13	1.35	1.35	3.16 *	7.00 3.70 - 9.20	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+18+18+50	1.26	1.51	1.51	4.21 *	8.50 3.70 - 9.20	1.979 0.660 - 4.019	8.31	8.69	9.07	99
15+18+18+60	1.18	1.41	1.41	4.70	8.70 3.70 - 9.20	2.419 0.660 - 4.019	10.16	10.62	11.08	99
15+18+18+71	1.09	1.31	1.31	5.18	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.70 - 9.20	1.616 0.660 - 4.006	6.79	7.10	7.41	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 9.20	1.699 0.660 - 4.039	7.14	7.46	7.78	99



**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.46	1.75	1.95	2.44	7.60 3.70 - 9.20	1.762 0.660 - 4.032	7.40	7.74	8.08	99
15+18+20+35	1.47	1.76	1.95	3.42	8.60 3.70 - 9.20	2.002 0.660 - 4.032	8.41	8.79	9.17	99
15+18+20+42	1.09	1.31	1.45	3.05 *	6.90 3.70 - 9.20	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+18+20+50	1.24	1.49	1.65	4.13 *	8.50 3.70 - 9.20	2.076 0.660 - 4.026	8.72	9.12	9.52	99
15+18+20+60	1.15	1.39	1.54	4.62	8.70 3.70 - 9.20	2.516 0.660 - 4.026	10.57	11.05	11.53	99
15+18+20+71	1.06	1.28	1.42	5.04	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+18+22+22	1.46	1.75	2.14	2.14	7.50 3.70 - 9.20	1.723 0.660 - 4.013	7.24	7.57	7.90	99
15+18+22+25	1.48	1.78	2.17	2.47	7.90 3.70 - 9.20	1.805 0.660 - 4.025	7.59	7.93	8.27	99
15+18+22+35	1.18	1.42	1.74	2.76	7.10 3.70 - 9.20	1.605 0.660 - 4.025	6.74	7.05	7.36	99
15+18+22+42	1.08	1.30	1.59	3.03 *	7.00 3.70 - 9.20	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+18+22+50	1.23	1.47	1.80	4.10 *	8.60 3.70 - 9.20	2.159 0.660 - 4.019	9.07	9.48	9.89	99
15+18+22+60	1.15	1.38	1.68	4.59	8.80 3.70 - 9.20	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+18+22+71	1.06	1.27	1.55	5.02	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+25+35	1.13	1.35	1.88	2.63	7.00 3.70 - 9.20	1.576 0.660 - 4.006	6.62	6.92	7.22	99
15+18+25+42	1.28	1.53	2.13	3.57 *	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+25+50	1.21	1.45	2.01	4.03 *	8.70 3.70 - 9.20	2.289 0.660 - 4.019	9.61	10.05	10.49	99
15+18+25+60	1.13	1.36	1.89	4.53	8.90 3.70 - 9.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+25+71	1.03	1.24	1.72	4.90	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+35+35	1.25	1.50	2.92	2.92	8.60 3.70 - 9.20	2.056 0.660 - 4.006	8.64	9.03	9.42	99
15+18+35+42	1.19	1.42	2.77	3.32 *	8.70 3.70 - 9.20	2.385 0.660 - 4.025	10.01	10.47	10.93	99
15+18+35+50	1.13	1.36	2.64	3.77 *	8.90 3.70 - 9.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+35+60	1.04	1.25	2.43	4.17	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+18+35+71	0.96	1.15	2.24	4.55	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+42+42	1.13	1.35	3.16 *	3.16 *	8.80 3.70 - 9.20	2.666 0.660 - 4.006	11.20	11.71	12.22	99
15+18+42+50	1.07	1.28	2.99 *	3.56 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+60	0.99	1.19	2.77 *	3.96	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+50+50	1.00	1.20	3.35 *	3.35 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+18+50+60	0.93	1.12	3.11 *	3.73	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+20+20+20	1.48	1.97	1.97	1.97	7.40 3.70 - 9.20	1.656 0.660 - 3.996	6.95	7.27	7.59	99
15+20+20+22	1.42	1.90	1.90	2.09	7.30 3.70 - 9.20	1.756 0.660 - 4.046	7.37	7.71	8.05	99
15+20+20+25	1.44	1.93	1.93	2.41	7.70 3.70 - 9.20	1.819 0.660 - 4.039	7.64	7.99	8.34	99
15+20+20+35	1.15	1.53	1.53	2.68	6.90 3.70 - 9.20	1.619 0.660 - 4.039	6.80	7.11	7.42	99
15+20+20+42	1.05	1.40	1.40	2.94 *	6.80 3.70 - 9.20	1.589 0.660 - 4.039	6.68	6.98	7.28	99
15+20+20+50	1.20	1.60	1.60	4.00 *	8.40 3.70 - 9.20	2.173 0.660 - 4.033	9.13	9.54	9.95	99
15+20+20+60	1.12	1.50	1.50	4.49	8.60 3.70 - 9.20	2.603 0.660 - 4.033	10.93	11.43	11.93	99
15+20+20+71	1.04	1.38	1.38	4.90	8.70 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
15+20+22+22	1.44	1.92	2.12	2.12	7.60 3.70 - 9.20	1.780 0.660 - 4.020	7.48	7.82	8.16	99
15+20+22+25	1.46	1.95	2.15	2.44	8.00 3.70 - 9.20	1.862 0.660 - 4.032	7.82	8.18	8.54	99
15+20+22+35	1.13	1.50	1.65	2.63	6.90 3.70 - 9.20	1.602 0.660 - 4.032	6.73	7.04	7.35	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.03	1.37	1.51	2.88 *	6.80 3.70 - 9.20	1.572 0.660 - 4.032	6.60	6.90	7.20	99
15+20+22+50	1.19	1.59	1.75	3.97 *	8.50 3.70 - 9.20	2.246 0.660 - 4.026	9.43	9.86	10.29	99
15+20+22+60	1.12	1.49	1.64	4.46	8.70 3.70 - 9.20	2.686 0.660 - 4.026	11.29	11.80	12.31	99
15+20+22+71	1.03	1.38	1.51	4.88	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+25+25	1.46	1.95	2.44	2.44	8.30 3.70 - 9.20	1.913 0.660 - 4.013	8.03	8.40	8.77	99
15+20+25+35	1.09	1.45	1.82	2.54	6.90 3.70 - 9.20	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+20+25+42	1.24	1.65	2.06	3.46 *	8.40 3.70 - 9.20	2.042 0.660 - 4.032	8.58	8.97	9.36	99
15+20+25+50	1.17	1.56	1.95	3.91 *	8.60 3.70 - 9.20	2.386 0.660 - 4.026	10.02	10.48	10.94	99
15+20+25+60	1.10	1.47	1.83	4.40	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+25+71	1.01	1.34	1.68	4.77	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+35+35	1.21	1.62	2.83	2.83	8.50 3.70 - 9.20	2.153 0.660 - 4.013	9.05	9.46	9.87	99
15+20+35+42	1.15	1.54	2.69	3.23 *	8.60 3.70 - 9.20	2.472 0.660 - 4.032	10.39	10.86	11.33	99
15+20+35+50	1.10	1.47	2.57	3.67 *	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+60	1.02	1.35	2.37	4.06	8.80 3.70 - 9.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+71	0.94	1.25	2.18	4.43	8.80 3.70 - 9.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	8.80 3.70 - 9.20	2.763 0.660 - 4.013	11.60	12.13	12.66	99
15+20+42+50	1.04	1.39	2.91 *	3.46 *	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+60	0.96	1.28	2.70 *	3.85	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+50+50	0.98	1.30	3.26 *	3.26 *	8.80 3.70 - 9.20	2.793 0.660 - 4.003	11.74	12.27	12.80	99
15+20+50+60	0.91	1.21	3.03 *	3.64	8.80 3.70 - 9.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+22+22+22	1.46	2.15	2.15	2.15	7.90 3.70 - 9.20	1.803 0.660 - 4.003	7.58	7.92	8.26	99
15+22+22+25	1.48	2.17	2.17	2.47	8.30 3.70 - 9.20	1.905 0.660 - 4.025	8.01	8.37	8.73	99
15+22+22+35	1.12	1.64	1.64	2.61	7.00 3.70 - 9.20	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+22+22+42	1.26	1.85	1.85	3.53 *	8.50 3.70 - 9.20	1.985 0.660 - 4.025	8.34	8.72	9.10	99
15+22+22+50	1.20	1.76	1.76	3.99 *	8.70 3.70 - 9.20	2.329 0.660 - 4.019	9.79	10.23	10.67	99
15+22+22+60	1.12	1.65	1.65	4.49	8.90 3.70 - 9.20	2.769 0.660 - 4.019	11.63	12.16	12.69	99
15+22+22+71	1.03	1.51	1.51	4.86	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+25+25	1.48	2.17	2.47	2.47	8.60 3.70 - 9.20	1.956 0.660 - 4.006	8.22	8.59	8.96	99
15+22+25+35	1.08	1.59	1.80	2.53	7.00 3.70 - 9.20	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+22+25+42	1.24	1.82	2.07	3.47 *	8.60 3.70 - 9.20	2.115 0.660 - 4.025	8.89	9.29	9.69	99
15+22+25+50	1.17	1.71	1.94	3.88 *	8.70 3.70 - 9.20	2.459 0.660 - 4.019	10.33	10.80	11.27	99
15+22+25+60	1.09	1.60	1.82	4.38	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+25+71	1.00	1.47	1.67	4.75	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+35+35	1.21	1.77	2.81	2.81	8.60 3.70 - 9.20	2.226 0.660 - 4.006	9.35	9.78	10.21	99
15+22+35+42	1.16	1.70	2.70	3.24 *	8.80 3.70 - 9.20	2.555 0.660 - 4.025	10.73	11.22	11.71	99
15+22+35+50	1.09	1.60	2.55	3.65 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+60	1.01	1.48	2.36	4.05	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+71	0.93	1.37	2.18	4.42	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+42+42	1.10	1.62	3.09 *	3.09 *	8.90 3.70 - 9.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+42+50	1.03	1.52	2.90 *	3.45 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+60	0.96	1.41	2.69 *	3.84	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+50+50	0.97	1.43	3.25 *	3.25 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+25+25+25	1.18	1.97	1.97	1.97	7.10 3.70 - 9.20	1.593 0.660 - 4.013	6.70	7.00	7.30	99
15+25+25+35	1.28	2.13	2.13	2.98	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+25+25+42	1.21	2.01	2.01	3.38 *	8.60 3.70 - 9.20	2.245 0.660 - 4.025	9.43	9.86	10.29	99
15+25+25+50	1.15	1.91	1.91	3.83 *	8.80 3.70 - 9.20	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+25+25+60	1.07	1.78	1.78	4.27	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+25+71	0.98	1.64	1.64	4.65	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+35+35	1.19	1.98	2.77	2.77	8.70 3.70 - 9.20	2.366 0.660 - 4.006	9.94	10.39	10.84	99
15+25+35+42	1.13	1.88	2.63	3.16 *	8.80 3.70 - 9.20	2.685 0.660 - 4.025	11.28	11.79	12.30	99
15+25+35+50	1.07	1.78	2.49	3.56 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+60	0.99	1.65	2.31	3.96	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+42+42	1.08	1.79	3.01 *	3.01 *	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+60	0.94	1.57	2.63 *	3.76	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+50+50	0.95	1.59	3.18 *	3.18 *	8.90 3.70 - 9.20	2.786 0.660 - 3.996	11.71	12.24	12.77	99
15+35+35+35	1.11	2.60	2.60	2.60	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+35+35+42	1.05	2.45	2.45	2.94 *	8.90 3.70 - 9.20	2.815 0.660 - 4.025	11.82	12.36	12.90	99
15+35+35+50	0.99	2.31	2.31	3.30 *	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+60	0.92	2.15	2.15	3.68	8.90 3.70 - 9.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	8.90 3.70 - 9.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+35+42+50	0.94	2.19	2.63 *	3.13 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+42+42+42	0.95	2.65	2.65 *	2.65 *	8.90 3.70 - 9.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
18+18+18+18	1.78	1.78	1.78	1.78	7.10 3.70 - 9.20	1.597 0.660 - 4.007	6.71	7.01	7.31	99
18+18+18+20	1.80	1.80	1.80	2.00	7.40 3.70 - 9.20	1.656 0.660 - 4.016	6.95	7.27	7.59	99
18+18+18+22	1.78	1.78	1.78	2.17	7.50 3.70 - 9.20	1.713 0.660 - 4.023	7.19	7.52	7.85	99
18+18+18+25	1.80	1.80	1.80	2.50	7.90 3.70 - 9.20	1.776 0.660 - 4.016	7.46	7.80	8.14	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 9.20	1.606 0.660 - 4.016	6.74	7.05	7.36	99
18+18+18+42	1.33	1.33	1.33	3.11 *	7.10 3.70 - 9.20	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+18+50	1.51	1.51	1.51	4.18 *	8.70 3.70 - 9.20	2.100 0.660 - 4.010	8.82	9.22	9.62	99
18+18+18+60	1.41	1.41	1.41	4.68	8.90 3.70 - 9.20	2.540 0.660 - 4.010	10.67	11.16	11.65	99
18+18+18+71	1.30	1.30	1.30	5.11	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+20+20	1.80	1.80	2.00	2.00	7.60 3.70 - 9.20	1.687 0.660 - 3.997	7.09	7.41	7.73	99
18+18+20+22	1.75	1.75	1.95	2.14	7.60 3.70 - 9.20	1.760 0.660 - 4.030	7.39	7.73	8.07	99
18+18+20+25	1.78	1.78	1.98	2.47	8.00 3.70 - 9.20	1.823 0.660 - 4.023	7.66	8.01	8.36	99
18+18+20+35	1.40	1.40	1.56	2.73	7.10 3.70 - 9.20	1.603 0.660 - 4.023	6.73	7.04	7.35	99
18+18+20+42	1.27	1.27	1.41	2.96 *	6.90 3.70 - 9.20	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+18+20+50	1.46	1.46	1.62	4.06 *	8.60 3.70 - 9.20	2.197 0.660 - 4.017	9.23	9.65	10.07	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20+60	1.37	1.37	1.52	4.55	8.80 3.70 - 9.20	2.637 0.660 - 4.017	11.08	11.58	12.08	99
18+18+20+71	1.26	1.26	1.40	4.98	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+18+22+22	1.78	1.78	2.17	2.17	7.90 3.70 - 9.20	1.784 0.660 - 4.004	7.49	7.83	8.17	99
18+18+22+35	1.37	1.37	1.68	2.67	7.10 3.70 - 9.20	1.586 0.660 - 4.016	6.67	6.97	7.27	99
18+18+22+42	1.55	1.55	1.89	3.61 *	8.60 3.70 - 9.20	1.936 0.660 - 4.016	8.13	8.50	8.87	99
18+18+22+50	1.47	1.47	1.79	4.07 *	8.80 3.70 - 9.20	2.280 0.660 - 4.010	9.57	10.01	10.45	99
18+18+22+60	1.37	1.37	1.68	4.58	9.00 3.70 - 9.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+18+22+71	1.26	1.26	1.53	4.95	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+25+25	1.80	1.80	2.50	2.50	8.60 3.70 - 9.20	1.917 0.660 - 3.997	8.05	8.42	8.79	99
18+18+25+35	1.33	1.33	1.85	2.59	7.10 3.70 - 9.20	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+25+42	1.52	1.52	2.11	3.55 *	8.70 3.70 - 9.20	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+18+25+50	1.43	1.43	1.98	3.96 *	8.80 3.70 - 9.20	2.410 0.660 - 4.010	10.12	10.58	11.04	99
18+18+25+60	1.34	1.34	1.86	4.46	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+25+71	1.23	1.23	1.70	4.84	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+35+35	1.48	1.48	2.87	2.87	8.70 3.70 - 9.20	2.177 0.660 - 3.997	9.14	9.56	9.98	99
18+18+35+42	1.42	1.42	2.76	3.31 *	8.90 3.70 - 9.20	2.506 0.660 - 4.016	10.53	11.01	11.49	99
18+18+35+50	1.34	1.34	2.60	3.72 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+60	1.24	1.24	2.40	4.12	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+71	1.14	1.14	2.22	4.50	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+42+42	1.35	1.35	3.15 *	3.15 *	9.00 3.70 - 9.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+18+42+50	1.27	1.27	2.95 *	3.52 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+42+60	1.17	1.17	2.74 *	3.91	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+50+50	1.19	1.19	3.31 *	3.31 *	9.00 3.70 - 9.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+20+20+20	1.80	2.00	2.00	2.00	7.80 3.70 - 9.20	1.734 0.660 - 4.004	7.29	7.62	7.95	99
18+20+20+22	1.73	1.93	1.93	2.12	7.70 3.70 - 9.20	1.817 0.660 - 4.037	7.63	7.98	8.33	99
18+20+20+35	1.34	1.48	1.48	2.60	6.90 3.70 - 9.20	1.600 0.660 - 4.030	6.72	7.03	7.34	99
18+20+20+42	1.51	1.68	1.68	3.53 *	8.40 3.70 - 9.20	1.950 0.660 - 4.030	8.19	8.56	8.93	99
18+20+20+50	1.43	1.59	1.59	3.98 *	8.60 3.70 - 9.20	2.294 0.660 - 4.024	9.63	10.07	10.51	99
18+20+20+60	1.34	1.49	1.49	4.47	8.80 3.70 - 9.20	2.724 0.660 - 4.024	11.44	11.96	12.48	99
18+20+20+71	1.23	1.36	1.36	4.84	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
18+20+22+22	1.76	1.95	2.15	2.15	8.00 3.70 - 9.20	1.841 0.660 - 4.011	7.74	8.09	8.44	99
18+20+22+25	1.78	1.98	2.17	2.47	8.40 3.70 - 9.20	1.923 0.660 - 4.023	8.08	8.45	8.82	99
18+20+22+35	1.33	1.47	1.62	2.58	7.00 3.70 - 9.20	1.583 0.660 - 4.023	6.65	6.95	7.25	99
18+20+22+42	1.50	1.67	1.83	3.50 *	8.50 3.70 - 9.20	2.033 0.660 - 4.023	8.54	8.93	9.32	99
18+20+22+50	1.42	1.58	1.74	3.95 *	8.70 3.70 - 9.20	2.377 0.660 - 4.017	9.99	10.44	10.89	99
18+20+22+60	1.34	1.48	1.63	4.45	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+22+71	1.22	1.36	1.49	4.82	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+25+25	1.78	1.98	2.47	2.47	8.70 3.70 - 9.20	1.974 0.660 - 4.004	8.29	8.67	9.05	99
18+20+25+35	1.27	1.41	1.76	2.46	6.90 3.70 - 9.20	1.573 0.660 - 4.023	6.61	6.91	7.21	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+25+42	1.47	1.64	2.05	3.44 *	8.60 3.70 - 9.20	2.163 0.660 - 4.023	9.09	9.50	9.91	99
18+20+25+50	1.40	1.56	1.95	3.89 *	8.80 3.70 - 9.20	2.507 0.660 - 4.017	10.53	11.01	11.49	99
18+20+25+60	1.30	1.45	1.81	4.34	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+25+71	1.20	1.33	1.66	4.72	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+35+35	1.45	1.61	2.82	2.82	8.70 3.70 - 9.20	2.274 0.660 - 4.004	9.56	9.99	10.42	99
18+20+35+42	1.38	1.53	2.68	3.21 *	8.80 3.70 - 9.20	2.593 0.660 - 4.023	10.89	11.39	11.89	99
18+20+35+50	1.30	1.45	2.53	3.62 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+60	1.20	1.34	2.34	4.02	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+71	1.11	1.24	2.16	4.39	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+42+42	1.31	1.46	3.06 *	3.06 *	8.90 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+20+42+50	1.23	1.37	2.88 *	3.42 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+60	1.14	1.27	2.67 *	3.81	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+50+50	1.16	1.29	3.22 *	3.22 *	8.90 3.70 - 9.20	2.784 0.660 - 3.994	11.70	12.23	12.76	99
18+22+22+22	1.78	2.17	2.17	2.17	8.30 3.70 - 9.20	1.891 0.660 - 4.011	7.94	8.30	8.66	99
18+22+22+25	1.80	2.20	2.20	2.50	8.70 3.70 - 9.20	1.966 0.660 - 4.016	8.25	8.63	9.01	99
18+22+22+35	1.32	1.61	1.61	2.56	7.10 3.70 - 9.20	1.566 0.660 - 4.016	6.58	6.88	7.18	99
18+22+22+42	1.51	1.84	1.84	3.51 *	8.70 3.70 - 9.20	2.106 0.660 - 4.016	8.85	9.25	9.65	99
18+22+22+50	1.41	1.73	1.73	3.93 *	8.80 3.70 - 9.20	2.450 0.660 - 4.010	10.29	10.76	11.23	99
18+22+22+60	1.33	1.62	1.62	4.43	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+22+71	1.22	1.49	1.49	4.80	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.70 - 9.20	1.577 0.660 - 3.997	6.63	6.93	7.23	99
18+22+25+35	1.55	1.89	2.15	3.01	8.60 3.70 - 9.20	1.936 0.660 - 4.016	8.13	8.50	8.87	99
18+22+25+42	1.46	1.79	2.03	3.41 *	8.70 3.70 - 9.20	2.236 0.660 - 4.016	9.39	9.82	10.25	99
18+22+25+50	1.39	1.70	1.93	3.87 *	8.90 3.70 - 9.20	2.580 0.660 - 4.010	10.84	11.33	11.82	99
18+22+25+60	1.30	1.58	1.80	4.32	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+25+71	1.19	1.46	1.65	4.70	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+35+35	1.44	1.76	2.80	2.80	8.80 3.70 - 9.20	2.357 0.660 - 3.997	9.90	10.35	10.80	99
18+22+35+42	1.37	1.67	2.66	3.19 *	8.90 3.70 - 9.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
18+22+35+50	1.30	1.58	2.52	3.60 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+60	1.20	1.47	2.33	4.00	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+42+42	1.31	1.60	3.05 *	3.05 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+42+50	1.23	1.50	2.86 *	3.41 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+60	1.14	1.39	2.66 *	3.80	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+50+50	1.16	1.41	3.21 *	3.21 *	9.00 3.70 - 9.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+25+25+25	1.37	1.91	1.91	1.91	7.10 3.70 - 9.20	1.574 0.660 - 4.004	6.61	6.91	7.21	99
18+25+25+35	1.52	2.11	2.11	2.96	8.70 3.70 - 9.20	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+25+25+42	1.44	2.00	2.00	3.36 *	8.80 3.70 - 9.20	2.376 0.660 - 4.016	9.98	10.43	10.88	99
18+25+25+50	1.37	1.91	1.91	3.81 *	9.00 3.70 - 9.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+25+25+60	1.27	1.76	1.76	4.22	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.17	1.62	1.62	4.60	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+35+35	1.42	1.97	2.76	2.76	8.90 3.70 - 9.20	2.487 0.660 - 3.997	10.45	10.92	11.39	99
18+25+35+42	1.35	1.88	2.63	3.15 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+25+35+50	1.27	1.76	2.46	3.52 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+60	1.17	1.63	2.28	3.91	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+42+42	1.28	1.77	2.98 *	2.98 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+42+50	1.20	1.67	2.80 *	3.33 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+60	1.12	1.55	2.61 *	3.72	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+50+50	1.13	1.57	3.15 *	3.15 *	9.00 3.70 - 9.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+35+35+35	1.32	2.56	2.56	2.56	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+35+35+42	1.25	2.42	2.42	2.91 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+35+35+50	1.17	2.28	2.28	3.26 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+42+42	1.18	2.30	2.76 *	2.76 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+42+50	1.12	2.17	2.61 *	3.10 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+42+42+42	1.13	2.63	2.63 *	2.63 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+20+20+20	2.00	2.00	2.00	2.00	8.00 3.70 - 9.20	1.778 0.660 - 3.998	7.47	7.81	8.15	99
20+20+20+22	1.90	1.90	1.90	2.09	7.80 3.70 - 9.20	1.874 0.660 - 4.044	7.87	8.23	8.59	99
20+20+20+25	1.93	1.93	1.93	2.41	8.20 3.70 - 9.20	1.937 0.660 - 4.037	8.14	8.51	8.88	99
20+20+20+35	1.43	1.43	1.43	2.51	6.80 3.70 - 9.20	1.597 0.660 - 4.037	6.71	7.01	7.31	99
20+20+20+42	1.63	1.63	1.63	3.42 *	8.30 3.70 - 9.20	2.047 0.660 - 4.037	8.60	8.99	9.38	99
20+20+20+50	1.55	1.55	1.55	3.86 *	8.50 3.70 - 9.20	2.391 0.660 - 4.031	10.04	10.50	10.96	99
20+20+20+60	1.45	1.45	1.45	4.35	8.70 3.70 - 9.20	2.821 0.660 - 4.031	11.85	12.39	12.93	99
20+20+20+71	1.33	1.33	1.33	4.72	8.70 3.70 - 9.20	2.804 0.660 - 4.014	11.77	12.31	12.85	99
20+20+22+22	1.93	1.93	2.12	2.12	8.10 3.70 - 9.20	1.898 0.660 - 4.018	7.98	8.34	8.70	99
20+20+22+25	1.95	1.95	2.15	2.44	8.50 3.70 - 9.20	1.980 0.660 - 4.030	8.32	8.70	9.08	99
20+20+22+35	1.42	1.42	1.56	2.49	6.90 3.70 - 9.20	1.580 0.660 - 4.030	6.64	6.94	7.24	99
20+20+22+42	1.63	1.63	1.80	3.43 *	8.50 3.70 - 9.20	2.120 0.660 - 4.030	8.91	9.31	9.71	99
20+20+22+50	1.54	1.54	1.69	3.84 *	8.60 3.70 - 9.20	2.464 0.660 - 4.024	10.35	10.82	11.29	99
20+20+22+60	1.44	1.44	1.59	4.33	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+22+71	1.32	1.32	1.46	4.70	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+25+25	1.56	1.56	1.94	1.94	7.00 3.70 - 9.20	1.591 0.660 - 4.011	6.69	6.99	7.29	99
20+20+25+35	1.68	1.68	2.10	2.94	8.40 3.70 - 9.20	1.950 0.660 - 4.030	8.19	8.56	8.93	99
20+20+25+42	1.59	1.59	1.99	3.34 *	8.50 3.70 - 9.20	2.250 0.660 - 4.030	9.45	9.88	10.31	99
20+20+25+50	1.51	1.51	1.89	3.78 *	8.70 3.70 - 9.20	2.594 0.660 - 4.024	10.89	11.39	11.89	99
20+20+25+60	1.41	1.41	1.76	4.22	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+25+71	1.29	1.29	1.62	4.59	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+35+35	1.56	1.56	2.74	2.74	8.60 3.70 - 9.20	2.371 0.660 - 4.011	9.96	10.41	10.86	99
20+20+35+42	1.49	1.49	2.60	3.12 *	8.70 3.70 - 9.20	2.690 0.660 - 4.030	11.30	11.81	12.32	99
20+20+35+50	1.41	1.41	2.46	3.52 *	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.30	1.30	2.28	3.91	8.80 3.70 - 9.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	8.80 3.70 - 9.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+42+50	1.33	1.33	2.80 *	3.33 *	8.80 3.70 - 9.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+60	1.24	1.24	2.60 *	3.72	8.80 3.70 - 9.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+50+50	1.26	1.26	3.14 *	3.14 *	8.80 3.70 - 9.20	2.791 0.660 - 4.001	11.73	12.26	12.79	99
20+22+22+22	1.95	2.15	2.15	2.15	8.40 3.70 - 9.20	1.938 0.660 - 4.018	8.14	8.51	8.88	99
20+22+22+25	1.60	1.76	1.76	1.99	7.10 3.70 - 9.20	1.613 0.660 - 4.023	6.77	7.08	7.39	99
20+22+22+35	1.39	1.53	1.53	2.44	6.90 3.70 - 9.20	1.563 0.660 - 4.023	6.56	6.86	7.16	99
20+22+22+42	1.62	1.78	1.78	3.41 *	8.60 3.70 - 9.20	2.203 0.660 - 4.023	9.26	9.68	10.10	99
20+22+22+50	1.54	1.70	1.70	3.86 *	8.80 3.70 - 9.20	2.547 0.660 - 4.017	10.70	11.19	11.68	99
20+22+22+60	1.44	1.58	1.58	4.31	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+22+71	1.32	1.45	1.45	4.68	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+25+25	1.52	1.67	1.90	1.90	7.00 3.70 - 9.20	1.574 0.660 - 4.004	6.61	6.91	7.21	99
20+22+25+35	1.67	1.83	2.08	2.92	8.50 3.70 - 9.20	2.033 0.660 - 4.023	8.54	8.93	9.32	99
20+22+25+42	1.60	1.76	2.00	3.35 *	8.70 3.70 - 9.20	2.333 0.660 - 4.023	9.80	10.25	10.70	99
20+22+25+50	1.50	1.65	1.88	3.76 *	8.80 3.70 - 9.20	2.677 0.660 - 4.017	11.25	11.76	12.27	99
20+22+25+60	1.40	1.54	1.75	4.20	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+25+71	1.29	1.42	1.61	4.58	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+35+35	1.55	1.71	2.72	2.72	8.70 3.70 - 9.20	2.444 0.660 - 4.004	10.26	10.73	11.20	99
20+22+35+42	1.50	1.65	2.62	3.14 *	8.90 3.70 - 9.20	2.773 0.660 - 4.023	11.65	12.18	12.71	99
20+22+35+50	1.40	1.54	2.45	3.50 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+60	1.30	1.43	2.27	3.90	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+60	1.24	1.36	2.60 *	3.71	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+50+50	1.25	1.38	3.13 *	3.13 *	8.90 3.70 - 9.20	2.784 0.660 - 3.994	11.70	12.23	12.76	99
20+25+25+25	1.47	1.84	1.84	1.84	7.00 3.70 - 9.20	1.571 0.660 - 4.011	6.60	6.90	7.20	99
20+25+25+35	1.64	2.05	2.05	2.87	8.60 3.70 - 9.20	2.163 0.660 - 4.023	9.09	9.50	9.91	99
20+25+25+42	1.55	1.94	1.94	3.26 *	8.70 3.70 - 9.20	2.463 0.660 - 4.023	10.35	10.82	11.29	99
20+25+25+50	1.48	1.85	1.85	3.71 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+60	1.37	1.71	1.71	4.11	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+71	1.26	1.58	1.58	4.48	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+35+35	1.53	1.91	2.68	2.68	8.80 3.70 - 9.20	2.574 0.660 - 4.004	10.81	11.30	11.79	99
20+25+35+42	1.46	1.82	2.55	3.06 *	8.90 3.70 - 9.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+25+35+50	1.37	1.71	2.40	3.42 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+60	1.27	1.59	2.23	3.81	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	8.90 3.70 - 9.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+42+50	1.30	1.62	2.73 *	3.25 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+25+50+50	1.23	1.53	3.07 *	3.07 *	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99

**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.42	2.49	2.49	2.49	8.90 3.70 - 9.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+35+35+42	1.35	2.36	2.36	2.83 *	8.90 3.70 - 9.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+35+35+50	1.27	2.23	2.23	3.18 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+35+42+42	1.28	2.24	2.69 *	2.69 *	8.90 3.70 - 9.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
22+22+22+22	2.18	2.18	2.18	2.18	8.70 3.70 - 9.20	1.981 0.660 - 4.011	8.32	8.70	9.08	99
22+22+22+25	1.74	1.74	1.74	1.98	7.20 3.70 - 9.20	1.596 0.660 - 4.016	6.71	7.01	7.31	99
22+22+22+35	1.87	1.87	1.87	2.98	8.60 3.70 - 9.20	1.976 0.660 - 4.016	8.30	8.68	9.06	99
22+22+22+42	1.79	1.79	1.79	3.42 *	8.80 3.70 - 9.20	2.286 0.660 - 4.016	9.60	10.04	10.48	99
22+22+22+50	1.69	1.69	1.69	3.84 *	8.90 3.70 - 9.20	2.630 0.660 - 4.010	11.05	11.55	12.05	99
22+22+22+60	1.57	1.57	1.57	4.29	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+22+71	1.45	1.45	1.45	4.66	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+25+25	1.66	1.66	1.89	1.89	7.10 3.70 - 9.20	1.567 0.660 - 3.997	6.58	6.88	7.18	99
22+22+25+35	1.84	1.84	2.09	2.93	8.70 3.70 - 9.20	2.106 0.660 - 4.016	8.85	9.25	9.65	99
22+22+25+42	1.74	1.74	1.98	3.33 *	8.80 3.70 - 9.20	2.416 0.660 - 4.016	10.15	10.61	11.07	99
22+22+25+50	1.66	1.66	1.89	3.78 *	9.00 3.70 - 9.20	2.760 0.660 - 4.010	11.59	12.12	12.65	99
22+22+25+60	1.53	1.53	1.74	4.19	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+25+71	1.41	1.41	1.61	4.56	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+35+35	1.72	1.72	2.73	2.73	8.90 3.70 - 9.20	2.527 0.660 - 3.997	10.62	11.10	11.58	99
22+22+35+42	1.64	1.64	2.60	3.12 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+22+35+50	1.53	1.53	2.44	3.49 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+60	1.42	1.42	2.27	3.88	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+42+42	1.55	1.55	2.95 *	2.95 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+25+25+25	1.61	1.83	1.83	1.83	7.10 3.70 - 9.20	1.554 0.660 - 4.004	6.52	6.82	7.12	99
22+25+25+35	1.79	2.03	2.03	2.85	8.70 3.70 - 9.20	2.236 0.660 - 4.016	9.39	9.82	10.25	99
22+25+25+42	1.72	1.95	1.95	3.28 *	8.90 3.70 - 9.20	2.546 0.660 - 4.016	10.69	11.18	11.67	99
22+25+25+50	1.62	1.84	1.84	3.69 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+60	1.50	1.70	1.70	4.09	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+71	1.38	1.57	1.57	4.47	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+35+35	1.67	1.90	2.66	2.66	8.90 3.70 - 9.20	2.657 0.660 - 3.997	11.16	11.67	12.18	99
22+25+35+42	1.60	1.81	2.54	3.05 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+25+35+50	1.50	1.70	2.39	3.41 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+60	1.39	1.58	2.22	3.80	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+42+42	1.51	1.72	2.89 *	2.89 *	9.00 3.70 - 9.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+35+35+35	1.56	2.48	2.48	2.48	9.00 3.70 - 9.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+35+35+42	1.48	2.35	2.35	2.82 *	9.00 3.70 - 9.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+35+35+50	1.39	2.22	2.22	3.17 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99



**MXZ-4F83VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.40	2.23	2.68 *	2.68 *	9.00 3.70 - 9.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 3.70 - 9.20	1.924 - 4.004	8.08	8.45	8.82	99
25+25+25+35	2.00	2.00	2.00	2.80	8.80 3.70 - 9.20	2.376 - 4.016	9.98	10.43	10.88	99
25+25+25+42	1.90	1.90	1.90	3.19 *	8.90 3.70 - 9.20	2.676 - 4.016	11.24	11.75	12.26	99
25+25+25+50	1.80	1.80	1.80	3.60 *	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
25+25+25+60	1.67	1.67	1.67	4.00	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
25+25+35+35	1.88	1.88	2.63	2.63	9.00 3.70 - 9.20	2.783 - 3.993	11.69	12.22	12.75	99
25+25+35+42	1.77	1.77	2.48	2.98 *	9.00 3.70 - 9.20	2.806 - 4.016	11.78	12.32	12.86	99
25+25+35+50	1.67	1.67	2.33	3.33 *	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
25+25+35+60	1.55	1.55	2.17	3.72	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
25+25+42+42	1.68	1.68	2.82 *	2.82 *	9.00 3.70 - 9.20	2.783 - 3.993	11.69	12.22	12.75	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	9.00 3.70 - 9.20	2.794 - 4.004	11.74	12.27	12.80	99
25+35+35+35	1.73	2.42	2.42	2.42	9.00 3.70 - 9.20	2.794 - 4.004	11.74	12.27	12.80	99
25+35+35+42	1.64	2.30	2.30	2.76 *	9.00 3.70 - 9.20	2.806 - 4.016	11.78	12.32	12.86	99
25+35+35+50	1.55	2.17	2.17	3.10 *	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	9.00 3.70 - 9.20	2.800 - 4.010	11.77	12.30	12.83	99
35+35+35+35	2.25	2.25	2.25	2.25	9.00 3.70 - 9.20	2.794 - 4.004	11.74	12.27	12.80	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

Total connect indoor unit	
3 or more units	
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.67kW
- MSZ-LN25VG2 : Rated capacity is 2.32kW
- MSZ-AP42VG : Rated capacity is 3.51kW (=3.92\*0.9)

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.70	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.48	2.59	2.70	99
18	3.30	-	-	-	3.30 1.50 - 4.60	0.750 - 1.610	3.15	3.29	3.43	99
20	2.20	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.60	2.72	2.84	99
22	3.30	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.15	3.29	3.43	99
25	3.60	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.36	3.51	3.66	99
35	4.00	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	3.74	3.91	4.08	99
42	5.40	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.25	5.49	5.73	99
50	7.20	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.11	8.48	8.85	99
60	7.90	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	9.24	9.66	10.08	99
71	8.60	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	10.75	11.24	11.73	99
15+15	3.30	3.30	-	-	6.60 3.00 - 7.20	1.420 - 2.500	5.97	6.24	6.51	99
15+18	2.91	3.49	-	-	6.40 3.00 - 7.20	1.386 - 2.556	5.83	6.09	6.35	99
15+20	2.79	3.71	-	-	6.50 3.00 - 7.20	1.377 - 2.607	5.79	6.05	6.31	99
15+22	2.59	3.81	-	-	6.40 3.00 - 7.20	1.384 - 2.644	5.82	6.08	6.34	99
15+25	2.44	4.06	-	-	6.50 3.00 - 7.20	1.377 - 2.637	5.79	6.05	6.31	99
15+35	2.13	4.97	-	-	7.10 3.00 - 8.80	1.547 - 2.787	6.49	6.79	7.09	99
15+42	1.95	5.45	-	-	7.40 3.00 - 9.20	1.657 - 2.847	6.96	7.28	7.60	99
15+50	1.78	5.92	-	-	7.70 3.00 - 9.60	1.771 - 2.921	7.44	7.78	8.12	99
15+60	1.66	6.64	-	-	8.30 3.00 - 10.20	2.021 - 3.041	8.49	8.88	9.27	99
15+71	1.57	7.43	-	-	9.00 3.00 - 11.00	2.334 - 3.154	9.80	10.25	10.70	99
18+18	3.25	3.25	-	-	6.50 3.00 - 7.20	1.358 - 2.618	5.70	5.96	6.22	99
18+20	3.13	3.47	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+22	2.93	3.58	-	-	6.50 3.00 - 7.20	1.375 - 2.635	5.78	6.04	6.30	99
18+25	2.76	3.84	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+35	2.48	4.82	-	-	7.30 3.00 - 9.00	1.588 - 2.808	6.67	6.97	7.27	99
18+42	2.28	5.32	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.14	7.46	7.78	99
18+50	2.09	5.81	-	-	7.90 3.00 - 9.70	1.812 - 2.932	7.61	7.96	8.31	99
18+60	1.98	6.62	-	-	8.60 3.00 - 10.50	2.112 - 3.072	8.88	9.28	9.68	99
18+71	1.88	7.42	-	-	9.30 3.00 - 11.00	2.375 - 3.145	9.98	10.43	10.88	99
20+20	3.30	3.30	-	-	6.60 3.00 - 7.20	1.349 - 2.609	5.66	5.92	6.18	99
20+22	3.05	3.35	-	-	6.40 3.00 - 7.20	1.382 - 2.642	5.81	6.07	6.33	99
20+25	2.93	3.67	-	-	6.60 3.00 - 7.50	1.405 - 2.665	5.90	6.17	6.44	99
20+35	2.65	4.65	-	-	7.30 3.00 - 9.10	1.625 - 2.835	6.83	7.14	7.45	99
20+42	2.45	5.15	-	-	7.60 3.00 - 9.40	1.735 - 2.895	7.29	7.62	7.95	99
20+50	2.26	5.64	-	-	7.90 3.00 - 9.80	1.849 - 2.959	7.77	8.12	8.47	99
20+60	2.15	6.45	-	-	8.60 3.00 - 10.70	2.189 - 3.109	9.19	9.61	10.03	99
20+71	2.04	7.26	-	-	9.30 3.00 - 11.00	2.422 - 3.152	10.18	10.64	11.10	99
22+22	3.25	3.25	-	-	6.50 3.00 - 7.20	1.356 - 2.616	5.70	5.96	6.22	99
22+25	3.23	3.67	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.12	6.40	6.68	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35	2.89	4.61	-	-	7.50 3.00 - 9.20	1.648 0.720 - 2.838	6.93	7.24	7.55	99
22+42	2.68	5.12	-	-	7.80 3.00 - 9.50	1.758 0.720 - 2.908	7.38	7.72	8.06	99
22+50	2.48	5.63	-	-	8.10 3.00 - 10.00	1.912 0.720 - 2.982	8.03	8.40	8.77	99
22+60	2.39	6.51	-	-	8.90 3.00 - 10.80	2.242 0.690 - 3.132	9.42	9.85	10.28	99
22+71	2.27	7.33	-	-	9.60 3.00 - 11.00	2.445 0.690 - 3.145	10.27	10.74	11.21	99
25+25	3.60	3.60	-	-	7.20 3.00 - 8.80	1.519 0.720 - 2.759	6.38	6.67	6.96	99
25+35	3.17	4.43	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.14	7.46	7.78	99
25+42	2.95	4.95	-	-	7.90 3.00 - 9.70	1.798 0.720 - 2.928	7.56	7.90	8.24	99
25+50	2.80	5.60	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	8.46	8.84	9.22	99
25+60	2.68	6.42	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
25+71	2.55	7.25	-	-	9.80 3.00 - 11.00	2.495 0.690 - 3.145	10.48	10.96	11.44	99
35+35	4.00	4.00	-	-	8.00 3.00 - 9.80	1.829 0.720 - 2.939	7.68	8.03	8.38	99
35+42	3.86	4.64	-	-	8.50 3.00 - 10.40	2.088 0.710 - 3.068	8.77	9.17	9.57	99
35+50	3.75	5.35	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
35+60	3.57	6.13	-	-	9.70 3.00 - 11.00	2.502 0.690 - 3.162	10.51	10.99	11.47	99
35+71	3.37	6.83	-	-	10.20 3.00 - 11.00	2.605 0.690 - 3.145	10.94	11.44	11.94	99
42+42	4.50	4.50	-	-	9.00 3.00 - 11.00	2.299 0.690 - 3.149	9.66	10.10	10.54	99
42+50	4.34	5.16	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156	10.27	10.74	11.21	99
42+71	3.83	6.47	-	-	10.30 3.00 - 11.00	2.656 0.690 - 3.156	11.15	11.66	12.17	99
50+50	5.00	5.00	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143	10.77	11.26	11.75	99
50+60	4.68	5.62	-	-	10.30 3.00 - 11.00	2.646 0.690 - 3.156	11.11	11.62	12.13	99
50+71	4.34	6.16	-	-	10.50 3.00 - 11.00	2.689 0.690 - 3.139	11.30	11.81	12.32	99
60+60	5.25	5.25	-	-	10.50 3.00 - 11.00	2.693 0.690 - 3.143	11.32	11.83	12.34	99
60+71	4.81	5.69	-	-	10.50 3.00 - 11.00	2.672 0.690 - 3.122	11.22	11.73	12.24	99
71+71	5.25	5.25	-	-	10.50 3.00 - 11.00	2.676 0.690 - 3.126	11.24	11.75	12.26	99
15+15+15	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
15+15+18	2.63	2.63	3.15	-	8.40 3.20 - 10.60	1.719 0.530 - 3.879	7.22	7.55	7.88	99
15+15+20	2.55	2.55	3.40	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+22	2.42	2.42	3.55	-	8.40 3.20 - 10.60	1.717 0.530 - 3.877	7.21	7.54	7.87	99
15+15+25	2.32	2.32	3.86	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+35	1.96	1.96	4.58	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+42	1.81	1.81	5.08	-	8.70 3.20 - 11.30	1.820 0.530 - 3.870	7.64	7.99	8.34	99
15+15+50	1.67	1.67	5.56	-	8.90 3.20 - 11.60	1.994 0.560 - 3.864	8.38	8.76	9.14	99
15+15+60	1.50	1.50	6.00	-	9.00 3.20 - 11.60	2.244 0.610 - 3.864	9.43	9.86	10.29	99
15+15+71	1.35	1.35	6.40	-	9.10 3.20 - 11.60	2.497 0.660 - 3.847	10.49	10.97	11.45	99
15+18+18	2.50	3.00	3.00	-	8.50 3.20 - 10.60	1.691 0.530 - 3.851	7.11	7.43	7.75	99
15+18+20	2.43	2.92	3.25	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+22	2.32	2.78	3.40	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+18+25	2.22	2.67	3.71	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+35	1.92	2.30	4.48	-	8.70 3.20 - 10.80	1.741 0.530 - 3.861	7.32	7.65	7.98	99
15+18+42	1.78	2.14	4.98	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+18+60	1.47	1.76	5.87	-	9.10 3.20 - 11.60	2.305 0.620 - 3.855	9.68	10.12	10.56	99
15+18+71	1.33	1.59	6.28	-	9.20 3.20 - 11.60	2.568 0.680 - 3.838	10.79	11.28	11.77	99
15+20+20	2.35	3.13	3.13	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+20+22	2.21	2.95	3.24	-	8.40 3.20 - 10.60	1.715 0.530 - 3.875	7.20	7.53	7.86	99
15+20+25	2.13	2.83	3.54	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+20+35	1.84	2.46	4.30	-	8.60 3.20 - 11.00	1.788 0.530 - 3.868	7.51	7.85	8.19	99
15+20+42	1.71	2.29	4.80	-	8.80 3.20 - 11.60	1.928 0.540 - 3.868	8.10	8.47	8.84	99
15+20+50	1.57	2.09	5.24	-	8.90 3.20 - 11.60	2.122 0.580 - 3.862	8.91	9.32	9.73	99
15+20+60	1.42	1.89	5.68	-	9.00 3.20 - 11.60	2.362 0.630 - 3.862	9.92	10.37	10.82	99
15+20+71	1.29	1.72	6.10	-	9.10 3.20 - 11.60	2.595 0.680 - 3.845	10.90	11.40	11.90	99
15+22+22	2.16	3.17	3.17	-	8.50 3.20 - 10.60	1.689 0.530 - 3.849	7.10	7.42	7.74	99
15+22+25	2.08	3.05	3.47	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+22+35	1.83	2.69	4.28	-	8.80 3.20 - 11.30	1.811 0.530 - 3.861	7.60	7.95	8.30	99
15+22+42	1.69	2.48	4.73	-	8.90 3.20 - 11.60	1.971 0.550 - 3.861	8.28	8.66	9.04	99
15+22+50	1.55	2.28	5.17	-	9.00 3.20 - 11.60	2.165 0.590 - 3.855	9.10	9.51	9.92	99
15+22+60	1.41	2.06	5.63	-	9.10 3.20 - 11.60	2.405 0.640 - 3.855	10.10	10.56	11.02	99
15+22+71	1.28	1.87	6.05	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+25+25	1.98	3.31	3.31	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+25+35	1.78	2.97	4.15	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+25+42	1.65	2.74	4.61	-	9.00 3.20 - 11.60	2.041 0.570 - 3.861	8.57	8.96	9.35	99
15+25+50	1.52	2.53	5.06	-	9.10 3.20 - 11.60	2.235 0.610 - 3.855	9.39	9.82	10.25	99
15+25+60	1.38	2.30	5.52	-	9.20 3.20 - 11.60	2.485 0.660 - 3.855	10.44	10.91	11.38	99
15+25+71	1.24	2.07	5.88	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+35+35	1.59	3.71	3.71	-	9.00 3.20 - 11.60	2.102 0.580 - 3.842	8.83	9.23	9.63	99
15+35+42	1.48	3.46	4.15	-	9.10 3.20 - 11.60	2.291 0.620 - 3.861	9.62	10.06	10.50	99
15+35+50	1.38	3.22	4.60	-	9.20 3.20 - 11.60	2.485 0.660 - 3.855	10.44	10.91	11.38	99
15+35+60	1.25	2.93	5.02	-	9.20 3.20 - 11.60	2.605 0.680 - 3.855	10.94	11.44	11.94	99
15+35+71	1.14	2.66	5.40	-	9.20 3.20 - 11.60	2.588 0.680 - 3.838	10.88	11.37	11.86	99
15+42+42	1.38	3.86	3.86	-	9.10 3.20 - 11.60	2.442 0.650 - 3.842	10.25	10.72	11.19	99
15+42+50	1.29	3.61	4.30	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+42+60	1.18	3.30	4.72	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+42+71	1.08	3.02	5.10	-	9.20 3.20 - 11.60	2.582 0.680 - 3.832	10.85	11.34	11.83	99
15+50+50	1.20	4.00	4.00	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
15+50+60	1.10	3.68	4.42	-	9.20 3.20 - 11.60	2.599 0.680 - 3.849	10.91	11.41	11.91	99
15+50+71	1.01	3.38	4.80	-	9.20 3.20 - 11.60	2.582 0.680 - 3.832	10.85	11.34	11.83	99
15+60+60	1.02	4.09	4.09	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
18+18+18	2.87	2.87	2.87	-	8.60 3.20 - 10.60	1.655 0.530 - 3.815	6.95	7.27	7.59	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+20	2.80	2.80	3.11	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+22	2.67	2.67	3.26	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+18+25	2.57	2.57	3.57	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+35	2.26	2.26	4.39	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	7.49	7.83	8.17	99
18+18+42	2.08	2.08	4.85	-	9.00 3.20 - 11.60	1.932 0.550 - 3.852	8.11	8.48	8.85	99
18+18+50	1.90	1.90	5.29	-	9.10 3.20 - 11.60	2.126 0.590 - 3.846	8.93	9.34	9.75	99
18+18+60	1.73	1.73	5.75	-	9.20 3.20 - 11.60	2.376 0.640 - 3.846	9.98	10.43	10.88	99
18+18+71	1.56	1.56	6.17	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+20+20	2.70	3.00	3.00	-	8.70 3.20 - 10.60	1.673 0.530 - 3.833	7.03	7.35	7.67	99
18+20+22	2.55	2.83	3.12	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
18+20+25	2.46	2.73	3.41	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+20+35	2.17	2.41	4.22	-	8.80 3.20 - 11.40	1.829 0.530 - 3.859	7.68	8.03	8.38	99
18+20+42	2.03	2.25	4.73	-	9.00 3.20 - 11.60	1.989 0.560 - 3.859	8.36	8.74	9.12	99
18+20+50	1.84	2.05	5.11	-	9.00 3.20 - 11.60	2.183 0.600 - 3.853	9.17	9.59	10.01	99
18+20+60	1.67	1.86	5.57	-	9.10 3.20 - 11.60	2.433 0.650 - 3.853	10.23	10.69	11.15	99
18+20+71	1.52	1.69	5.99	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
18+22+22	2.50	3.05	3.05	-	8.60 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
18+22+25	2.41	2.94	3.35	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+22+35	2.16	2.64	4.20	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	7.82	8.18	8.54	99
18+22+42	2.00	2.44	4.66	-	9.10 3.20 - 11.60	2.032 0.570 - 3.852	8.53	8.92	9.31	99
18+22+50	1.84	2.25	5.11	-	9.20 3.20 - 11.60	2.226 0.610 - 3.846	9.35	9.78	10.21	99
18+22+60	1.67	2.05	5.58	-	9.30 3.20 - 11.60	2.476 0.660 - 3.846	10.40	10.87	11.34	99
18+22+71	1.51	1.84	5.95	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+25+25	2.33	3.24	3.24	-	8.80 3.20 - 10.80	1.713 0.530 - 3.833	7.19	7.52	7.85	99
18+25+35	2.08	2.88	4.04	-	9.00 3.20 - 11.60	1.932 0.550 - 3.852	8.11	8.48	8.85	99
18+25+42	1.93	2.68	4.50	-	9.10 3.20 - 11.60	2.112 0.580 - 3.852	8.88	9.28	9.68	99
18+25+50	1.78	2.47	4.95	-	9.20 3.20 - 11.60	2.296 0.620 - 3.846	9.64	10.08	10.52	99
18+25+60	1.63	2.26	5.42	-	9.30 3.20 - 11.60	2.546 0.670 - 3.846	10.69	11.18	11.67	99
18+25+71	1.47	2.04	5.79	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+35+35	1.86	3.62	3.62	-	9.10 3.20 - 11.60	2.163 0.600 - 3.833	9.09	9.50	9.91	99
18+35+42	1.74	3.39	4.07	-	9.20 3.20 - 11.60	2.352 0.630 - 3.852	9.88	10.33	10.78	99
18+35+50	1.63	3.16	4.51	-	9.30 3.20 - 11.60	2.546 0.670 - 3.846	10.69	11.18	11.67	99
18+35+60	1.48	2.88	4.94	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
18+35+71	1.35	2.63	5.33	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
18+42+42	1.64	3.83	3.83	-	9.30 3.20 - 11.60	2.513 0.670 - 3.833	10.56	11.04	11.52	99
18+42+50	1.52	3.55	4.23	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+42+60	1.40	3.26	4.65	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+42+71	1.28	2.98	5.04	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
18+50+50	1.42	3.94	3.94	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+50+60	1.31	3.63	4.36	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
18+50+71	1.20	3.35	4.75	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
18+60+60	1.21	4.04	4.04	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
20+20+20	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.646 0.530 - 3.806	6.92	7.23	7.54	99
20+20+22	2.71	2.71	2.98	-	8.40 3.20 - 10.60	1.713 0.530 - 3.873	7.19	7.52	7.85	99
20+20+25	2.62	2.62	3.27	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
20+20+35	2.35	2.35	4.11	-	8.80 3.20 - 11.60	1.876 0.530 - 3.866	7.88	8.24	8.60	99
20+20+42	2.17	2.17	4.56	-	8.90 3.20 - 11.60	2.046 0.570 - 3.866	8.60	8.99	9.38	99
20+20+50	2.00	2.00	5.00	-	9.00 3.20 - 11.60	2.240 0.610 - 3.860	9.41	9.84	10.27	99
20+20+60	1.82	1.82	5.46	-	9.10 3.20 - 11.60	2.490 0.660 - 3.860	10.46	10.94	11.42	99
20+20+71	1.64	1.64	5.82	-	9.10 3.20 - 11.60	2.593 0.680 - 3.843	10.89	11.39	11.89	99
20+22+22	2.66	2.92	2.92	-	8.50 3.20 - 10.60	1.687 0.530 - 3.847	7.09	7.41	7.73	99
20+22+25	2.57	2.82	3.21	-	8.60 3.20 - 10.70	1.719 0.530 - 3.859	7.22	7.55	7.88	99
20+22+35	2.31	2.54	4.05	-	8.90 3.20 - 11.60	1.919 0.540 - 3.859	8.06	8.43	8.80	99
20+22+42	2.14	2.36	4.50	-	9.00 3.20 - 11.60	2.089 0.580 - 3.859	8.77	9.17	9.57	99
20+22+50	1.98	2.18	4.95	-	9.10 3.20 - 11.60	2.283 0.620 - 3.853	9.59	10.03	10.47	99
20+22+60	1.80	1.98	5.41	-	9.20 3.20 - 11.60	2.533 0.670 - 3.853	10.64	11.12	11.60	99
20+22+71	1.63	1.79	5.78	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+25+25	2.49	3.11	3.11	-	8.70 3.20 - 11.00	1.760 0.530 - 3.840	7.39	7.73	8.07	99
20+25+35	2.25	2.81	3.94	-	9.00 3.20 - 11.60	1.989 0.560 - 3.859	8.36	8.74	9.12	99
20+25+42	2.07	2.59	4.34	-	9.00 3.20 - 11.60	2.169 0.590 - 3.859	9.12	9.53	9.94	99
20+25+50	1.92	2.39	4.79	-	9.10 3.20 - 11.60	2.353 0.630 - 3.853	9.88	10.33	10.78	99
20+25+60	1.75	2.19	5.26	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+25+71	1.59	1.98	5.63	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+35+35	2.02	3.54	3.54	-	9.10 3.20 - 11.60	2.220 0.610 - 3.840	9.33	9.75	10.17	99
20+35+42	1.88	3.28	3.94	-	9.10 3.20 - 11.60	2.409 0.640 - 3.859	10.12	10.58	11.04	99
20+35+50	1.75	3.07	4.38	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+35+60	1.60	2.80	4.80	-	9.20 3.20 - 11.60	2.603 0.680 - 3.853	10.93	11.43	11.93	99
20+35+71	1.46	2.56	5.18	-	9.20 3.20 - 11.60	2.586 0.680 - 3.836	10.87	11.36	11.85	99
20+42+42	1.77	3.72	3.72	-	9.20 3.20 - 11.60	2.570 0.680 - 3.840	10.80	11.29	11.78	99
20+42+50	1.64	3.45	4.11	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+42+60	1.51	3.17	4.52	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+42+71	1.38	2.91	4.91	-	9.20 3.20 - 11.60	2.580 0.680 - 3.830	10.84	11.33	11.82	99
20+50+50	1.53	3.83	3.83	-	9.20 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
20+50+60	1.42	3.54	4.25	-	9.20 3.20 - 11.60	2.597 0.680 - 3.847	10.91	11.41	11.91	99
20+50+71	1.30	3.26	4.63	-	9.20 3.20 - 11.60	2.580 0.680 - 3.830	10.84	11.33	11.82	99
20+60+60	1.31	3.94	3.94	-	9.20 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
22+22+22	2.87	2.87	2.87	-	8.60 3.20 - 10.60	1.653 0.530 - 3.813	6.94	7.26	7.58	99
22+22+25	2.81	2.81	3.19	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	7.36	7.69	8.02	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+35	2.51	2.51	3.99	-	9.00 3.20 - 11.60	1.962 0.550 - 3.852	8.25	8.62	8.99	99
22+22+42	2.33	2.33	4.44	-	9.10 3.20 - 11.60	2.132 0.590 - 3.852	8.95	9.36	9.77	99
22+22+50	2.15	2.15	4.89	-	9.20 3.20 - 11.60	2.326 0.630 - 3.846	9.78	10.22	10.66	99
22+22+60	1.97	1.97	5.37	-	9.30 3.20 - 11.60	2.576 0.680 - 3.846	10.82	11.31	11.80	99
22+22+71	1.78	1.78	5.74	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
22+25+25	2.72	3.09	3.09	-	8.90 3.20 - 11.30	1.783 0.530 - 3.833	7.49	7.83	8.17	99
22+25+35	2.44	2.77	3.88	-	9.10 3.20 - 11.60	2.032 0.570 - 3.852	8.53	8.92	9.31	99
22+25+42	2.25	2.56	4.29	-	9.10 3.20 - 11.60	2.212 0.600 - 3.852	9.29	9.71	10.13	99
22+25+50	2.09	2.37	4.74	-	9.20 3.20 - 11.60	2.396 0.640 - 3.846	10.06	10.52	10.98	99
22+25+60	1.91	2.17	5.21	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
22+25+71	1.73	1.97	5.60	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
22+35+35	2.20	3.50	3.50	-	9.20 3.20 - 11.60	2.263 0.620 - 3.833	9.51	9.94	10.37	99
22+35+42	2.04	3.25	3.90	-	9.20 3.20 - 11.60	2.452 0.650 - 3.852	10.30	10.77	11.24	99
22+35+50	1.91	3.04	4.35	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
22+35+60	1.75	2.78	4.77	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
22+35+71	1.60	2.54	5.16	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
22+42+42	1.93	3.68	3.68	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	10.85	11.34	11.83	99
22+42+50	1.79	3.43	4.08	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
22+42+60	1.65	3.15	4.50	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
22+42+71	1.52	2.89	4.89	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
22+50+50	1.68	3.81	3.81	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
22+50+60	1.55	3.52	4.23	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
22+50+71	1.43	3.25	4.62	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
22+60+60	1.44	3.93	3.93	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
25+25+25	3.00	3.00	3.00	-	9.00 3.20 - 11.60	1.816 0.530 - 3.806	7.63	7.98	8.33	99
25+25+35	2.68	2.68	3.75	-	9.10 3.20 - 11.60	2.112 0.580 - 3.852	8.88	9.28	9.68	99
25+25+42	2.50	2.50	4.20	-	9.20 3.20 - 11.60	2.282 0.620 - 3.852	9.58	10.02	10.46	99
25+25+50	2.33	2.33	4.65	-	9.30 3.20 - 11.60	2.476 0.660 - 3.846	10.40	10.87	11.34	99
25+25+60	2.11	2.11	5.07	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
25+25+71	1.92	1.92	5.46	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
25+35+35	2.42	3.39	3.39	-	9.20 3.20 - 11.60	2.333 0.630 - 3.833	9.80	10.25	10.70	99
25+35+42	2.28	3.19	3.83	-	9.30 3.20 - 11.60	2.532 0.670 - 3.852	10.64	11.12	11.60	99
25+35+50	2.11	2.96	4.23	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
25+35+60	1.94	2.71	4.65	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
25+35+71	1.77	2.48	5.04	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
25+42+42	2.13	3.58	3.58	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	10.85	11.34	11.83	99
25+42+50	1.99	3.34	3.97	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
25+42+60	1.83	3.08	4.39	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
25+42+71	1.68	2.83	4.78	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+50+50	1.86	3.72	3.72	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	10.83	11.32	11.81	99
25+50+60	1.72	3.44	4.13	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
25+60+60	1.60	3.85	3.85	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
35+35+35	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.556 0.680 - 3.806	10.74	11.23	11.72	99
35+35+42	2.91	2.91	3.49	-	9.30 3.20 - 11.60	2.602 0.680 - 3.852	10.93	11.43	11.93	99
35+35+50	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
35+35+60	2.50	2.50	4.29	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	10.90	11.40	11.90	99
35+35+71	2.31	2.31	4.68	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	10.84	11.33	11.82	99
35+42+42	2.74	3.28	3.28	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	10.85	11.34	11.83	99
35+42+50	2.56	3.08	3.66	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
35+42+60	2.38	2.85	4.07	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
35+50+50	2.41	3.44	3.44	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
35+50+60	2.24	3.21	3.85	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	10.88	11.37	11.86	99
42+42+42	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	10.81	11.30	11.79	99
42+42+50	2.91	2.91	3.47	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
42+42+60	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	10.86	11.35	11.84	99
42+50+50	2.75	3.27	3.27	-	9.30 3.20 - 11.60	2.567 0.680 - 3.817	10.78	11.27	11.76	99
15+15+15+15	2.25	2.25	2.25	2.25	9.00 3.40 - 11.60	1.844 0.590 - 3.834	7.75	8.10	8.45	99
15+15+15+18	2.05	2.05	2.05	2.46	8.60 3.40 - 11.60	1.872 0.590 - 3.862	7.86	8.22	8.58	99
15+15+15+20	2.01	2.01	2.01	2.68	8.70 3.40 - 11.60	1.863 0.590 - 3.853	7.82	8.18	8.54	99
15+15+15+22	1.93	1.93	1.93	2.82	8.60 3.40 - 11.60	1.870 0.590 - 3.860	7.85	8.21	8.57	99
15+15+15+25	1.86	1.86	1.86	3.11	8.70 3.40 - 11.60	1.863 0.590 - 3.853	7.82	8.18	8.54	99
15+15+15+35	1.67	1.67	1.67	3.89	8.90 3.40 - 11.60	1.893 0.590 - 3.853	7.95	8.31	8.67	99
15+15+15+42	1.55	1.55	1.55	4.34	9.00 3.40 - 11.60	1.923 0.590 - 3.853	8.08	8.45	8.82	99
15+15+15+50	1.37	1.37	1.37	4.58	8.70 3.40 - 11.60	1.857 0.590 - 3.847	7.81	8.16	8.51	99
15+15+15+60	1.29	1.29	1.29	5.14	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.05	8.42	8.79	99
15+15+15+71	1.16	1.16	1.16	5.51	9.00 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+15+18+18	1.98	1.98	2.37	2.37	8.70 3.40 - 11.60	1.844 0.590 - 3.834	7.75	8.10	8.45	99
15+15+18+20	1.94	1.94	2.33	2.59	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+22	1.86	1.86	2.24	2.73	8.70 3.40 - 11.60	1.861 0.590 - 3.851	7.81	8.17	8.53	99
15+15+18+25	1.81	1.81	2.17	3.01	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+42	1.47	1.47	1.76	4.11	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+18+50	1.35	1.35	1.62	4.49	8.80 3.40 - 11.60	1.848 0.590 - 3.838	7.77	8.12	8.47	99
15+15+18+60	1.26	1.26	1.52	5.06	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+18+71	1.15	1.15	1.38	5.43	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+20+20	1.89	1.89	2.51	2.51	8.80 3.40 - 11.60	1.835 0.590 - 3.825	7.71	8.06	8.41	99
15+15+20+22	1.79	1.79	2.39	2.63	8.60 3.40 - 11.60	1.868 0.590 - 3.858	7.84	8.20	8.56	99
15+15+20+25	1.76	1.76	2.35	2.93	8.80 3.40 - 11.60	1.871 0.590 - 3.851	7.86	8.22	8.58	99
15+15+20+35	1.57	1.57	2.09	3.66	8.90 3.40 - 11.60	1.911 0.590 - 3.851	8.03	8.39	8.75	99



**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+42	1.42	1.42	1.89	3.97	8.70 3.40 - 11.60	1.861 0.590 - 3.851	7.81	8.17	8.53	99
15+15+20+50	1.35	1.35	1.80	4.50	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.04	8.41	8.78	99
15+15+20+60	1.23	1.23	1.64	4.91	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.04	8.41	8.78	99
15+15+20+71	1.12	1.12	1.49	5.28	9.00 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
15+15+22+22	1.76	1.76	2.59	2.59	8.70 3.40 - 11.60	1.852 0.590 - 3.832	7.78	8.13	8.48	99
15+15+22+25	1.73	1.73	2.54	2.89	8.90 3.40 - 11.60	1.874 0.590 - 3.844	7.87	8.23	8.59	99
15+15+22+35	1.57	1.57	2.30	3.66	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.04	8.41	8.78	99
15+15+22+42	1.40	1.40	2.06	3.93	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+22+50	1.34	1.34	1.96	4.46	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+22+60	1.22	1.22	1.79	4.88	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+22+71	1.11	1.11	1.63	5.25	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+25+25	1.69	1.69	2.81	2.81	9.00 3.40 - 11.60	1.865 0.590 - 3.825	7.83	8.19	8.55	99
15+15+25+35	1.47	1.47	2.44	3.42	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+25+42	1.36	1.36	2.27	3.81	8.80 3.40 - 11.60	1.854 0.590 - 3.844	7.79	8.14	8.49	99
15+15+25+50	1.30	1.30	2.17	4.33	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+25+60	1.19	1.19	1.98	4.75	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+25+71	1.08	1.08	1.81	5.13	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+35+35	1.37	1.37	3.19	3.19	9.10 3.40 - 11.60	1.895 0.590 - 3.825	7.96	8.32	8.68	99
15+15+35+42	1.28	1.28	2.98	3.57	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.04	8.41	8.78	99
15+15+35+50	1.19	1.19	2.77	3.96	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+35+60	1.09	1.09	2.55	4.37	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.02	8.38	8.74	99
15+15+35+71	1.00	1.00	2.34	4.75	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
15+15+42+42	1.20	1.20	3.35	3.35	9.10 3.40 - 11.60	1.895 0.590 - 3.825	7.96	8.32	8.68	99
15+15+42+50	1.12	1.12	3.13	3.73	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+15+42+60	1.03	1.03	2.90	4.14	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+15+42+71	0.95	0.95	2.67	4.52	9.10 3.40 - 11.60	1.885 0.590 - 3.815	7.92	8.28	8.64	99
15+15+50+50	1.05	1.05	3.50	3.50	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+15+50+60	0.98	0.98	3.25	3.90	9.10 3.40 - 11.60	1.902 0.590 - 3.832	7.99	8.35	8.71	99
15+18+18+18	1.91	2.30	2.30	2.30	8.80 3.40 - 11.60	1.825 0.590 - 3.815	7.66	8.01	8.36	99
15+18+18+20	1.88	2.26	2.26	2.51	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+18+22	1.81	2.17	2.17	2.65	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+18+18+25	1.78	2.13	2.13	2.96	9.00 3.40 - 11.60	1.865 0.590 - 3.835	7.83	8.19	8.55	99
15+18+18+35	1.60	1.93	1.93	3.74	9.20 3.40 - 11.60	1.895 0.590 - 3.835	7.96	8.32	8.68	99
15+18+18+42	1.44	1.72	1.72	4.02	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+18+50	1.37	1.64	1.64	4.55	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+18+60	1.24	1.49	1.49	4.97	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+18+71	1.13	1.36	1.36	5.35	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+20+20	1.83	2.19	2.44	2.44	8.90 3.40 - 11.60	1.826 0.590 - 3.816	7.67	8.02	8.37	99
15+18+20+22	1.76	2.11	2.35	2.58	8.80 3.40 - 11.60	1.869 0.590 - 3.849	7.85	8.21	8.57	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+25	1.71	2.05	2.28	2.85	8.90 3.40 - 11.60	1.872 0.590 - 3.842	7.86	8.22	8.58	99
15+18+20+35	1.55	1.86	2.07	3.62	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+18+20+42	1.39	1.67	1.85	3.89	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+18+20+50	1.33	1.59	1.77	4.42	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+18+20+60	1.21	1.45	1.61	4.83	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+18+20+71	1.10	1.32	1.47	5.21	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+18+22+22	1.73	2.08	2.54	2.54	8.90 3.40 - 11.60	1.853 0.590 - 3.823	7.79	8.14	8.49	99
15+18+22+25	1.71	2.05	2.50	2.84	9.10 3.40 - 11.60	1.875 0.590 - 3.835	7.87	8.23	8.59	99
15+18+22+35	1.48	1.78	2.18	3.46	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+22+42	1.38	1.65	2.02	3.85	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+18+22+50	1.31	1.58	1.93	4.38	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+22+60	1.20	1.44	1.76	4.80	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+22+71	1.10	1.31	1.61	5.18	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+25+35	1.44	1.72	2.39	3.35	8.90 3.40 - 11.60	1.826 0.590 - 3.816	7.67	8.02	8.37	99
15+18+25+42	1.38	1.66	2.30	3.86	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+18+25+50	1.28	1.53	2.13	4.26	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+25+60	1.17	1.40	1.95	4.68	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+25+71	1.07	1.28	1.78	5.06	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+35+35	1.34	1.61	3.13	3.13	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+18+35+42	1.25	1.51	2.93	3.51	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+18+35+50	1.17	1.40	2.73	3.90	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+35+60	1.08	1.29	2.52	4.31	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+18+35+71	0.99	1.19	2.32	4.70	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+18+42+42	1.18	1.42	3.30	3.30	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+18+42+50	1.10	1.32	3.09	3.68	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+18+42+60	1.02	1.23	2.86	4.09	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+18+50+50	1.04	1.25	3.46	3.46	9.20 3.40 - 11.60	1.876 0.590 - 3.806	7.88	8.24	8.60	99
15+18+50+60	0.97	1.16	3.22	3.86	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+20+20	1.80	2.40	2.40	2.40	9.00 3.40 - 11.60	1.826 0.590 - 3.806	7.67	8.02	8.37	99
15+20+20+22	1.69	2.26	2.26	2.49	8.70 3.40 - 11.60	1.886 0.590 - 3.856	7.92	8.28	8.64	99
15+20+20+25	1.67	2.23	2.23	2.78	8.90 3.40 - 11.60	1.889 0.590 - 3.849	7.94	8.30	8.66	99
15+20+20+35	1.45	1.93	1.93	3.38	8.70 3.40 - 11.60	1.859 0.590 - 3.849	7.81	8.16	8.51	99
15+20+20+42	1.35	1.79	1.79	3.77	8.70 3.40 - 11.60	1.859 0.590 - 3.849	7.81	8.16	8.51	99
15+20+20+50	1.29	1.71	1.71	4.29	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.03	8.40	8.77	99
15+20+20+60	1.17	1.57	1.57	4.70	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.03	8.40	8.77	99
15+20+20+71	1.07	1.43	1.43	5.07	9.00 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
15+20+22+22	1.67	2.23	2.45	2.45	8.80 3.40 - 11.60	1.870 0.590 - 3.830	7.85	8.21	8.57	99
15+20+22+25	1.65	2.20	2.41	2.74	9.00 3.40 - 11.60	1.892 0.590 - 3.842	7.95	8.31	8.67	99
15+20+22+35	1.43	1.91	2.10	3.35	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+22+42	1.33	1.78	1.96	3.73	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+20+22+50	1.28	1.70	1.87	4.25	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+22+60	1.17	1.56	1.71	4.67	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+22+71	1.07	1.42	1.56	5.05	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+25+25	1.59	2.12	2.65	2.65	9.00 3.40 - 11.60	1.883 0.590 - 3.823	7.91	8.27	8.63	99
15+20+25+35	1.39	1.85	2.32	3.24	8.80 3.40 - 11.60	1.852 0.590 - 3.842	7.78	8.13	8.48	99
15+20+25+42	1.34	1.78	2.23	3.75	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+20+25+50	1.24	1.65	2.07	4.14	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+25+60	1.14	1.52	1.90	4.55	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+25+71	1.04	1.39	1.74	4.93	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+35+35	1.30	1.73	3.03	3.03	9.10 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+35+42	1.22	1.63	2.84	3.41	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.03	8.40	8.77	99
15+20+35+50	1.14	1.52	2.65	3.79	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+35+60	1.05	1.40	2.45	4.20	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.01	8.37	8.73	99
15+20+35+71	0.97	1.29	2.26	4.58	9.10 3.40 - 11.60	1.889 0.590 - 3.819	7.94	8.30	8.66	99
15+20+42+42	1.15	1.53	3.21	3.21	9.10 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+20+42+50	1.07	1.43	3.01	3.58	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+20+42+60	1.00	1.33	2.79	3.99	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+20+50+50	1.01	1.35	3.37	3.37	9.10 3.40 - 11.60	1.883 0.590 - 3.813	7.91	8.27	8.63	99
15+20+50+60	0.94	1.26	3.14	3.77	9.10 3.40 - 11.60	1.900 0.590 - 3.830	7.98	8.34	8.70	99
15+22+22+22	1.67	2.44	2.44	2.44	9.00 3.40 - 11.60	1.853 0.590 - 3.813	7.79	8.14	8.49	99
15+22+22+25	1.63	2.38	2.38	2.71	9.10 3.40 - 11.60	1.895 0.590 - 3.835	7.96	8.32	8.68	99
15+22+22+35	1.42	2.08	2.08	3.31	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+22+22+42	1.37	2.00	2.00	3.83	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+22+50	1.27	1.86	1.86	4.22	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+22+60	1.16	1.70	1.70	4.64	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+22+71	1.06	1.56	1.56	5.02	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+25+25	1.59	2.33	2.64	2.64	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+22+25+35	1.38	2.02	2.29	3.21	8.90 3.40 - 11.60	1.845 0.590 - 3.835	7.75	8.10	8.45	99
15+22+25+42	1.33	1.95	2.21	3.72	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+25+50	1.23	1.81	2.05	4.11	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+25+60	1.13	1.66	1.89	4.52	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+25+71	1.04	1.52	1.73	4.91	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+35+35	1.29	1.89	3.01	3.01	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+22+35+42	1.21	1.78	2.82	3.39	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+22+35+50	1.13	1.66	2.64	3.77	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+35+60	1.05	1.53	2.44	4.18	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+22+35+71	0.97	1.42	2.25	4.57	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+22+42+42	1.14	1.67	3.19	3.19	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+42+50	1.07	1.57	3.00	3.57	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+22+42+60	0.99	1.46	2.78	3.97	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+22+50+50	1.01	1.48	3.36	3.36	9.20 3.40 - 11.60	1.876 0.590 - 3.806	7.88	8.24	8.60	99
15+25+25+25	1.48	2.47	2.47	2.47	8.90 3.40 - 11.60	1.833 0.590 - 3.823	7.70	8.05	8.40	99
15+25+25+35	1.38	2.30	2.30	3.22	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+25+25+42	1.29	2.15	2.15	3.61	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+25+25+50	1.20	2.00	2.00	4.00	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+25+25+60	1.10	1.84	1.84	4.42	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+25+25+71	1.01	1.69	1.69	4.80	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+25+35+35	1.25	2.09	2.93	2.93	9.20 3.40 - 11.60	1.886 0.590 - 3.816	7.92	8.28	8.64	99
15+25+35+42	1.18	1.97	2.75	3.30	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+25+35+50	1.10	1.84	2.58	3.68	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+25+35+60	1.02	1.70	2.39	4.09	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+25+42+42	1.11	1.85	3.12	3.12	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+25+42+50	1.05	1.74	2.93	3.48	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+25+42+60	0.97	1.62	2.72	3.89	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+25+50+50	0.99	1.64	3.29	3.29	9.20 3.40 - 11.60	1.876 0.590 - 3.806	7.88	8.24	8.60	99
15+35+35+35	1.15	2.68	2.68	2.68	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+35+35+42	1.09	2.54	2.54	3.04	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.01	8.37	8.73	99
15+35+35+50	1.02	2.39	2.39	3.41	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+35+35+60	0.95	2.22	2.22	3.81	9.20 3.40 - 11.60	1.899 0.590 - 3.829	7.98	8.34	8.70	99
15+35+42+42	1.03	2.40	2.88	2.88	9.20 3.40 - 11.60	1.882 0.590 - 3.812	7.91	8.27	8.63	99
15+35+42+50	0.97	2.27	2.72	3.24	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
15+42+42+42	0.98	2.74	2.74	2.74	9.20 3.40 - 11.60	1.893 0.590 - 3.823	7.95	8.31	8.67	99
18+18+18+18	2.23	2.23	2.23	2.23	8.90 3.40 - 11.60	1.827 0.590 - 3.817	7.67	8.02	8.37	99
18+18+18+20	2.19	2.19	2.19	2.43	9.00 3.40 - 11.60	1.846 0.590 - 3.826	7.76	8.11	8.46	99
18+18+18+22	2.13	2.13	2.13	2.61	9.00 3.40 - 11.60	1.863 0.590 - 3.833	7.82	8.18	8.54	99
18+18+18+25	2.07	2.07	2.07	2.88	9.10 3.40 - 11.60	1.866 0.590 - 3.826	7.83	8.19	8.55	99
18+18+18+35	1.82	1.82	1.82	3.54	9.00 3.40 - 11.60	1.836 0.590 - 3.826	7.71	8.06	8.41	99
18+18+18+42	1.69	1.69	1.69	3.94	9.00 3.40 - 11.60	1.836 0.590 - 3.826	7.71	8.06	8.41	99
18+18+18+50	1.61	1.61	1.61	4.47	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+18+18+60	1.47	1.47	1.47	4.89	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+18+18+71	1.34	1.34	1.34	5.28	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
18+18+20+20	2.16	2.16	2.39	2.39	9.10 3.40 - 11.60	1.837 0.590 - 3.807	7.72	8.07	8.42	99
18+18+20+22	2.05	2.05	2.28	2.51	8.90 3.40 - 11.60	1.870 0.590 - 3.840	7.85	8.21	8.57	99
18+18+20+25	2.02	2.02	2.25	2.81	9.10 3.40 - 11.60	1.873 0.590 - 3.833	7.87	8.23	8.59	99
18+18+20+35	1.76	1.76	1.96	3.42	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
18+18+20+42	1.63	1.63	1.82	3.81	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
18+18+20+50	1.56	1.56	1.74	4.34	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
18+18+20+60	1.43	1.43	1.59	4.76	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+18+20+71	1.30	1.30	1.45	5.14	9.20 3.40 - 11.60	1.880 - 3.810	0.590	7.90	8.26	8.62	99
18+18+22+22	2.05	2.05	2.50	2.50	9.10 3.40 - 11.60	1.854 - 3.814	0.590	7.79	8.14	8.49	99
18+18+22+35	1.74	1.74	2.13	3.39	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+22+42	1.67	1.67	2.05	3.91	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+22+50	1.55	1.55	1.89	4.31	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+22+60	1.42	1.42	1.73	4.73	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+22+71	1.30	1.30	1.59	5.12	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+25+25	1.95	1.95	2.70	2.70	9.30 3.40 - 11.60	1.867 - 3.807	0.590	7.84	8.20	8.56	99
18+18+25+35	1.69	1.69	2.34	3.28	9.00 3.40 - 11.60	1.836 - 3.826	0.590	7.71	8.06	8.41	99
18+18+25+42	1.63	1.63	2.26	3.79	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+25+50	1.51	1.51	2.09	4.19	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+25+60	1.38	1.38	1.92	4.61	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+25+71	1.27	1.27	1.76	5.00	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+35+35	1.58	1.58	3.07	3.07	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
18+18+35+42	1.48	1.48	2.88	3.46	9.30 3.40 - 11.60	1.896 - 3.826	0.590	7.97	8.33	8.69	99
18+18+35+50	1.38	1.38	2.69	3.84	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+35+60	1.28	1.28	2.48	4.26	9.30 3.40 - 11.60	1.890 - 3.820	0.590	7.94	8.30	8.66	99
18+18+35+71	1.18	1.18	2.29	4.65	9.30 3.40 - 11.60	1.873 - 3.803	0.590	7.87	8.23	8.59	99
18+18+42+42	1.40	1.40	3.26	3.26	9.30 3.40 - 11.60	1.877 - 3.807	0.590	7.88	8.24	8.60	99
18+18+42+50	1.31	1.31	3.05	3.63	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+18+42+60	1.21	1.21	2.83	4.04	9.30 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+18+50+50	1.23	1.23	3.42	3.42	9.30 3.40 - 11.60	1.867 - 3.797	0.590	7.84	8.20	8.56	99
18+20+20+20	2.10	2.33	2.33	2.33	9.10 3.40 - 11.60	1.844 - 3.814	0.590	7.75	8.10	8.45	99
18+20+20+22	2.00	2.23	2.23	2.45	8.90 3.40 - 11.60	1.887 - 3.847	0.590	7.93	8.29	8.65	99
18+20+20+35	1.70	1.89	1.89	3.31	8.80 3.40 - 11.60	1.850 - 3.840	0.590	7.77	8.12	8.47	99
18+20+20+42	1.64	1.82	1.82	3.82	9.10 3.40 - 11.60	1.910 - 3.840	0.590	8.03	8.39	8.75	99
18+20+20+50	1.52	1.69	1.69	4.21	9.10 3.40 - 11.60	1.904 - 3.834	0.590	8.00	8.36	8.72	99
18+20+20+60	1.39	1.54	1.54	4.63	9.10 3.40 - 11.60	1.904 - 3.834	0.590	8.00	8.36	8.72	99
18+20+20+71	1.27	1.41	1.41	5.01	9.10 3.40 - 11.60	1.887 - 3.817	0.590	7.93	8.29	8.65	99
18+20+22+22	1.98	2.20	2.41	2.41	9.00 3.40 - 11.60	1.871 - 3.821	0.590	7.86	8.22	8.58	99
18+20+22+25	1.93	2.14	2.36	2.68	9.10 3.40 - 11.60	1.893 - 3.833	0.590	7.95	8.31	8.67	99
18+20+22+35	1.69	1.87	2.06	3.28	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99
18+20+22+42	1.62	1.80	1.98	3.79	9.20 3.40 - 11.60	1.903 - 3.833	0.590	8.00	8.36	8.72	99
18+20+22+50	1.51	1.67	1.84	4.18	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+20+22+60	1.38	1.53	1.69	4.60	9.20 3.40 - 11.60	1.897 - 3.827	0.590	7.97	8.33	8.69	99
18+20+22+71	1.26	1.40	1.55	4.99	9.20 3.40 - 11.60	1.880 - 3.810	0.590	7.90	8.26	8.62	99
18+20+25+25	1.88	2.09	2.61	2.61	9.20 3.40 - 11.60	1.884 - 3.814	0.590	7.91	8.27	8.63	99
18+20+25+35	1.63	1.82	2.27	3.18	8.90 3.40 - 11.60	1.843 - 3.833	0.590	7.74	8.09	8.44	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+25+42	1.58	1.75	2.19	3.68	9.20 3.40 - 11.60	1.903 - 3.833	8.00	8.36	8.72	99
18+20+25+50	1.47	1.63	2.04	4.07	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+25+60	1.35	1.50	1.87	4.49	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+25+71	1.24	1.37	1.72	4.87	9.20 3.40 - 11.60	1.880 - 3.810	7.90	8.26	8.62	99
18+20+35+35	1.53	1.70	2.98	2.98	9.20 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+20+35+42	1.44	1.60	2.80	3.36	9.20 3.40 - 11.60	1.903 - 3.833	8.00	8.36	8.72	99
18+20+35+50	1.35	1.50	2.62	3.74	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+35+60	1.25	1.38	2.42	4.15	9.20 3.40 - 11.60	1.897 - 3.827	7.97	8.33	8.69	99
18+20+35+71	1.15	1.28	2.24	4.54	9.20 3.40 - 11.60	1.880 - 3.810	7.90	8.26	8.62	99
18+20+42+42	1.36	1.51	3.17	3.17	9.20 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+20+42+50	1.27	1.42	2.97	3.54	9.20 3.40 - 11.60	1.891 - 3.821	7.94	8.30	8.66	99
18+20+42+60	1.18	1.31	2.76	3.94	9.20 3.40 - 11.60	1.891 - 3.821	7.94	8.30	8.66	99
18+20+50+50	1.20	1.33	3.33	3.33	9.20 3.40 - 11.60	1.874 - 3.804	7.87	8.23	8.59	99
18+22+22+22	1.95	2.38	2.38	2.38	9.10 3.40 - 11.60	1.881 - 3.821	7.90	8.26	8.62	99
18+22+22+25	1.92	2.35	2.35	2.67	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+22+35	1.67	2.04	2.04	3.25	9.00 3.40 - 11.60	1.836 - 3.826	7.71	8.06	8.41	99
18+22+22+42	1.61	1.97	1.97	3.76	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+22+50	1.49	1.83	1.83	4.15	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+22+60	1.37	1.68	1.68	4.57	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+22+71	1.26	1.54	1.54	4.96	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+25+25	1.80	2.20	2.50	2.50	9.00 3.40 - 11.60	1.817 - 3.807	7.63	7.98	8.33	99
18+22+25+35	1.67	2.05	2.33	3.26	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+25+42	1.56	1.91	2.17	3.65	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+25+50	1.46	1.78	2.02	4.04	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+25+60	1.34	1.64	1.86	4.46	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+25+71	1.23	1.50	1.71	4.86	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+35+35	1.52	1.86	2.96	2.96	9.30 3.40 - 11.60	1.877 - 3.807	7.88	8.24	8.60	99
18+22+35+42	1.43	1.75	2.78	3.34	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+22+35+50	1.34	1.64	2.60	3.72	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+35+60	1.24	1.52	2.41	4.13	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+22+42+42	1.35	1.65	3.15	3.15	9.30 3.40 - 11.60	1.873 - 3.803	7.87	8.23	8.59	99
18+22+42+50	1.27	1.55	2.96	3.52	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+22+42+60	1.18	1.44	2.75	3.93	9.30 3.40 - 11.60	1.884 - 3.814	7.91	8.27	8.63	99
18+22+50+50	1.20	1.46	3.32	3.32	9.30 3.40 - 11.60	1.867 - 3.797	7.84	8.20	8.56	99
18+25+25+25	1.74	2.42	2.42	2.42	9.00 3.40 - 11.60	1.824 - 3.814	7.66	8.01	8.36	99
18+25+25+35	1.63	2.26	2.26	3.16	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+25+25+42	1.52	2.11	2.11	3.55	9.30 3.40 - 11.60	1.896 - 3.826	7.97	8.33	8.69	99
18+25+25+50	1.42	1.97	1.97	3.94	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99
18+25+25+60	1.31	1.82	1.82	4.36	9.30 3.40 - 11.60	1.890 - 3.820	7.94	8.30	8.66	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+25+25+71	1.20	1.67	1.67	4.75	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
18+25+35+35	1.48	2.06	2.88	2.88	9.30 3.40 - 11.60	1.877 0.590 - 3.807	7.88	8.24	8.60	99
18+25+35+42	1.40	1.94	2.71	3.26	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
18+25+35+50	1.31	1.82	2.54	3.63	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+25+35+60	1.21	1.68	2.36	4.04	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+25+42+42	1.32	1.83	3.08	3.08	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
18+25+42+50	1.24	1.72	2.89	3.44	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+25+42+60	1.15	1.60	2.69	3.85	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+25+50+50	1.17	1.63	3.25	3.25	9.30 3.40 - 11.60	1.867 0.590 - 3.797	7.84	8.20	8.56	99
18+35+35+35	1.36	2.65	2.65	2.65	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+35+35+42	1.29	2.50	2.50	3.00	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
18+35+35+50	1.21	2.36	2.36	3.37	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+35+42+42	1.22	2.38	2.85	2.85	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
18+35+42+50	1.15	2.24	2.69	3.21	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
18+42+42+42	1.16	2.71	2.71	2.71	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+20+20+20	2.30	2.30	2.30	2.30	9.20 3.40 - 11.60	1.848 0.590 - 3.808	7.77	8.12	8.47	99
20+20+20+22	2.15	2.15	2.15	2.36	8.80 3.40 - 11.60	1.904 0.590 - 3.854	8.00	8.36	8.72	99
20+20+20+25	2.09	2.09	2.09	2.62	8.90 3.40 - 11.60	1.907 0.590 - 3.847	8.02	8.38	8.74	99
20+20+20+35	1.83	1.83	1.83	3.21	8.70 3.40 - 11.60	1.857 0.590 - 3.847	7.81	8.16	8.51	99
20+20+20+42	1.76	1.76	1.76	3.71	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.05	8.42	8.79	99
20+20+20+50	1.64	1.64	1.64	4.09	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.03	8.39	8.75	99
20+20+20+60	1.50	1.50	1.50	4.50	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.03	8.39	8.75	99
20+20+20+71	1.37	1.37	1.37	4.88	9.00 3.40 - 11.60	1.894 0.590 - 3.824	7.96	8.32	8.68	99
20+20+22+22	2.12	2.12	2.33	2.33	8.90 3.40 - 11.60	1.888 0.590 - 3.828	7.93	8.29	8.65	99
20+20+22+25	2.09	2.09	2.30	2.61	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+22+35	1.81	1.81	2.00	3.18	8.80 3.40 - 11.60	1.850 0.590 - 3.840	7.77	8.12	8.47	99
20+20+22+42	1.75	1.75	1.93	3.68	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+22+50	1.63	1.63	1.79	4.06	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+22+60	1.49	1.49	1.64	4.48	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+22+71	1.37	1.37	1.51	4.86	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+25+25	1.96	1.96	2.44	2.44	8.80 3.40 - 11.60	1.831 0.590 - 3.821	7.69	8.04	8.39	99
20+20+25+35	1.82	1.82	2.28	3.19	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+25+42	1.70	1.70	2.13	3.57	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+25+50	1.58	1.58	1.98	3.96	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+25+60	1.46	1.46	1.82	4.37	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+25+71	1.34	1.34	1.67	4.75	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+35+35	1.65	1.65	2.90	2.90	9.10 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+20+35+42	1.56	1.56	2.72	3.27	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.03	8.39	8.75	99
20+20+35+50	1.46	1.46	2.55	3.64	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+35+60	1.35	1.35	2.36	4.04	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.00	8.36	8.72	99
20+20+42+42	1.47	1.47	3.08	3.08	9.10 3.40 - 11.60	1.887 0.590 - 3.817	7.93	8.29	8.65	99
20+20+42+50	1.38	1.38	2.90	3.45	9.10 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
20+20+42+60	1.28	1.28	2.69	3.85	9.10 3.40 - 11.60	1.898 0.590 - 3.828	7.98	8.34	8.70	99
20+20+50+50	1.30	1.30	3.25	3.25	9.10 3.40 - 11.60	1.881 0.590 - 3.811	7.90	8.26	8.62	99
20+22+22+22	2.12	2.33	2.33	2.33	9.10 3.40 - 11.60	1.888 0.590 - 3.828	7.93	8.29	8.65	99
20+22+22+25	2.00	2.20	2.20	2.50	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
20+22+22+35	1.80	1.98	1.98	3.15	8.90 3.40 - 11.60	1.843 0.590 - 3.833	7.74	8.09	8.44	99
20+22+22+42	1.74	1.91	1.91	3.65	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+22+50	1.61	1.78	1.78	4.04	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+22+60	1.48	1.63	1.63	4.45	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+22+71	1.36	1.50	1.50	4.84	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+25+25	1.93	2.13	2.42	2.42	8.90 3.40 - 11.60	1.824 0.590 - 3.814	7.66	8.01	8.36	99
20+22+25+35	1.80	1.98	2.25	3.16	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+25+42	1.69	1.86	2.11	3.54	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+25+50	1.57	1.73	1.97	3.93	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+25+60	1.45	1.59	1.81	4.35	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+25+71	1.33	1.47	1.67	4.73	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+35+35	1.64	1.81	2.88	2.88	9.20 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+22+35+42	1.55	1.70	2.71	3.25	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+22+35+50	1.45	1.59	2.54	3.62	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+35+60	1.34	1.48	2.35	4.03	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+22+42+42	1.46	1.61	3.07	3.07	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+22+42+50	1.37	1.51	2.88	3.43	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+22+42+60	1.28	1.41	2.68	3.83	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+22+50+50	1.30	1.43	3.24	3.24	9.20 3.40 - 11.60	1.874 0.590 - 3.804	7.87	8.23	8.59	99
20+25+25+25	1.87	2.34	2.34	2.34	8.90 3.40 - 11.60	1.831 0.590 - 3.821	7.69	8.04	8.39	99
20+25+25+35	1.75	2.19	2.19	3.07	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+25+42	1.64	2.05	2.05	3.45	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+25+50	1.53	1.92	1.92	3.83	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+25+60	1.42	1.77	1.77	4.25	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+25+71	1.30	1.63	1.63	4.63	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+25+35+35	1.60	2.00	2.80	2.80	9.20 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
20+25+35+42	1.51	1.89	2.64	3.17	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+25+35+50	1.42	1.77	2.48	3.54	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+35+60	1.31	1.64	2.30	3.94	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+25+42+42	1.43	1.78	3.00	3.00	9.20 3.40 - 11.60	1.880 0.590 - 3.810	7.90	8.26	8.62	99
20+25+42+50	1.34	1.68	2.82	3.36	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+25+50+50	1.27	1.59	3.17	3.17	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99



**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.47	2.58	2.58	2.58	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
20+35+35+42	1.39	2.44	2.44	2.93	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.00	8.36	8.72	99
20+35+35+50	1.31	2.30	2.30	3.29	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
20+35+42+42	1.32	2.32	2.78	2.78	9.20 3.40 - 11.60	1.897 0.590 - 3.827	7.97	8.33	8.69	99
22+22+22+22	2.30	2.30	2.30	2.30	9.20 3.40 - 11.60	1.891 0.590 - 3.821	7.94	8.30	8.66	99
22+22+22+25	2.18	2.18	2.18	2.47	9.00 3.40 - 11.60	1.836 0.590 - 3.826	7.71	8.06	8.41	99
22+22+22+35	2.03	2.03	2.03	3.22	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+22+22+42	1.89	1.89	1.89	3.62	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+22+22+50	1.76	1.76	1.76	4.01	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+22+60	1.62	1.62	1.62	4.43	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+22+71	1.49	1.49	1.49	4.82	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
22+22+25+25	2.11	2.11	2.39	2.39	9.00 3.40 - 11.60	1.817 0.590 - 3.807	7.63	7.98	8.33	99
22+22+25+35	1.97	1.97	2.24	3.13	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+22+25+42	1.84	1.84	2.09	3.52	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+22+25+50	1.72	1.72	1.95	3.91	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+25+60	1.59	1.59	1.80	4.33	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+25+71	1.46	1.46	1.66	4.72	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
22+22+35+35	1.79	1.79	2.86	2.86	9.30 3.40 - 11.60	1.877 0.590 - 3.807	7.88	8.24	8.60	99
22+22+35+42	1.69	1.69	2.69	3.23	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+22+35+50	1.59	1.59	2.52	3.60	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+35+60	1.47	1.47	2.34	4.01	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+22+42+42	1.60	1.60	3.05	3.05	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
22+22+42+50	1.50	1.50	2.87	3.42	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
22+22+50+50	1.42	1.42	3.23	3.23	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
22+25+25+25	2.04	2.32	2.32	2.32	9.00 3.40 - 11.60	1.824 0.590 - 3.814	7.66	8.01	8.36	99
22+25+25+35	1.91	2.17	2.17	3.04	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+25+25+42	1.79	2.04	2.04	3.43	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+25+25+50	1.68	1.91	1.91	3.81	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+25+25+60	1.55	1.76	1.76	4.23	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+25+25+71	1.43	1.63	1.63	4.62	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
22+25+35+35	1.75	1.99	2.78	2.78	9.30 3.40 - 11.60	1.877 0.590 - 3.807	7.88	8.24	8.60	99
22+25+35+42	1.65	1.88	2.63	3.15	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+25+35+50	1.55	1.76	2.47	3.52	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+25+35+60	1.44	1.64	2.29	3.93	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
22+25+42+42	1.56	1.77	2.98	2.98	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
22+25+42+50	1.47	1.67	2.81	3.35	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
22+35+35+35	1.61	2.56	2.56	2.56	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
22+35+35+42	1.53	2.43	2.43	2.91	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
22+35+35+50	1.44	2.29	2.29	3.27	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99

**MXZ-4F83VF HEATING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+42+42	1.45	2.31	2.77	2.77	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+25+25+25	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
25+25+25+35	2.11	2.11	2.11	2.96	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
25+25+25+42	1.99	1.99	1.99	3.34	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
25+25+25+50	1.86	1.86	1.86	3.72	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+25+25+60	1.72	1.72	1.72	4.13	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+25+35+35	1.94	1.94	2.71	2.71	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
25+25+35+42	1.83	1.83	2.56	3.08	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
25+25+35+50	1.72	1.72	2.41	3.44	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+25+35+60	1.60	1.60	2.24	3.85	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+25+42+42	1.74	1.74	2.91	2.91	9.30 3.40 - 11.60	1.873 0.590 - 3.803	7.87	8.23	8.59	99
25+25+42+50	1.64	1.64	2.75	3.27	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
25+35+35+35	1.79	2.50	2.50	2.50	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99
25+35+35+42	1.70	2.38	2.38	2.85	9.30 3.40 - 11.60	1.896 0.590 - 3.826	7.97	8.33	8.69	99
25+35+35+50	1.60	2.24	2.24	3.21	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
25+35+42+42	1.61	2.26	2.71	2.71	9.30 3.40 - 11.60	1.890 0.590 - 3.820	7.94	8.30	8.66	99
35+35+35+35	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.884 0.590 - 3.814	7.91	8.27	8.63	99