

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15	1.50	-	-	-	-	1.50 1.50 - 2.20	0.570 0.570 - 0.870	2.39	2.50	2.61	99
18	1.80	-	-	-	-	1.80 1.50 - 4.20	0.580 0.580 - 1.060	2.44	2.55	2.66	99
20	2.00	-	-	-	-	2.00 1.50 - 2.40	0.580 0.570 - 0.870	2.44	2.55	2.66	99
22	2.20	-	-	-	-	2.20 1.50 - 4.20	0.610 0.580 - 1.060	2.56	2.68	2.80	99
25	2.50	-	-	-	-	2.50 1.50 - 4.20	0.630 0.580 - 1.060	2.65	2.77	2.89	99
35	3.50	-	-	-	-	3.50 1.50 - 4.30	0.790 0.580 - 1.120	3.32	3.47	3.62	99
42	4.20	-	-	-	-	4.20 1.50 - 5.00	0.960 0.580 - 1.740	4.04	4.22	4.40	99
50	5.00	-	-	-	-	5.00 1.50 - 5.50	1.270 0.620 - 1.780	5.34	5.58	5.82	99
60	6.00	-	-	-	-	6.00 1.50 - 6.40	1.780 0.620 - 1.950	7.48	7.82	8.16	99
71	7.10	-	-	-	-	7.10 1.50 - 7.40	2.480 0.650 - 2.930	10.42	10.89	11.36	99
15+15	1.50	1.50	-	-	-	3.00 2.00 - 4.40	0.640 0.600 - 1.520	2.69	2.81	2.93	99
15+18	1.41	1.69	-	-	-	3.10 2.00 - 5.00	0.706 0.600 - 1.486	2.97	3.10	3.23	99
15+20	1.46	1.94	-	-	-	3.40 2.00 - 5.40	0.767 0.600 - 1.477	3.22	3.37	3.52	99
15+22	1.42	2.08	-	-	-	3.50 2.00 - 5.60	0.824 0.600 - 1.484	3.46	3.62	3.78	99
15+25	1.46	2.44	-	-	-	3.90 2.00 - 5.60	0.887 0.600 - 1.477	3.73	3.90	4.07	99
15+35	1.47	3.43	-	-	-	4.90 2.00 - 6.20	1.197 0.590 - 1.807	5.03	5.26	5.49	99
15+42	1.47	4.13	-	-	-	5.60 2.00 - 6.70	1.487 0.590 - 2.157	6.25	6.53	6.81	99
15+50	1.48	4.92	-	-	-	6.40 2.00 - 7.30	1.811 0.580 - 2.541	7.60	7.95	8.30	99
15+60	1.44	5.76	-	-	-	7.20 2.00 - 8.10	2.251 0.580 - 2.871	9.46	9.89	10.32	99
15+71	1.36	6.44	-	-	-	7.80 2.00 - 8.80	2.684 0.580 - 3.024	11.28	11.79	12.30	99
18+18	1.75	1.75	-	-	-	3.50 2.00 - 5.60	0.778 0.600 - 1.458	3.27	3.42	3.57	99
18+20	1.80	2.00	-	-	-	3.80 2.00 - 5.60	0.838 0.600 - 1.468	3.52	3.68	3.84	99
18+22	1.76	2.15	-	-	-	3.90 2.00 - 5.60	0.885 0.600 - 1.475	3.72	3.89	4.06	99
18+25	1.80	2.50	-	-	-	4.30 2.00 - 5.60	0.948 0.600 - 1.468	3.98	4.16	4.34	99
18+35	1.80	3.50	-	-	-	5.30 2.00 - 6.40	1.308 0.590 - 1.948	5.49	5.74	5.99	99
18+42	1.80	4.20	-	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	6.75	7.06	7.37	99
18+50	1.80	5.00	-	-	-	6.80 2.00 - 7.60	1.932 0.580 - 2.682	8.11	8.48	8.85	99
18+60	1.73	5.77	-	-	-	7.50 2.00 - 8.30	2.382 0.580 - 2.912	10.01	10.46	10.91	99
18+71	1.62	6.38	-	-	-	8.00 2.00 - 8.90	2.735 0.580 - 3.065	11.49	12.01	12.53	99
20+20	2.00	2.00	-	-	-	4.00 2.00 - 5.60	0.859 0.600 - 1.449	3.61	3.77	3.93	99
20+22	1.90	2.10	-	-	-	4.00 2.00 - 5.60	0.942 0.600 - 1.482	3.96	4.14	4.32	99
20+25	1.96	2.44	-	-	-	4.40 2.00 - 5.70	1.015 0.600 - 1.535	4.27	4.46	4.65	99
20+35	1.96	3.44	-	-	-	5.40 2.00 - 6.60	1.405 0.590 - 2.055	5.90	6.17	6.44	99
20+42	1.97	4.13	-	-	-	6.10 2.00 - 7.10	1.695 0.580 - 2.395	7.12	7.44	7.76	99
20+50	1.97	4.93	-	-	-	6.90 2.00 - 7.70	2.019 0.580 - 2.789	8.48	8.87	9.26	99
20+60	1.88	5.63	-	-	-	7.50 2.00 - 8.50	2.479 0.580 - 2.949	10.42	10.89	11.36	99
20+71	1.74	6.16	-	-	-	7.90 2.00 - 8.90	2.782 0.580 - 3.102	11.69	12.22	12.75	99
22+22	2.15	2.15	-	-	-	4.30 2.00 - 5.60	0.956 0.600 - 1.456	4.02	4.20	4.38	99
22+25	2.20	2.50	-	-	-	4.70 2.00 - 5.90	1.078 0.600 - 1.638	4.52	4.73	4.94	99
22+35	2.20	3.50	-	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.21	6.49	6.77	99
22+42	2.20	4.20	-	-	-	6.40 2.00 - 7.30	1.768 0.580 - 2.488	7.42	7.76	8.10	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+50	2.17	4.93	-	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	8.83	9.23	9.63	99
22+60	2.07	5.63	-	-	-	7.70 2.00 - 8.60	2.562 0.580 - 2.972	10.76	11.25	11.74	99
22+71	1.92	6.18	-	-	-	8.10 2.10 - 9.00	2.805 0.580 - 3.125	11.78	12.32	12.86	99
25+25	2.50	2.50	-	-	-	5.00 2.00 - 6.20	1.169 0.590 - 1.779	4.91	5.13	5.35	99
25+35	2.50	3.50	-	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	6.75	7.06	7.37	99
25+42	2.50	4.20	-	-	-	6.70 2.00 - 7.50	1.898 0.580 - 2.638	7.98	8.34	8.70	99
25+50	2.43	4.87	-	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	9.42	9.85	10.28	99
25+60	2.29	5.51	-	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
25+71	2.14	6.06	-	-	-	8.20 2.10 - 9.00	2.865 0.580 - 3.175	12.03	12.58	13.13	99
35+35	3.50	3.50	-	-	-	7.00 2.00 - 7.70	1.999 0.580 - 2.769	8.40	8.78	9.16	99
35+42	3.36	4.04	-	-	-	7.40 2.00 - 8.30	2.338 0.580 - 2.898	9.82	10.27	10.72	99
35+50	3.21	4.59	-	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	11.22	11.73	12.24	99
35+60	2.98	5.12	-	-	-	8.10 2.10 - 9.00	2.862 0.580 - 3.172	12.02	12.57	13.12	99
35+71	2.81	5.69	-	-	-	8.50 2.10 - 9.10	3.035 0.570 - 3.265	12.75	13.33	13.91	99
42+42	3.90	3.90	-	-	-	7.80 2.00 - 8.80	2.639 0.580 - 2.989	11.09	11.59	12.09	99
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	11.78	12.32	12.86	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.146 0.560 - 3.316	13.22	13.82	14.42	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.943 0.580 - 3.233	12.36	12.92	13.48	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.106 0.570 - 3.306	13.05	13.64	14.23	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.239 0.550 - 3.349	13.60	14.22	14.84	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.233 0.550 - 3.343	13.58	14.20	14.82	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.342 0.550 - 3.412	14.04	14.68	15.32	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.466 0.550 - 3.506	14.56	15.22	15.88	99
15+15+15	1.50	1.50	1.50	-	-	4.50 2.90 - 6.30	0.970 0.690 - 2.320	4.07	4.26	4.45	99
15+15+18	1.41	1.41	1.69	-	-	4.50 2.90 - 6.90	1.079 0.690 - 2.359	4.53	4.74	4.95	99
15+15+20	1.44	1.44	1.92	-	-	4.80 2.90 - 7.30	1.120 0.690 - 2.350	4.71	4.92	5.13	99
15+15+22	1.41	1.41	2.07	-	-	4.90 2.90 - 7.70	1.167 0.690 - 2.357	4.91	5.13	5.35	99
15+15+25	1.45	1.45	2.41	-	-	5.30 2.90 - 8.10	1.230 0.690 - 2.350	5.17	5.40	5.63	99
15+15+35	1.45	1.45	3.39	-	-	6.30 2.90 - 8.10	1.480 0.690 - 2.350	6.22	6.50	6.78	99
15+15+42	1.46	1.46	4.08 *	-	-	7.00 2.90 - 8.70	1.660 0.690 - 2.620	6.97	7.29	7.61	99
15+15+50	1.41	1.41	4.69 *	-	-	7.50 2.90 - 9.00	1.884 0.690 - 2.774	7.91	8.27	8.63	99
15+15+60	1.32	1.32	5.27	-	-	7.90 2.90 - 9.10	2.194 0.690 - 2.804	9.22	9.64	10.06	99
15+15+71	1.23	1.23	5.83	-	-	8.30 2.90 - 9.20	2.517 0.690 - 2.817	10.57	11.05	11.53	99
15+18+18	1.44	1.73	1.73	-	-	4.90 2.90 - 7.50	1.121 0.690 - 2.331	4.71	4.92	5.13	99
15+18+20	1.47	1.77	1.96	-	-	5.20 2.90 - 7.90	1.181 0.690 - 2.341	4.96	5.19	5.42	99
15+18+22	1.45	1.73	2.12	-	-	5.30 2.90 - 8.10	1.228 0.690 - 2.348	5.16	5.39	5.62	99
15+18+25	1.47	1.77	2.46	-	-	5.70 2.90 - 8.10	1.291 0.690 - 2.341	5.42	5.67	5.92	99
15+18+35	1.48	1.77	3.45	-	-	6.70 2.90 - 8.30	1.541 0.690 - 2.431	6.48	6.77	7.06	99
15+18+42	1.48	1.78	4.14 *	-	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+18+50	1.39	1.67	4.64 *	-	-	7.70 2.90 - 9.10	1.975 0.690 - 2.765	8.29	8.67	9.05	99
15+18+60	1.31	1.57	5.23	-	-	8.10 2.90 - 9.10	2.275 0.690 - 2.795	9.56	9.99	10.42	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+71	1.23	1.47	5.80	-	-	8.50 2.90 - 9.20	2.598 0.690 - 2.818	10.91	11.41	11.91	99
15+20+20	1.47	1.96	1.96	-	-	5.40 2.90 - 8.10	1.202 0.690 - 2.322	5.05	5.28	5.51	99
15+20+22	1.42	1.89	2.08	-	-	5.40 2.90 - 8.10	1.285 0.690 - 2.355	5.39	5.64	5.89	99
15+20+25	1.45	1.93	2.42	-	-	5.80 2.90 - 8.10	1.348 0.690 - 2.348	5.66	5.92	6.18	99
15+20+35	1.46	1.94	3.40	-	-	6.80 2.90 - 8.50	1.608 0.690 - 2.528	6.75	7.06	7.37	99
15+20+42	1.44	1.92	4.04 *	-	-	7.40 2.90 - 9.00	1.798 0.690 - 2.768	7.56	7.90	8.24	99
15+20+50	1.36	1.81	4.53 *	-	-	7.70 2.90 - 9.10	2.042 0.690 - 2.782	8.58	8.97	9.36	99
15+20+60	1.26	1.68	5.05	-	-	8.00 2.90 - 9.10	2.342 0.690 - 2.812	9.84	10.29	10.74	99
15+20+71	1.19	1.58	5.63	-	-	8.40 2.90 - 9.20	2.645 0.690 - 2.825	11.11	11.62	12.13	99
15+22+22	1.45	2.13	2.13	-	-	5.70 2.90 - 8.10	1.309 0.690 - 2.329	5.50	5.75	6.00	99
15+22+25	1.48	2.16	2.46	-	-	6.10 2.90 - 8.10	1.391 0.690 - 2.341	5.84	6.11	6.38	99
15+22+35	1.48	2.17	3.45	-	-	7.10 2.90 - 8.70	1.651 0.690 - 2.611	6.93	7.25	7.57	99
15+22+42	1.42	2.09	3.99 *	-	-	7.50 2.90 - 9.00	1.851 0.690 - 2.761	7.78	8.13	8.48	99
15+22+50	1.34	1.97	4.48 *	-	-	7.80 2.90 - 9.10	2.095 0.690 - 2.785	8.80	9.20	9.60	99
15+22+60	1.27	1.86	5.07	-	-	8.20 2.90 - 9.10	2.395 0.690 - 2.815	10.06	10.52	10.98	99
15+22+71	1.19	1.75	5.65	-	-	8.60 2.90 - 9.20	2.648 0.690 - 2.828	11.12	11.63	12.14	99
15+25+25	1.48	2.46	2.46	-	-	6.40 2.90 - 8.10	1.452 0.690 - 2.322	6.10	6.38	6.66	99
15+25+35	1.48	2.47	3.45	-	-	7.40 2.90 - 9.00	1.731 0.690 - 2.751	7.27	7.60	7.93	99
15+25+42	1.41	2.35	3.94 *	-	-	7.70 2.90 - 9.00	1.941 0.690 - 2.771	8.15	8.52	8.89	99
15+25+50	1.33	2.22	4.44 *	-	-	8.00 2.90 - 9.10	2.185 0.690 - 2.795	9.18	9.60	10.02	99
15+25+60	1.25	2.08	4.98	-	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+25+71	1.16	1.94	5.50	-	-	8.60 2.90 - 9.20	2.668 0.690 - 2.838	11.21	11.72	12.23	99
15+35+35	1.38	3.21	3.21	-	-	7.80 2.90 - 9.10	2.022 0.690 - 2.762	8.49	8.88	9.27	99
15+35+42	1.30	3.04	3.65 *	-	-	8.00 2.90 - 9.10	2.251 0.690 - 2.801	9.46	9.89	10.32	99
15+35+50	1.25	2.91	4.15 *	-	-	8.30 2.90 - 9.20	2.495 0.690 - 2.825	10.48	10.96	11.44	99
15+35+60	1.17	2.74	4.69	-	-	8.60 2.90 - 9.20	2.685 0.690 - 2.855	11.28	11.79	12.30	99
15+35+71	1.09	2.55	5.16	-	-	8.80 2.90 - 9.20	2.738 0.690 - 2.878	11.50	12.02	12.54	99
15+42+42	1.26	3.52	3.52 *	-	-	8.30 2.90 - 9.20	2.452 0.690 - 2.802	10.30	10.77	11.24	99
15+42+50	1.19	3.34	3.97 *	-	-	8.50 2.90 - 9.20	2.649 0.690 - 2.839	11.12	11.63	12.14	99
15+42+60	1.12	3.12	4.46	-	-	8.70 2.90 - 9.20	2.729 0.690 - 2.879	11.47	11.99	12.51	99
15+42+71	1.04	2.92	4.94	-	-	8.90 2.90 - 9.20	2.792 0.690 - 2.902	11.73	12.26	12.79	99
15+50+50	1.13	3.78	3.78 *	-	-	8.70 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
15+50+60	1.07	3.56	4.27	-	-	8.90 2.90 - 9.20	2.779 0.690 - 2.909	11.67	12.20	12.73	99
15+50+71	0.98	3.27	4.65	-	-	8.90 2.90 - 9.20	2.872 0.690 - 2.962	12.06	12.61	13.16	99
15+60+60	0.99	3.96	3.96	-	-	8.90 2.90 - 9.20	2.866 0.690 - 2.966	12.04	12.59	13.14	99
15+60+71	0.92	3.70	4.38	-	-	9.00 2.90 - 9.30	2.975 0.690 - 3.045	12.50	13.07	13.64	99
15+71+71	0.89	4.21	4.21	-	-	9.30 2.90 - 9.60	3.089 0.690 - 3.159	12.98	13.57	14.16	99
18+18+18	1.77	1.77	1.77	-	-	5.30 2.90 - 8.10	1.163 0.690 - 2.303	4.89	5.11	5.33	99
18+18+20	1.80	1.80	2.00	-	-	5.60 2.90 - 8.10	1.242 0.690 - 2.332	5.21	5.45	5.69	99
18+18+22	1.77	1.77	2.16	-	-	5.70 2.90 - 8.10	1.289 0.690 - 2.339	5.41	5.66	5.91	99
18+18+25	1.80	1.80	2.50	-	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	5.72	5.98	6.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35	1.80	1.80	3.50	-	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	6.77	7.08	7.39	99
18+18+42	1.75	1.75	4.09 *	-	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+18+50	1.65	1.65	4.59 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	8.64	9.03	9.42	99
18+18+60	1.56	1.56	5.19	-	-	8.30 2.90 - 9.10	2.356 0.690 - 2.796	9.90	10.35	10.80	99
18+18+71	1.45	1.45	5.71	-	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	11.05	11.55	12.05	99
18+20+20	1.80	2.00	2.00	-	-	5.80 2.90 - 8.10	1.263 0.690 - 2.313	5.31	5.55	5.79	99
18+20+22	1.74	1.93	2.13	-	-	5.80 2.90 - 8.10	1.346 0.690 - 2.346	5.65	5.91	6.17	99
18+20+25	1.77	1.97	2.46	-	-	6.20 2.90 - 8.10	1.419 0.690 - 2.339	5.96	6.23	6.50	99
18+20+35	1.78	1.97	3.45	-	-	7.20 2.90 - 8.80	1.679 0.690 - 2.659	7.05	7.37	7.69	99
18+20+42	1.71	1.90	3.99 *	-	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
18+20+50	1.62	1.80	4.49 *	-	-	7.90 2.90 - 9.10	2.123 0.690 - 2.783	8.91	9.32	9.73	99
18+20+60	1.51	1.67	5.02	-	-	8.20 2.90 - 9.20	2.433 0.690 - 2.813	10.23	10.69	11.15	99
18+20+71	1.42	1.58	5.60	-	-	8.60 2.90 - 9.20	2.656 0.690 - 2.836	11.15	11.66	12.17	99
18+22+22	1.77	2.16	2.16	-	-	6.10 2.90 - 8.10	1.370 0.690 - 2.320	5.76	6.02	6.28	99
18+22+25	1.80	2.20	2.50	-	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.14	6.42	6.70	99
18+22+35	1.80	2.20	3.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.23	7.56	7.89	99
18+22+42	1.71	2.09	4.00 *	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
18+22+50	1.62	1.98	4.50 *	-	-	8.10 2.90 - 9.10	2.176 0.690 - 2.786	9.14	9.56	9.98	99
18+22+60	1.51	1.85	5.04	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
18+22+71	1.41	1.72	5.56	-	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	11.17	11.68	12.19	99
18+25+25	1.80	2.50	2.50	-	-	6.80 2.90 - 8.30	1.513 0.690 - 2.403	6.35	6.64	6.93	99
18+25+35	1.75	2.44	3.41	-	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	7.61	7.96	8.31	99
18+25+42	1.67	2.32	3.90 *	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
18+25+50	1.59	2.20	4.41 *	-	-	8.20 2.90 - 9.10	2.266 0.690 - 2.786	9.52	9.95	10.38	99
18+25+60	1.49	2.06	4.95	-	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+25+71	1.39	1.93	5.48	-	-	8.80 2.90 - 9.20	2.679 0.690 - 2.839	11.26	11.77	12.28	99
18+35+35	1.64	3.18	3.18	-	-	8.00 2.90 - 9.10	2.103 0.690 - 2.763	8.84	9.24	9.64	99
18+35+42	1.55	3.02	3.63 *	-	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	9.79	10.24	10.69	99
18+35+50	1.49	2.89	4.13 *	-	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	10.82	11.31	11.80	99
18+35+60	1.40	2.73	4.67	-	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	11.33	11.84	12.35	99
18+35+71	1.31	2.54	5.15	-	-	9.00 2.90 - 9.20	2.759 0.690 - 2.879	11.59	12.12	12.65	99
18+42+50	1.42	3.32	3.95 *	-	-	8.70 2.90 - 9.20	2.663 0.690 - 2.833	11.19	11.70	12.21	99
18+42+60	1.34	3.12	4.45	-	-	8.90 2.90 - 9.20	2.740 0.690 - 2.880	11.51	12.03	12.55	99
18+42+71	1.24	2.89	4.88	-	-	9.00 2.90 - 9.20	2.813 0.690 - 2.923	11.81	12.35	12.89	99
18+50+50	1.34	3.73	3.73 *	-	-	8.80 2.90 - 9.20	2.707 0.690 - 2.857	11.37	11.89	12.41	99
18+50+60	1.27	3.52	4.22	-	-	9.00 2.90 - 9.20	2.800 0.690 - 2.910	11.77	12.30	12.83	99
18+50+71	1.17	3.24	4.60	-	-	9.00 2.90 - 9.20	2.893 0.690 - 2.983	12.16	12.71	13.26	99
18+60+60	1.17	3.91	3.91	-	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	12.13	12.68	13.23	99
18+60+71	1.12	3.74	4.43	-	-	9.30 2.90 - 9.50	3.046 0.690 - 3.116	12.80	13.38	13.96	99
18+71+71	1.06	4.17	4.17	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99
20+20+20	2.00	2.00	2.00	-	-	6.00 2.90 - 8.10	1.294 0.690 - 2.294	5.43	5.68	5.93	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+22	1.90	1.90	2.09	-	-	5.90 2.90 - 8.10	1.403 0.690 - 2.353	5.89	6.16	6.43	99
20+20+25	1.94	1.94	2.42	-	-	6.30 2.90 - 8.10	1.476 0.690 - 2.346	6.20	6.48	6.76	99
20+20+35	1.95	1.95	3.41	-	-	7.30 2.90 - 9.00	1.736 0.690 - 2.756	7.29	7.62	7.95	99
20+20+42	1.85	1.85	3.89 *	-	-	7.60 2.90 - 9.00	1.946 0.690 - 2.776	8.18	8.55	8.92	99
20+20+50	1.76	1.76	4.39 *	-	-	7.90 2.90 - 9.10	2.190 0.690 - 2.800	9.20	9.62	10.04	99
20+20+60	1.64	1.64	4.92	-	-	8.20 2.90 - 9.20	2.500 0.690 - 2.830	10.50	10.98	11.46	99
20+20+71	1.53	1.53	5.44	-	-	8.50 2.90 - 9.20	2.673 0.690 - 2.843	11.23	11.74	12.25	99
20+22+22	1.94	2.13	2.13	-	-	6.20 2.90 - 8.10	1.427 0.690 - 2.327	6.00	6.27	6.54	99
20+22+25	1.97	2.17	2.46	-	-	6.60 2.90 - 8.20	1.519 0.690 - 2.389	6.38	6.67	6.96	99
20+22+35	1.95	2.14	3.41	-	-	7.50 2.90 - 9.00	1.789 0.690 - 2.759	7.52	7.86	8.20	99
20+22+42	1.83	2.02	3.85 *	-	-	7.70 2.90 - 9.10	2.009 0.690 - 2.779	8.44	8.82	9.20	99
20+22+50	1.74	1.91	4.35 *	-	-	8.00 2.90 - 9.10	2.243 0.690 - 2.793	9.42	9.85	10.28	99
20+22+71	1.54	1.69	5.47	-	-	8.70 2.90 - 9.20	2.703 0.690 - 2.863	11.35	11.87	12.39	99
20+25+25	1.97	2.46	2.46	-	-	6.90 2.90 - 8.50	1.580 0.690 - 2.500	6.64	6.94	7.24	99
20+25+35	1.90	2.38	3.33	-	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	7.89	8.25	8.61	99
20+25+42	1.79	2.24	3.77 *	-	-	7.80 2.90 - 9.10	2.099 0.690 - 2.789	8.82	9.22	9.62	99
20+25+50	1.71	2.13	4.26 *	-	-	8.10 2.90 - 9.10	2.333 0.690 - 2.803	9.80	10.25	10.70	99
20+25+60	1.62	2.02	4.86	-	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+25+71	1.50	1.88	5.33	-	-	8.70 2.90 - 9.20	2.706 0.690 - 2.856	11.36	11.88	12.40	99
20+35+35	1.78	3.11	3.11	-	-	8.00 2.90 - 9.10	2.170 0.690 - 2.780	9.12	9.53	9.94	99
20+35+42	1.69	2.96	3.55 *	-	-	8.20 2.90 - 9.10	2.399 0.690 - 2.819	10.08	10.54	11.00	99
20+35+50	1.62	2.83	4.05 *	-	-	8.50 2.90 - 9.20	2.643 0.690 - 2.833	11.11	11.61	12.11	99
20+35+60	1.51	2.65	4.54	-	-	8.70 2.90 - 9.20	2.713 0.690 - 2.873	11.39	11.91	12.43	99
20+35+71	1.41	2.47	5.02	-	-	8.90 2.90 - 9.20	2.776 0.690 - 2.896	11.66	12.19	12.72	99
20+42+42	1.63	3.43	3.43 *	-	-	8.50 2.90 - 9.20	2.600 0.690 - 2.820	10.92	11.42	11.92	99
20+42+50	1.54	3.23	3.84 *	-	-	8.60 2.90 - 9.20	2.687 0.690 - 2.857	11.29	11.80	12.31	99
20+42+60	1.44	3.03	4.33	-	-	8.80 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
20+42+71	1.34	2.81	4.75	-	-	8.90 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
20+50+50	1.47	3.67	3.67 *	-	-	8.80 2.90 - 9.20	2.734 0.690 - 2.874	11.49	12.01	12.53	99
20+50+60	1.37	3.42	4.11	-	-	8.90 2.90 - 9.20	2.827 0.690 - 2.937	11.88	12.42	12.96	99
20+50+71	1.26	3.16	4.48	-	-	8.90 2.90 - 9.20	2.920 0.690 - 3.000	12.26	12.82	13.38	99
20+60+60	1.27	3.81	3.81	-	-	8.90 2.90 - 9.20	2.914 0.690 - 2.994	12.24	12.80	13.36	99
20+60+71	1.23	3.70	4.37	-	-	9.30 2.90 - 9.60	3.083 0.690 - 3.153	12.95	13.54	14.13	99
20+71+71	1.15	4.08	4.08	-	-	9.30 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
22+22+22	2.17	2.17	2.17	-	-	6.50 2.90 - 8.10	1.451 0.690 - 2.301	6.09	6.37	6.65	99
22+22+25	2.20	2.20	2.50	-	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	6.56	6.86	7.16	99
22+22+35	2.12	2.12	3.37	-	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	7.74	8.09	8.44	99
22+22+42	2.02	2.02	3.86 *	-	-	7.90 2.90 - 9.10	2.062 0.690 - 2.772	8.67	9.06	9.45	99
22+22+50	1.92	1.92	4.36 *	-	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	9.64	10.08	10.52	99
22+22+60	1.82	1.82	4.96	-	-	8.60 2.90 - 9.20	2.606 0.690 - 2.826	10.94	11.44	11.94	99
22+22+71	1.68	1.68	5.43	-	-	8.80 2.90 - 9.20	2.689 0.690 - 2.849	11.30	11.81	12.32	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25	2.20	2.50	2.50	-	-	7.20 2.90 - 8.70	1.623 0.690 - 2.583	6.82	7.13	7.44	99
22+25+35	2.09	2.38	3.33	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.11	8.48	8.85	99
22+25+42	1.98	2.25	3.78 *	-	-	8.00 2.90 - 9.10	2.152 0.690 - 2.782	9.04	9.45	9.86	99
22+25+50	1.88	2.14	4.28 *	-	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.02	10.48	10.94	99
22+25+60	1.77	2.01	4.82	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+25+71	1.64	1.86	5.29	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	11.38	11.90	12.42	99
22+35+35	1.94	3.08	3.08	-	-	8.10 2.90 - 9.10	2.223 0.690 - 2.773	9.34	9.76	10.18	99
22+35+42	1.87	2.97	3.56 *	-	-	8.40 2.90 - 9.20	2.462 0.690 - 2.812	10.34	10.81	11.28	99
22+35+50	1.77	2.81	4.02 *	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	11.11	11.62	12.13	99
22+35+60	1.65	2.63	4.51	-	-	8.80 2.90 - 9.20	2.726 0.690 - 2.876	11.45	11.97	12.49	99
22+35+71	1.55	2.46	4.99	-	-	9.00 2.90 - 9.20	2.789 0.690 - 2.899	11.72	12.25	12.78	99
22+42+42	1.78	3.41	3.41 *	-	-	8.60 2.90 - 9.20	2.633 0.690 - 2.813	11.06	11.56	12.06	99
22+42+50	1.70	3.24	3.86 *	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	11.30	11.81	12.32	99
22+42+60	1.60	3.05	4.35	-	-	9.00 2.90 - 9.20	2.770 0.690 - 2.890	11.64	12.17	12.70	99
22+42+71	1.47	2.80	4.73	-	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	11.99	12.53	13.07	99
22+50+50	1.60	3.65	3.65 *	-	-	8.90 2.90 - 9.20	2.737 0.690 - 2.867	11.50	12.02	12.54	99
22+50+60	1.50	3.41	4.09	-	-	9.00 2.90 - 9.20	2.840 0.690 - 2.940	11.93	12.47	13.01	99
22+50+71	1.38	3.15	4.47	-	-	9.00 2.90 - 9.20	2.933 0.690 - 3.013	12.32	12.88	13.44	99
22+60+60	1.39	3.80	3.80	-	-	9.00 2.90 - 9.20	2.927 0.690 - 3.007	12.29	12.85	13.41	99
22+60+71	1.35	3.69	4.36	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
22+71+71	1.26	4.07	4.07	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99
25+25+25	2.50	2.50	2.50	-	-	7.50 2.90 - 9.00	1.684 0.690 - 2.704	7.08	7.40	7.72	99
25+25+35	2.32	2.32	3.25	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	8.53	8.92	9.31	99
25+25+42	2.20	2.20	3.70 *	-	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	9.42	9.85	10.28	99
25+25+50	2.10	2.10	4.20 *	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	10.45	10.92	11.39	99
25+25+60	1.98	1.98	4.75	-	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	11.24	11.75	12.26	99
25+25+71	1.84	1.84	5.22	-	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	11.47	11.99	12.51	99
25+35+35	2.16	3.02	3.02	-	-	8.20 2.90 - 9.10	2.313 0.690 - 2.783	9.72	10.16	10.60	99
25+35+50	1.98	2.77	3.95 *	-	-	8.70 2.90 - 9.20	2.682 0.690 - 2.852	11.27	11.78	12.29	99
25+35+60	1.85	2.60	4.45	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
25+35+71	1.72	2.40	4.88	-	-	9.00 2.90 - 9.20	2.819 0.690 - 2.929	11.84	12.38	12.92	99
25+42+42	2.00	3.35	3.35 *	-	-	8.70 2.90 - 9.20	2.653 0.690 - 2.833	11.14	11.65	12.16	99
25+42+50	1.88	3.16	3.76 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	11.43	11.95	12.47	99
25+42+60	1.77	2.98	4.25	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
25+42+71	1.63	2.74	4.63	-	-	9.00 2.90 - 9.20	2.883 0.690 - 2.973	12.11	12.66	13.21	99
25+50+50	1.80	3.60	3.60 *	-	-	9.00 2.90 - 9.20	2.757 0.690 - 2.887	11.58	12.11	12.64	99
25+50+60	1.67	3.33	4.00	-	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	12.05	12.60	13.15	99
25+50+71	1.56	3.12	4.43	-	-	9.10 2.90 - 9.30	2.983 0.690 - 3.053	12.53	13.10	13.67	99
25+60+60	1.55	3.72	3.72	-	-	9.00 2.90 - 9.20	2.957 0.690 - 3.027	12.43	12.99	13.55	99
25+60+71	1.51	3.62	4.28	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
25+71+71	1.41	4.00	4.00	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	12.94	13.53	14.12	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
35+35+35	2.87	2.87	2.87	-	-	8.60 2.90 - 9.20	2.604 0.690 - 2.794	10.94	11.44	11.94	99
35+35+42	2.72	2.72	3.26 *	-	-	8.70 2.90 - 9.20	2.692 0.690 - 2.862	11.31	11.82	12.33	99
35+35+50	2.60	2.60	3.71 *	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	11.54	12.06	12.58	99
35+35+60	2.42	2.42	4.15	-	-	9.00 2.90 - 9.20	2.826 0.690 - 2.936	11.87	12.41	12.95	99
35+35+71	2.23	2.23	4.53	-	-	9.00 2.90 - 9.20	2.919 0.690 - 2.999	12.26	12.82	13.38	99
35+42+42	2.62	3.14	3.14 *	-	-	8.90 2.90 - 9.20	2.723 0.690 - 2.863	11.44	11.96	12.48	99
35+42+50	2.48	2.98	3.54 *	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	11.72	12.25	12.78	99
35+42+60	2.30	2.76	3.94	-	-	9.00 2.90 - 9.20	2.890 0.690 - 2.980	12.14	12.69	13.24	99
35+42+71	2.18	2.61	4.41	-	-	9.20 2.90 - 9.40	3.033 0.690 - 3.103	12.74	13.32	13.90	99
35+50+50	2.33	3.33	3.33 *	-	-	9.00 2.90 - 9.20	2.857 0.690 - 2.957	12.00	12.55	13.10	99
35+50+60	2.17	3.10	3.72	-	-	9.00 2.90 - 9.20	2.970 0.690 - 3.040	12.47	13.04	13.61	99
35+50+71	2.11	3.01	4.28	-	-	9.40 2.90 - 9.60	3.093 0.690 - 3.163	12.99	13.58	14.17	99
35+60+60	2.12	3.64	3.64	-	-	9.40 2.90 - 9.60	3.097 0.690 - 3.167	13.01	13.60	14.19	99
35+60+71	1.98	3.40	4.02	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	12.92	13.51	14.10	99
42+42+42	3.00	3.00	3.00 *	-	-	9.00 2.90 - 9.20	2.750 0.690 - 2.870	11.55	12.08	12.61	99
42+42+50	2.82	2.82	3.36 *	-	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	11.99	12.53	13.07	99
42+42+60	2.63	2.63	3.75	-	-	9.00 2.90 - 9.20	2.954 0.690 - 3.024	12.41	12.97	13.53	99
42+42+71	2.55	2.55	4.31	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
42+50+50	2.66	3.17	3.17 *	-	-	9.00 2.90 - 9.20	2.921 0.690 - 3.001	12.27	12.83	13.39	99
42+50+60	2.60	3.09	3.71	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	13.04	13.63	14.22	99
42+50+71	2.42	2.88	4.09	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
42+60+60	2.44	3.48	3.48	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	12.98	13.57	14.16	99
50+50+50	3.13	3.13	3.13 *	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	12.89	13.48	14.07	99
50+50+60	2.94	2.94	3.53	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	13.04	13.63	14.22	99
50+50+71	2.75	2.75	3.90	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	12.97	13.56	14.15	99
50+60+60	2.76	3.32	3.32	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	12.98	13.57	14.16	99
15+15+15+15	1.50	1.50	1.50	1.50	-	6.00 3.70 - 7.20	1.290 0.660 - 2.910	5.42	5.67	5.92	99
15+15+15+18	1.40	1.40	1.40	1.69	-	5.90 3.70 - 7.70	1.422 0.660 - 3.242	5.98	6.25	6.52	99
15+15+15+20	1.43	1.43	1.43	1.91	-	6.20 3.70 - 8.00	1.463 0.660 - 3.413	6.15	6.43	6.71	99
15+15+15+22	1.41	1.41	1.41	2.07	-	6.30 3.70 - 8.40	1.520 0.660 - 3.600	6.39	6.68	6.97	99
15+15+15+25	1.44	1.44	1.44	2.39	-	6.70 3.70 - 8.90	1.583 0.660 - 3.863	6.65	6.95	7.25	99
15+15+15+35	1.44	1.44	1.44	3.37	-	7.70 3.70 - 9.20	1.823 0.660 - 4.043	7.66	8.01	8.36	99
15+15+15+42	1.45	1.45	1.45	4.06 *	-	8.40 3.70 - 9.20	1.993 0.660 - 4.043	8.37	8.75	9.13	99
15+15+15+50	1.07	1.07	1.07	3.58 *	-	6.80 3.70 - 9.60	1.597 0.660 - 4.037	6.71	7.01	7.31	99
15+15+15+60	1.20	1.20	1.20	4.80	-	8.40 3.70 - 10.00	2.177 0.660 - 4.037	9.14	9.56	9.98	99
15+15+15+71	1.11	1.11	1.11	5.26	-	8.60 3.70 - 10.10	2.640 0.660 - 4.020	11.09	11.59	12.09	99
15+15+18+18	1.43	1.43	1.72	1.72	-	6.30 3.70 - 8.20	1.474 0.660 - 3.484	6.19	6.47	6.75	99
15+15+18+20	1.46	1.46	1.75	1.94	-	6.60 3.70 - 8.50	1.524 0.660 - 3.674	6.40	6.69	6.98	99
15+15+18+22	1.44	1.44	1.72	2.11	-	6.70 3.70 - 8.90	1.581 0.660 - 3.861	6.64	6.94	7.24	99
15+15+18+25	1.46	1.46	1.75	2.43	-	7.10 3.70 - 9.20	1.644 0.660 - 4.034	6.91	7.22	7.53	99
15+15+18+35	1.46	1.46	1.76	3.42	-	8.10 3.70 - 9.20	1.884 0.660 - 4.034	7.91	8.27	8.63	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42	1.17	1.17	1.40	3.27 *	-	7.00 3.70 - 9.30	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+18+50	1.04	1.04	1.25	3.47 *	-	6.80 3.70 - 9.80	1.578 0.660 - 4.028	6.63	6.93	7.23	99
15+15+18+60	1.19	1.19	1.43	4.78	-	8.60 3.70 - 10.00	2.298 0.660 - 4.028	9.65	10.09	10.53	99
15+15+18+71	1.11	1.11	1.33	5.25	-	8.80 3.70 - 10.20	2.761 0.660 - 4.011	11.60	12.13	12.66	99
15+15+20+20	1.46	1.46	1.94	1.94	-	6.80 3.70 - 8.90	1.555 0.660 - 3.835	6.53	6.83	7.13	99
15+15+20+22	1.42	1.42	1.89	2.08	-	6.80 3.70 - 9.20	1.638 0.660 - 4.048	6.88	7.19	7.50	99
15+15+20+25	1.44	1.44	1.92	2.40	-	7.20 3.70 - 9.20	1.701 0.660 - 4.041	7.15	7.47	7.79	99
15+15+20+35	1.45	1.45	1.93	3.38	-	8.20 3.70 - 9.20	1.941 0.660 - 4.041	8.15	8.52	8.89	99
15+15+20+42	1.11	1.11	1.48	3.10 *	-	6.80 3.70 - 9.40	1.611 0.660 - 4.041	6.77	7.08	7.39	99
15+15+20+50	1.25	1.25	1.66	4.15 *	-	8.30 3.70 - 9.90	1.955 0.660 - 4.035	8.22	8.59	8.96	99
15+15+20+60	1.16	1.16	1.55	4.64	-	8.50 3.70 - 10.10	2.395 0.660 - 4.035	10.06	10.52	10.98	99
15+15+20+71	1.08	1.08	1.44	5.10	-	8.70 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
15+15+22+22	1.44	1.44	2.11	2.11	-	7.10 3.70 - 9.20	1.662 0.660 - 4.022	6.98	7.30	7.62	99
15+15+22+25	1.46	1.46	2.14	2.44	-	7.50 3.70 - 9.20	1.744 0.660 - 4.034	7.33	7.66	7.99	99
15+15+22+35	1.47	1.47	2.15	3.42	-	8.50 3.70 - 9.20	1.984 0.660 - 4.034	8.33	8.71	9.09	99
15+15+22+42	1.10	1.10	1.61	3.08 *	-	6.90 3.70 - 9.60	1.604 0.660 - 4.034	6.73	7.04	7.35	99
15+15+22+60	1.15	1.15	1.69	4.61	-	8.60 3.70 - 10.10	2.468 0.660 - 4.028	10.37	10.84	11.31	99
15+15+22+71	1.07	1.07	1.57	5.08	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+25+25	1.46	1.46	2.44	2.44	-	7.80 3.70 - 9.20	1.795 0.660 - 4.015	7.54	7.88	8.22	99
15+15+25+35	1.17	1.17	1.94	2.72	-	7.00 3.70 - 9.30	1.614 0.660 - 4.034	6.78	7.09	7.40	99
15+15+25+42	1.07	1.07	1.78	2.99 *	-	6.90 3.70 - 9.70	1.584 0.660 - 4.034	6.66	6.96	7.26	99
15+15+25+50	1.21	1.21	2.02	4.05 *	-	8.50 3.70 - 10.00	2.168 0.660 - 4.028	9.11	9.52	9.93	99
15+15+25+60	1.13	1.13	1.89	4.54	-	8.70 3.70 - 10.10	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+25+71	1.05	1.05	1.75	4.96	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+35+35	1.26	1.26	2.94	2.94	-	8.40 3.70 - 9.90	1.935 0.660 - 4.015	8.13	8.50	8.87	99
15+15+35+42	1.19	1.19	2.78	3.34 *	-	8.50 3.70 - 10.00	2.254 0.660 - 4.034	9.47	9.90	10.33	99
15+15+35+50	1.13	1.13	2.65	3.78 *	-	8.70 3.70 - 10.10	2.598 0.660 - 4.028	10.91	11.41	11.91	99
15+15+35+60	1.06	1.06	2.46	4.22	-	8.80 3.70 - 10.20	2.818 0.660 - 4.028	11.84	12.38	12.92	99
15+15+35+71	0.97	0.97	2.26	4.59	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
15+15+42+42	1.14	1.14	3.21 *	3.21 *	-	8.70 3.70 - 10.10	2.545 0.660 - 4.015	10.69	11.18	11.67	99
15+15+42+50	1.08	1.08	3.03 *	3.61 *	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+60	1.00	1.00	2.80 *	4.00	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+42+71	0.92	0.92	2.58 *	4.37	-	8.80 3.70 - 10.20	2.795 0.660 - 4.005	11.74	12.27	12.80	99
15+15+50+50	1.02	1.02	3.38 *	3.38 *	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+15+50+60	0.94	0.94	3.14 *	3.77	-	8.80 3.70 - 10.20	2.812 0.660 - 4.022	11.81	12.35	12.89	99
15+15+50+71	0.88	0.88	2.95 *	4.18	-	8.90 3.70 - 10.20	2.875 0.660 - 4.005	12.08	12.63	13.18	99
15+15+60+60	0.89	0.89	3.56	3.56	-	8.90 3.70 - 10.20	2.859 0.660 - 4.009	12.01	12.56	13.11	99
15+15+60+71	0.85	0.85	3.39	4.01	-	9.10 3.70 - 10.20	2.978 0.660 - 3.988	12.51	13.08	13.65	99
15+15+71+71	0.80	0.80	3.80	3.80	-	9.20 3.70 - 10.20	3.072 0.660 - 3.992	12.90	13.49	14.08	99
15+18+18+18	1.46	1.75	1.75	1.75	-	6.70 3.70 - 8.70	1.516 0.660 - 3.726	6.37	6.66	6.95	99
15+18+18+20	1.48	1.77	1.77	1.97	-	7.00 3.70 - 9.00	1.595 0.660 - 3.935	6.70	7.00	7.30	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+22	1.46	1.75	1.75	2.14	-	7.10 3.70 - 9.20	1.642 0.660 - 4.032	6.90	7.21	7.52	99
15+18+18+25	1.48	1.78	1.78	2.47	-	7.50 3.70 - 9.20	1.715 0.660 - 4.025	7.20	7.53	7.86	99
15+18+18+35	1.48	1.78	1.78	3.46	-	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+18+42	1.13	1.35	1.35	3.16 *	-	7.00 3.70 - 9.50	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+18+18+50	1.26	1.51	1.51	4.21 *	-	8.50 3.70 - 9.90	1.979 0.660 - 4.019	8.31	8.69	9.07	99
15+18+18+60	1.18	1.41	1.41	4.70	-	8.70 3.70 - 10.10	2.419 0.660 - 4.019	10.16	10.62	11.08	99
15+18+18+71	1.09	1.31	1.31	5.18	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+20+20	1.48	1.78	1.97	1.97	-	7.20 3.70 - 9.20	1.616 0.660 - 4.006	6.79	7.10	7.41	99
15+18+20+22	1.44	1.73	1.92	2.11	-	7.20 3.70 - 9.20	1.699 0.660 - 4.039	7.14	7.46	7.78	99
15+18+20+25	1.46	1.75	1.95	2.44	-	7.60 3.70 - 9.20	1.762 0.660 - 4.032	7.40	7.74	8.08	99
15+18+20+35	1.47	1.76	1.95	3.42	-	8.60 3.70 - 9.20	2.002 0.660 - 4.032	8.41	8.79	9.17	99
15+18+20+42	1.09	1.31	1.45	3.05 *	-	6.90 3.70 - 9.60	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+18+20+50	1.24	1.49	1.65	4.13 *	-	8.50 3.70 - 9.90	2.076 0.660 - 4.026	8.72	9.12	9.52	99
15+18+20+60	1.15	1.39	1.54	4.62	-	8.70 3.70 - 10.10	2.516 0.660 - 4.026	10.57	11.05	11.53	99
15+18+20+71	1.06	1.28	1.42	5.04	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+18+22+22	1.46	1.75	2.14	2.14	-	7.50 3.70 - 9.20	1.723 0.660 - 4.013	7.24	7.57	7.90	99
15+18+22+25	1.48	1.78	2.17	2.47	-	7.90 3.70 - 9.20	1.805 0.660 - 4.025	7.59	7.93	8.27	99
15+18+22+35	1.18	1.42	1.74	2.76	-	7.10 3.70 - 9.30	1.605 0.660 - 4.025	6.74	7.05	7.36	99
15+18+22+42	1.08	1.30	1.59	3.03 *	-	7.00 3.70 - 9.70	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+18+22+50	1.23	1.47	1.80	4.10 *	-	8.60 3.70 - 10.00	2.159 0.660 - 4.019	9.07	9.48	9.89	99
15+18+22+60	1.15	1.38	1.68	4.59	-	8.80 3.70 - 10.10	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+18+22+71	1.06	1.27	1.55	5.02	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+25+25	1.48	1.78	2.47	2.47	-	8.20 3.70 - 9.20	1.856 0.660 - 4.006	7.80	8.15	8.50	99
15+18+25+35	1.13	1.35	1.88	2.63	-	7.00 3.70 - 9.50	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+18+25+42	1.28	1.53	2.13	3.57 *	-	8.50 3.70 - 9.90	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+18+25+50	1.21	1.45	2.01	4.03 *	-	8.70 3.70 - 10.00	2.289 0.660 - 4.019	9.61	10.05	10.49	99
15+18+25+60	1.13	1.36	1.89	4.53	-	8.90 3.70 - 10.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+25+71	1.03	1.24	1.72	4.90	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+35+35	1.25	1.50	2.92	2.92	-	8.60 3.70 - 9.90	2.056 0.660 - 4.006	8.64	9.03	9.42	99
15+18+35+42	1.19	1.42	2.77	3.32 *	-	8.70 3.70 - 10.10	2.385 0.660 - 4.025	10.01	10.47	10.93	99
15+18+35+50	1.13	1.36	2.64	3.77 *	-	8.90 3.70 - 10.20	2.719 0.660 - 4.019	11.42	11.94	12.46	99
15+18+35+60	1.04	1.25	2.43	4.17	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+18+35+71	0.96	1.15	2.24	4.55	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+18+42+42	1.13	1.35	3.16 *	3.16 *	-	8.80 3.70 - 10.20	2.666 0.660 - 4.006	11.20	11.71	12.22	99
15+18+42+50	1.07	1.28	2.99 *	3.56 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+60	0.99	1.19	2.77 *	3.96	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+42+71	0.91	1.10	2.56 *	4.33	-	8.90 3.70 - 10.20	2.796 0.660 - 3.996	11.75	12.28	12.81	99
15+18+50+50	1.00	1.20	3.35 *	3.35 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+18+50+60	0.93	1.12	3.11 *	3.73	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+18+50+71	0.89	1.06	2.95 *	4.20	-	9.10 3.70 - 10.20	2.896 0.660 - 3.996	12.17	12.72	13.27	99
15+18+60+60	0.88	1.06	3.53	3.53	-	9.00 3.70 - 10.20	2.890 0.660 - 4.000	12.14	12.69	13.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+60+71	0.84	1.01	3.37	3.98	-	9.20 3.70 - 10.20	3.009 0.660 - 3.979	12.64	13.21	13.78	99
15+20+20+20	1.48	1.97	1.97	1.97	-	7.40 3.70 - 9.20	1.643 0.660 - 3.983	6.91	7.22	7.53	99
15+20+20+22	1.42	1.90	1.90	2.09	-	7.30 3.70 - 9.20	1.756 0.660 - 4.046	7.37	7.71	8.05	99
15+20+20+25	1.44	1.93	1.93	2.41	-	7.70 3.70 - 9.20	1.819 0.660 - 4.039	7.64	7.99	8.34	99
15+20+20+35	1.15	1.53	1.53	2.68	-	6.90 3.70 - 9.30	1.619 0.660 - 4.039	6.80	7.11	7.42	99
15+20+20+42	1.05	1.40	1.40	2.94 *	-	6.80 3.70 - 9.70	1.589 0.660 - 4.039	6.68	6.98	7.28	99
15+20+20+50	1.20	1.60	1.60	4.00 *	-	8.40 3.70 - 10.00	2.173 0.660 - 4.033	9.13	9.54	9.95	99
15+20+20+60	1.12	1.50	1.50	4.49	-	8.60 3.70 - 10.10	2.603 0.660 - 4.033	10.93	11.43	11.93	99
15+20+20+71	1.04	1.38	1.38	4.90	-	8.70 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
15+20+22+22	1.44	1.92	2.12	2.12	-	7.60 3.70 - 9.20	1.780 0.660 - 4.020	7.48	7.82	8.16	99
15+20+22+25	1.46	1.95	2.15	2.44	-	8.00 3.70 - 9.20	1.862 0.660 - 4.032	7.82	8.18	8.54	99
15+20+22+35	1.13	1.50	1.65	2.63	-	6.90 3.70 - 9.40	1.602 0.660 - 4.032	6.73	7.04	7.35	99
15+20+22+42	1.03	1.37	1.51	2.88 *	-	6.80 3.70 - 9.80	1.572 0.660 - 4.032	6.60	6.90	7.20	99
15+20+22+50	1.19	1.59	1.75	3.97 *	-	8.50 3.70 - 10.00	2.246 0.660 - 4.026	9.43	9.86	10.29	99
15+20+22+60	1.12	1.49	1.64	4.46	-	8.70 3.70 - 10.20	2.686 0.660 - 4.026	11.29	11.80	12.31	99
15+20+22+71	1.03	1.38	1.51	4.88	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+25+25	1.46	1.95	2.44	2.44	-	8.30 3.70 - 9.20	1.913 0.660 - 4.013	8.03	8.40	8.77	99
15+20+25+35	1.09	1.45	1.82	2.54	-	6.90 3.70 - 9.60	1.592 0.660 - 4.032	6.69	6.99	7.29	99
15+20+25+50	1.17	1.56	1.95	3.91 *	-	8.60 3.70 - 10.10	2.392 0.660 - 4.032	10.05	10.51	10.97	99
15+20+25+60	1.10	1.47	1.83	4.40	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+25+71	1.01	1.34	1.68	4.77	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+35+35	1.21	1.62	2.83	2.83	-	8.50 3.70 - 10.00	2.153 0.660 - 4.013	9.05	9.46	9.87	99
15+20+35+42	1.15	1.54	2.69	3.23 *	-	8.60 3.70 - 10.10	2.472 0.660 - 4.032	10.39	10.86	11.33	99
15+20+35+50	1.10	1.47	2.57	3.67 *	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+60	1.02	1.35	2.37	4.06	-	8.80 3.70 - 10.20	2.816 0.660 - 4.026	11.83	12.37	12.91	99
15+20+35+71	0.94	1.25	2.18	4.43	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	11.76	12.29	12.82	99
15+20+42+42	1.11	1.48	3.11 *	3.11 *	-	8.80 3.70 - 10.20	2.763 0.660 - 4.013	11.60	12.13	12.66	99
15+20+42+50	1.04	1.39	2.91 *	3.46 *	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+60	0.96	1.28	2.70 *	3.85	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+42+71	0.90	1.20	2.53 *	4.27	-	8.90 3.70 - 10.20	2.833 0.660 - 4.003	11.90	12.44	12.98	99
15+20+50+50	0.98	1.30	3.26 *	3.26 *	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
15+20+50+60	0.91	1.21	3.03 *	3.64	-	8.80 3.70 - 10.20	2.810 0.660 - 4.020	11.80	12.34	12.88	99
15+20+50+71	0.87	1.15	2.88 *	4.10	-	9.00 3.70 - 10.20	2.933 0.660 - 4.003	12.32	12.88	13.44	99
15+20+60+60	0.87	1.16	3.48	3.48	-	9.00 3.70 - 10.20	2.927 0.660 - 4.007	12.29	12.85	13.41	99
15+20+60+71	0.83	1.11	3.33	3.93	-	9.20 3.70 - 10.20	3.036 0.660 - 3.986	12.75	13.33	13.91	99
15+22+22+22	1.46	2.15	2.15	2.15	-	7.90 3.70 - 9.20	1.790 0.660 - 3.990	7.52	7.86	8.20	99
15+22+22+25	1.48	2.17	2.17	2.47	-	8.30 3.70 - 9.20	1.905 0.660 - 4.025	8.01	8.37	8.73	99
15+22+22+35	1.12	1.64	1.64	2.61	-	7.00 3.70 - 9.60	1.595 0.660 - 4.025	6.70	7.00	7.30	99
15+22+22+42	1.26	1.85	1.85	3.53 *	-	8.50 3.70 - 9.90	1.985 0.660 - 4.025	8.34	8.72	9.10	99
15+22+22+50	1.20	1.76	1.76	3.99 *	-	8.70 3.70 - 10.00	2.329 0.660 - 4.019	9.79	10.23	10.67	99
15+22+22+60	1.12	1.65	1.65	4.49	-	8.90 3.70 - 10.20	2.769 0.660 - 4.019	11.63	12.16	12.69	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+22+71	1.03	1.51	1.51	4.86	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+25+25	1.48	2.17	2.47	2.47	-	8.60 3.70 - 9.20	1.956 0.660 - 4.006	8.22	8.59	8.96	99
15+22+25+35	1.08	1.59	1.80	2.53	-	7.00 3.70 - 9.70	1.575 0.660 - 4.025	6.62	6.92	7.22	99
15+22+25+42	1.24	1.82	2.07	3.47 *	-	8.60 3.70 - 10.00	2.115 0.660 - 4.025	8.89	9.29	9.69	99
15+22+25+50	1.17	1.71	1.94	3.88 *	-	8.70 3.70 - 10.10	2.459 0.660 - 4.019	10.33	10.80	11.27	99
15+22+25+60	1.09	1.60	1.82	4.38	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+25+71	1.00	1.47	1.67	4.75	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+35+35	1.21	1.77	2.81	2.81	-	8.60 3.70 - 10.00	2.226 0.660 - 4.006	9.35	9.78	10.21	99
15+22+35+42	1.16	1.70	2.70	3.24 *	-	8.80 3.70 - 10.10	2.555 0.660 - 4.025	10.73	11.22	11.71	99
15+22+35+50	1.09	1.60	2.55	3.65 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+60	1.01	1.48	2.36	4.05	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+22+35+71	0.93	1.37	2.18	4.42	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+22+42+42	1.10	1.62	3.09 *	3.09 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+22+42+50	1.03	1.52	2.90 *	3.45 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+60	0.96	1.41	2.69 *	3.84	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+22+42+71	0.90	1.32	2.52 *	4.26	-	9.00 3.70 - 10.20	2.846 0.660 - 3.996	11.96	12.50	13.04	99
15+22+50+50	0.97	1.43	3.25 *	3.25 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+22+50+60	0.91	1.33	3.03 *	3.63	-	8.90 3.70 - 10.20	2.833 0.660 - 4.013	11.90	12.44	12.98	99
15+22+50+71	0.86	1.27	2.88 *	4.09	-	9.10 3.70 - 10.20	2.946 0.660 - 3.996	12.38	12.94	13.50	99
15+22+60+60	0.87	1.28	3.48	3.48	-	9.10 3.70 - 10.20	2.940 0.660 - 4.000	12.35	12.91	13.47	99
15+22+60+71	0.83	1.22	3.32	3.93	-	9.30 3.70 - 10.20	3.059 0.660 - 3.979	12.85	13.43	14.01	99
15+25+25+25	1.18	1.97	1.97	1.97	-	7.10 3.70 - 9.30	1.563 0.660 - 3.983	6.56	6.86	7.16	99
15+25+25+35	1.28	2.13	2.13	2.98	-	8.50 3.70 - 9.90	1.945 0.660 - 4.025	8.17	8.54	8.91	99
15+25+25+42	1.21	2.01	2.01	3.38 *	-	8.60 3.70 - 10.00	2.245 0.660 - 4.025	9.43	9.86	10.29	99
15+25+25+50	1.15	1.91	1.91	3.83 *	-	8.80 3.70 - 10.10	2.589 0.660 - 4.019	10.88	11.37	11.86	99
15+25+25+60	1.07	1.78	1.78	4.27	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+25+71	0.98	1.64	1.64	4.65	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	11.73	12.26	12.79	99
15+25+35+35	1.19	1.98	2.77	2.77	-	8.70 3.70 - 10.10	2.366 0.660 - 4.006	9.94	10.39	10.84	99
15+25+35+42	1.13	1.88	2.63	3.16 *	-	8.80 3.70 - 10.20	2.685 0.660 - 4.025	11.28	11.79	12.30	99
15+25+35+50	1.07	1.78	2.49	3.56 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+60	0.99	1.65	2.31	3.96	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+25+35+71	0.91	1.52	2.13	4.33	-	8.90 3.70 - 10.20	2.802 0.660 - 4.002	11.77	12.31	12.85	99
15+25+42+42	1.08	1.79	3.01 *	3.01 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+25+42+50	1.01	1.69	2.83 *	3.37 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+60	0.94	1.57	2.63 *	3.76	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+25+42+71	0.88	1.47	2.47 *	4.18	-	9.00 3.70 - 10.20	2.886 0.660 - 3.996	12.12	12.67	13.22	99
15+25+50+50	0.95	1.59	3.18 *	3.18 *	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
15+25+50+60	0.90	1.50	3.00 *	3.60	-	9.00 3.70 - 10.20	2.863 0.660 - 4.013	12.02	12.57	13.12	99
15+25+50+71	0.86	1.43	2.86 *	4.06	-	9.20 3.70 - 10.20	2.986 0.660 - 3.996	12.54	13.11	13.68	99
15+25+60+60	0.86	1.44	3.45	3.45	-	9.20 3.70 - 10.20	2.980 0.660 - 4.000	12.52	13.09	13.66	99
15+25+60+71	0.82	1.36	3.26	3.86	-	9.30 3.70 - 10.20	3.059 0.660 - 3.979	12.85	13.43	14.01	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+35+35+35	1.11	2.60	2.60	2.60	-	8.90 3.70 - 10.20	2.773 0.660 - 3.983	11.65	12.18	12.71	99
15+35+35+42	1.05	2.45	2.45	2.94 *	-	8.90 3.70 - 10.20	2.815 0.660 - 4.025	11.82	12.36	12.90	99
15+35+35+50	0.99	2.31	2.31	3.30 *	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+60	0.92	2.15	2.15	3.68	-	8.90 3.70 - 10.20	2.809 0.660 - 4.019	11.80	12.34	12.88	99
15+35+35+71	0.88	2.04	2.04	4.14	-	9.10 3.70 - 10.20	2.932 0.660 - 4.002	12.32	12.88	13.44	99
15+35+42+42	1.00	2.32	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	11.75	12.28	12.81	99
15+35+42+50	0.94	2.19	2.63 *	3.13 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	11.77	12.31	12.85	99
15+35+42+60	0.89	2.07	2.49 *	3.55	-	9.00 3.70 - 10.20	2.893 0.660 - 4.013	12.16	12.71	13.26	99
15+35+42+71	0.85	1.98	2.37 *	4.01	-	9.20 3.70 - 10.20	3.016 0.660 - 3.996	12.67	13.25	13.83	99
15+35+50+50	0.90	2.10	3.00 *	3.00 *	-	9.00 3.70 - 10.20	2.850 0.660 - 4.000	11.98	12.52	13.06	99
15+35+50+60	0.86	2.01	2.88 *	3.45	-	9.20 3.70 - 10.20	2.993 0.660 - 4.013	12.57	13.14	13.71	99
15+35+50+71	0.82	1.90	2.72 *	3.86	-	9.30 3.70 - 10.20	3.076 0.660 - 3.996	12.92	13.51	14.10	99
15+35+60+60	0.82	1.91	3.28	3.28	-	9.30 3.70 - 10.20	3.080 0.660 - 4.000	12.94	13.53	14.12	99
15+42+42+42	0.95	2.65	2.65 *	2.65 *	-	8.90 3.70 - 10.20	2.769 0.660 - 3.979	11.63	12.16	12.69	99
15+42+42+50	0.91	2.54	2.54 *	3.02 *	-	9.00 3.70 - 10.20	2.847 0.660 - 4.007	11.96	12.50	13.04	99
15+42+42+60	0.86	2.40	2.40 *	3.43	-	9.10 3.70 - 10.20	2.977 0.660 - 4.007	12.50	13.07	13.64	99
15+42+42+71	0.82	2.30	2.30 *	3.88	-	9.30 3.70 - 10.20	3.070 0.660 - 3.990	12.89	13.48	14.07	99
15+42+50+50	0.87	2.43	2.90 *	2.90 *	-	9.10 3.70 - 10.20	2.934 0.660 - 3.994	12.33	12.89	13.45	99
15+42+50+60	0.84	2.34	2.78 *	3.34	-	9.30 3.70 - 10.20	3.077 0.660 - 4.007	12.92	13.51	14.10	99
15+50+50+50	0.84	2.79	2.79 *	2.79 *	-	9.20 3.70 - 10.20	3.030 0.660 - 3.990	12.73	13.31	13.89	99
18+18+18+18	1.78	1.78	1.78	1.78	-	7.10 3.70 - 9.20	1.597 0.660 - 4.007	6.71	7.01	7.31	99
18+18+18+20	1.80	1.80	1.80	2.00	-	7.40 3.70 - 9.20	1.656 0.660 - 4.016	6.95	7.27	7.59	99
18+18+18+22	1.78	1.78	1.78	2.17	-	7.50 3.70 - 9.20	1.713 0.660 - 4.023	7.19	7.52	7.85	99
18+18+18+25	1.80	1.80	1.80	2.50	-	7.90 3.70 - 9.20	1.776 0.660 - 4.016	7.46	7.80	8.14	99
18+18+18+35	1.46	1.46	1.46	2.83	-	7.20 3.70 - 9.30	1.606 0.660 - 4.016	6.74	7.05	7.36	99
18+18+18+42	1.33	1.33	1.33	3.11 *	-	7.10 3.70 - 9.70	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+18+50	1.51	1.51	1.51	4.18 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	8.82	9.22	9.62	99
18+18+18+60	1.41	1.41	1.41	4.68	-	8.90 3.70 - 10.10	2.540 0.660 - 4.010	10.67	11.16	11.65	99
18+18+18+71	1.30	1.30	1.30	5.11	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+20+20	1.80	1.80	2.00	2.00	-	7.60 3.70 - 9.20	1.687 0.660 - 3.997	7.09	7.41	7.73	99
18+18+20+22	1.75	1.75	1.95	2.14	-	7.60 3.70 - 9.20	1.760 0.660 - 4.030	7.39	7.73	8.07	99
18+18+20+25	1.78	1.78	1.98	2.47	-	8.00 3.70 - 9.20	1.823 0.660 - 4.023	7.66	8.01	8.36	99
18+18+20+35	1.40	1.40	1.56	2.73	-	7.10 3.70 - 9.40	1.603 0.660 - 4.023	6.73	7.04	7.35	99
18+18+20+42	1.27	1.27	1.41	2.96 *	-	6.90 3.70 - 9.80	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+18+20+50	1.46	1.46	1.62	4.06 *	-	8.60 3.70 - 10.00	2.197 0.660 - 4.017	9.23	9.65	10.07	99
18+18+20+60	1.37	1.37	1.52	4.55	-	8.80 3.70 - 10.10	2.637 0.660 - 4.017	11.08	11.58	12.08	99
18+18+20+71	1.26	1.26	1.40	4.98	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+18+22+22	1.78	1.78	2.17	2.17	-	7.90 3.70 - 9.20	1.784 0.660 - 4.004	7.49	7.83	8.17	99
18+18+22+25	1.80	1.80	2.20	2.50	-	8.30 3.70 - 9.20	1.866 0.660 - 4.016	7.83	8.19	8.55	99
18+18+22+35	1.37	1.37	1.68	2.67	-	7.10 3.70 - 9.50	1.586 0.660 - 4.016	6.67	6.97	7.27	99
18+18+22+42	1.55	1.55	1.89	3.61 *	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.13	8.50	8.87	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+50	1.47	1.47	1.79	4.07 *	-	8.80 3.70 - 10.00	2.280 0.660 - 4.010	9.57	10.01	10.45	99
18+18+22+60	1.37	1.37	1.68	4.58	-	9.00 3.70 - 10.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+18+22+71	1.26	1.26	1.53	4.95	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+25+25	1.80	1.80	2.50	2.50	-	8.60 3.70 - 9.20	1.917 0.660 - 3.997	8.05	8.42	8.79	99
18+18+25+35	1.33	1.33	1.85	2.59	-	7.10 3.70 - 9.70	1.576 0.660 - 4.016	6.62	6.92	7.22	99
18+18+25+42	1.52	1.52	2.11	3.55 *	-	8.70 3.70 - 9.90	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+18+25+50	1.43	1.43	1.98	3.96 *	-	8.80 3.70 - 10.10	2.410 0.660 - 4.010	10.12	10.58	11.04	99
18+18+25+60	1.34	1.34	1.86	4.46	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+25+71	1.23	1.23	1.70	4.84	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+35+35	1.48	1.48	2.87	2.87	-	8.70 3.70 - 10.00	2.177 0.660 - 3.997	9.14	9.56	9.98	99
18+18+35+42	1.42	1.42	2.76	3.31 *	-	8.90 3.70 - 10.10	2.506 0.660 - 4.016	10.53	11.01	11.49	99
18+18+35+50	1.34	1.34	2.60	3.72 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+60	1.24	1.24	2.40	4.12	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+18+35+71	1.14	1.14	2.22	4.50	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+18+42+42	1.35	1.35	3.15 *	3.15 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+18+42+50	1.27	1.27	2.95 *	3.52 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+42+60	1.17	1.17	2.74 *	3.91	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+18+42+71	1.10	1.10	2.57 *	4.34	-	9.10 3.70 - 10.20	2.827 0.660 - 3.987	11.88	12.42	12.96	99
18+18+50+50	1.19	1.19	3.31 *	3.31 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+18+50+60	1.11	1.11	3.08 *	3.70	-	9.00 3.70 - 10.20	2.804 0.660 - 4.004	11.77	12.31	12.85	99
18+18+50+71	1.05	1.05	2.93 *	4.16	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	12.29	12.85	13.41	99
18+18+60+60	1.06	1.06	3.54	3.54	-	9.20 3.70 - 10.20	2.921 0.660 - 3.991	12.27	12.83	13.39	99
18+18+60+71	1.01	1.01	3.38	4.00	-	9.40 3.70 - 10.20	3.040 0.660 - 3.970	12.77	13.35	13.93	99
18+20+20+20	1.80	2.00	2.00	2.00	-	7.80 3.70 - 9.20	1.704 0.660 - 3.974	7.15	7.48	7.81	99
18+20+20+22	1.73	1.93	1.93	2.12	-	7.70 3.70 - 9.20	1.817 0.660 - 4.037	7.63	7.98	8.33	99
18+20+20+25	1.76	1.95	1.95	2.44	-	8.10 3.70 - 9.20	1.880 0.660 - 4.030	7.90	8.26	8.62	99
18+20+20+35	1.34	1.48	1.48	2.60	-	6.90 3.70 - 9.50	1.600 0.660 - 4.030	6.72	7.03	7.34	99
18+20+20+42	1.51	1.68	1.68	3.53 *	-	8.40 3.70 - 9.90	1.950 0.660 - 4.030	8.19	8.56	8.93	99
18+20+20+50	1.43	1.59	1.59	3.98 *	-	8.60 3.70 - 10.00	2.294 0.660 - 4.024	9.63	10.07	10.51	99
18+20+20+60	1.34	1.49	1.49	4.47	-	8.80 3.70 - 10.20	2.724 0.660 - 4.024	11.44	11.96	12.48	99
18+20+20+71	1.23	1.36	1.36	4.84	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
18+20+22+22	1.76	1.95	2.15	2.15	-	8.00 3.70 - 9.20	1.841 0.660 - 4.011	7.74	8.09	8.44	99
18+20+22+25	1.78	1.98	2.17	2.47	-	8.40 3.70 - 9.20	1.923 0.660 - 4.023	8.08	8.45	8.82	99
18+20+22+35	1.33	1.47	1.62	2.58	-	7.00 3.70 - 9.60	1.583 0.660 - 4.023	6.65	6.95	7.25	99
18+20+22+50	1.42	1.58	1.74	3.95 *	-	8.70 3.70 - 10.10	2.383 0.660 - 4.023	10.01	10.47	10.93	99
18+20+22+60	1.34	1.48	1.63	4.45	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+22+71	1.22	1.36	1.49	4.82	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+25+25	1.78	1.98	2.47	2.47	-	8.70 3.70 - 9.20	1.974 0.660 - 4.004	8.29	8.67	9.05	99
18+20+25+35	1.27	1.41	1.76	2.46	-	6.90 3.70 - 9.80	1.573 0.660 - 4.023	6.61	6.91	7.21	99
18+20+25+42	1.47	1.64	2.05	3.44 *	-	8.60 3.70 - 10.00	2.163 0.660 - 4.023	9.09	9.50	9.91	99
18+20+25+50	1.40	1.56	1.95	3.89 *	-	8.80 3.70 - 10.10	2.507 0.660 - 4.017	10.53	11.01	11.49	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+25+60	1.30	1.45	1.81	4.34	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+25+71	1.20	1.33	1.66	4.72	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+35+35	1.45	1.61	2.82	2.82	-	8.70 3.70 - 10.00	2.274 0.660 - 4.004	9.56	9.99	10.42	99
18+20+35+42	1.38	1.53	2.68	3.21 *	-	8.80 3.70 - 10.10	2.593 0.660 - 4.023	10.89	11.39	11.89	99
18+20+35+50	1.30	1.45	2.53	3.62 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+60	1.20	1.34	2.34	4.02	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
18+20+35+71	1.11	1.24	2.16	4.39	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
18+20+42+42	1.31	1.46	3.06 *	3.06 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+20+42+50	1.23	1.37	2.88 *	3.42 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+60	1.14	1.27	2.67 *	3.81	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
18+20+42+71	1.07	1.19	2.50 *	4.23	-	9.00 3.70 - 10.20	2.864 0.660 - 3.994	12.03	12.58	13.13	99
18+20+50+50	1.16	1.29	3.22 *	3.22 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
18+20+50+60	1.09	1.22	3.04 *	3.65	-	9.00 3.70 - 10.20	2.841 0.660 - 4.011	11.94	12.48	13.02	99
18+20+50+71	1.03	1.14	2.86 *	4.06	-	9.10 3.70 - 10.20	2.964 0.660 - 3.994	12.45	13.02	13.59	99
18+20+60+60	1.04	1.15	3.46	3.46	-	9.10 3.70 - 10.20	2.948 0.660 - 3.998	12.39	12.95	13.51	99
18+20+60+71	0.99	1.10	3.30	3.91	-	9.30 3.70 - 10.20	3.057 0.660 - 3.977	12.85	13.43	14.01	99
18+22+22+22	1.78	2.17	2.17	2.17	-	8.30 3.70 - 9.20	1.861 0.660 - 3.981	7.81	8.17	8.53	99
18+22+22+25	1.80	2.20	2.20	2.50	-	8.70 3.70 - 9.20	1.966 0.660 - 4.016	8.25	8.63	9.01	99
18+22+22+35	1.32	1.61	1.61	2.56	-	7.10 3.70 - 9.70	1.566 0.660 - 4.016	6.58	6.88	7.18	99
18+22+22+42	1.51	1.84	1.84	3.51 *	-	8.70 3.70 - 10.00	2.106 0.660 - 4.016	8.85	9.25	9.65	99
18+22+22+50	1.41	1.73	1.73	3.93 *	-	8.80 3.70 - 10.10	2.450 0.660 - 4.010	10.29	10.76	11.23	99
18+22+22+60	1.33	1.62	1.62	4.43	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+22+71	1.22	1.49	1.49	4.80	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+25+25	1.44	1.76	2.00	2.00	-	7.20 3.70 - 9.30	1.577 0.660 - 3.997	6.63	6.93	7.23	99
18+22+25+35	1.55	1.89	2.15	3.01	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.13	8.50	8.87	99
18+22+25+42	1.46	1.79	2.03	3.41 *	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	9.39	9.82	10.25	99
18+22+25+50	1.39	1.70	1.93	3.87 *	-	8.90 3.70 - 10.10	2.580 0.660 - 4.010	10.84	11.33	11.82	99
18+22+25+60	1.30	1.58	1.80	4.32	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+25+71	1.19	1.46	1.65	4.70	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+22+35+35	1.44	1.76	2.80	2.80	-	8.80 3.70 - 10.10	2.357 0.660 - 3.997	9.90	10.35	10.80	99
18+22+35+42	1.37	1.67	2.66	3.19 *	-	8.90 3.70 - 10.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
18+22+35+50	1.30	1.58	2.52	3.60 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+60	1.20	1.47	2.33	4.00	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+22+35+71	1.11	1.36	2.16	4.38	-	9.00 3.70 - 10.20	2.793 0.660 - 3.993	11.74	12.27	12.80	99
18+22+42+42	1.31	1.60	3.05 *	3.05 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+22+42+50	1.23	1.50	2.86 *	3.41 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+60	1.14	1.39	2.66 *	3.80	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+22+42+71	1.07	1.31	2.50 *	4.22	-	9.10 3.70 - 10.20	2.877 0.660 - 3.987	12.09	12.64	13.19	99
18+22+50+50	1.16	1.41	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+22+50+60	1.09	1.33	3.03 *	3.64	-	9.10 3.70 - 10.20	2.854 0.660 - 4.004	11.99	12.53	13.07	99
18+22+50+71	1.04	1.27	2.89 *	4.10	-	9.30 3.70 - 10.20	2.977 0.660 - 3.987	12.50	13.07	13.64	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+60+60	1.05	1.28	3.49	3.49	-	9.30 3.70 - 10.20	2.971 0.660 - 3.991	12.48	13.05	13.62	99
18+22+60+71	0.99	1.21	3.30	3.90	-	9.40 3.70 - 10.20	3.050 0.660 - 3.970	12.81	13.39	13.97	99
18+25+25+25	1.37	1.91	1.91	1.91	-	7.10 3.70 - 9.50	1.544 0.660 - 3.974	6.49	6.78	7.07	99
18+25+25+35	1.52	2.11	2.11	2.96	-	8.70 3.70 - 9.90	2.066 0.660 - 4.016	8.68	9.07	9.46	99
18+25+25+42	1.44	2.00	2.00	3.36 *	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	9.98	10.43	10.88	99
18+25+25+50	1.37	1.91	1.91	3.81 *	-	9.00 3.70 - 10.20	2.710 0.660 - 4.010	11.38	11.90	12.42	99
18+25+25+60	1.27	1.76	1.76	4.22	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+25+71	1.17	1.62	1.62	4.60	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
18+25+35+35	1.42	1.97	2.76	2.76	-	8.90 3.70 - 10.10	2.487 0.660 - 3.997	10.45	10.92	11.39	99
18+25+35+42	1.35	1.88	2.63	3.15 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+25+35+50	1.27	1.76	2.46	3.52 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+60	1.17	1.63	2.28	3.91	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+25+35+71	1.10	1.53	2.14	4.34	-	9.10 3.70 - 10.20	2.833 0.660 - 3.993	11.90	12.44	12.98	99
18+25+42+42	1.28	1.77	2.98 *	2.98 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+25+42+50	1.20	1.67	2.80 *	3.33 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+60	1.12	1.55	2.61 *	3.72	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+25+42+71	1.06	1.47	2.48 *	4.19	-	9.20 3.70 - 10.20	2.917 0.660 - 3.987	12.25	12.81	13.37	99
18+25+50+50	1.13	1.57	3.15 *	3.15 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
18+25+50+60	1.07	1.49	2.97 *	3.57	-	9.10 3.70 - 10.20	2.894 0.660 - 4.004	12.16	12.71	13.26	99
18+25+50+71	1.02	1.42	2.84 *	4.03	-	9.30 3.70 - 10.20	3.017 0.660 - 3.987	12.67	13.25	13.83	99
18+25+60+60	1.03	1.43	3.42	3.42	-	9.30 3.70 - 10.20	3.011 0.660 - 3.991	12.65	13.22	13.79	99
18+35+35+35	1.32	2.56	2.56	2.56	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
18+35+35+42	1.25	2.42	2.42	2.91 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
18+35+35+50	1.17	2.28	2.28	3.26 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
18+35+35+60	1.11	2.15	2.15	3.69	-	9.10 3.70 - 10.20	2.840 0.660 - 4.010	11.93	12.47	13.01	99
18+35+35+71	1.04	2.03	2.03	4.11	-	9.20 3.70 - 10.20	2.963 0.660 - 3.993	12.44	13.01	13.58	99
18+35+42+42	1.18	2.30	2.76 *	2.76 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
18+35+42+50	1.12	2.17	2.61 *	3.10 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
18+35+42+60	1.07	2.08	2.49 *	3.56	-	9.20 3.70 - 10.20	2.924 0.660 - 4.004	12.28	12.84	13.40	99
18+35+42+71	1.02	1.98	2.38 *	4.02	-	9.40 3.70 - 10.20	3.037 0.660 - 3.987	12.76	13.34	13.92	99
18+35+50+50	1.07	2.08	2.97 *	2.97 *	-	9.10 3.70 - 10.20	2.881 0.660 - 3.991	12.10	12.65	13.20	99
18+35+50+60	1.03	2.00	2.85 *	3.42	-	9.30 3.70 - 10.20	3.024 0.660 - 4.004	12.70	13.28	13.86	99
18+42+42+42	1.13	2.63	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.777 0.660 - 3.987	11.67	12.20	12.73	99
18+42+42+50	1.08	2.51	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.878 0.660 - 3.998	12.09	12.64	13.19	99
18+42+42+60	1.03	2.41	2.41 *	3.44	-	9.30 3.70 - 10.20	2.998 0.660 - 3.998	12.60	13.17	13.74	99
18+42+50+50	1.05	2.44	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.961 0.660 - 3.981	12.43	13.00	13.57	99
18+42+50+60	1.00	2.32	2.76 *	3.32	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
18+50+50+50	1.01	2.80	2.80 *	2.80 *	-	9.40 3.70 - 10.20	3.061 0.660 - 3.981	12.86	13.44	14.02	99
20+20+20+20	2.00	2.00	2.00	2.00	-	8.00 3.70 - 9.20	1.778 0.660 - 3.998	7.47	7.81	8.15	99
20+20+20+22	1.90	1.90	1.90	2.09	-	7.80 3.70 - 9.20	1.874 0.660 - 4.044	7.87	8.23	8.59	99
20+20+20+25	1.93	1.93	1.93	2.41	-	8.20 3.70 - 9.20	1.937 0.660 - 4.037	8.14	8.51	8.88	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+35	1.43	1.43	1.43	2.51	-	6.80 3.70 - 9.60	1.597 0.660 - 4.037	6.71	7.01	7.31	99
20+20+20+50	1.55	1.55	1.55	3.86 *	-	8.50 3.70 - 10.10	2.397 0.660 - 4.037	10.07	10.53	10.99	99
20+20+20+60	1.45	1.45	1.45	4.35	-	8.70 3.70 - 10.20	2.821 0.660 - 4.031	11.85	12.39	12.93	99
20+20+20+71	1.33	1.33	1.33	4.72	-	8.70 3.70 - 10.20	2.804 0.660 - 4.014	11.77	12.31	12.85	99
20+20+22+22	1.93	1.93	2.12	2.12	-	8.10 3.70 - 9.20	1.898 0.660 - 4.018	7.98	8.34	8.70	99
20+20+22+25	1.95	1.95	2.15	2.44	-	8.50 3.70 - 9.20	1.980 0.660 - 4.030	8.32	8.70	9.08	99
20+20+22+35	1.42	1.42	1.56	2.49	-	6.90 3.70 - 9.70	1.580 0.660 - 4.030	6.64	6.94	7.24	99
20+20+22+42	1.63	1.63	1.80	3.43 *	-	8.50 3.70 - 10.00	2.120 0.660 - 4.030	8.91	9.31	9.71	99
20+20+22+50	1.54	1.54	1.69	3.84 *	-	8.60 3.70 - 10.10	2.464 0.660 - 4.024	10.35	10.82	11.29	99
20+20+22+60	1.44	1.44	1.59	4.33	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+22+71	1.32	1.32	1.46	4.70	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+25+25	1.56	1.56	1.94	1.94	-	7.00 3.70 - 9.30	1.591 0.660 - 4.011	6.69	6.99	7.29	99
20+20+25+35	1.68	1.68	2.10	2.94	-	8.40 3.70 - 9.90	1.950 0.660 - 4.030	8.19	8.56	8.93	99
20+20+25+42	1.59	1.59	1.99	3.34 *	-	8.50 3.70 - 10.00	2.250 0.660 - 4.030	9.45	9.88	10.31	99
20+20+25+50	1.51	1.51	1.89	3.78 *	-	8.70 3.70 - 10.10	2.594 0.660 - 4.024	10.89	11.39	11.89	99
20+20+25+60	1.41	1.41	1.76	4.22	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+25+71	1.29	1.29	1.62	4.59	-	8.80 3.70 - 10.20	2.797 0.660 - 4.007	11.75	12.28	12.81	99
20+20+35+35	1.56	1.56	2.74	2.74	-	8.60 3.70 - 10.10	2.371 0.660 - 4.011	9.96	10.41	10.86	99
20+20+35+42	1.49	1.49	2.60	3.12 *	-	8.70 3.70 - 10.20	2.690 0.660 - 4.030	11.30	11.81	12.32	99
20+20+35+50	1.41	1.41	2.46	3.52 *	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+35+60	1.30	1.30	2.28	3.91	-	8.80 3.70 - 10.20	2.814 0.660 - 4.024	11.82	12.36	12.90	99
20+20+35+71	1.21	1.21	2.11	4.28	-	8.80 3.70 - 10.20	2.807 0.660 - 4.007	11.79	12.33	12.87	99
20+20+42+42	1.42	1.42	2.98 *	2.98 *	-	8.80 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+20+42+50	1.33	1.33	2.80 *	3.33 *	-	8.80 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+60	1.24	1.24	2.60 *	3.72	-	8.80 3.70 - 10.20	2.808 0.660 - 4.018	11.79	12.33	12.87	99
20+20+42+71	1.16	1.16	2.44 *	4.13	-	8.90 3.70 - 10.20	2.891 0.660 - 4.001	12.15	12.70	13.25	99
20+20+50+50	1.26	1.26	3.14 *	3.14 *	-	8.80 3.70 - 10.20	2.795 0.660 - 4.005	11.74	12.27	12.80	99
20+20+50+60	1.19	1.19	2.97 *	3.56	-	8.90 3.70 - 10.20	2.868 0.660 - 4.018	12.05	12.60	13.15	99
20+20+50+71	1.13	1.13	2.83 *	4.01	-	9.10 3.70 - 10.20	2.991 0.660 - 4.001	12.57	13.14	13.71	99
20+20+60+60	1.14	1.14	3.41	3.41	-	9.10 3.70 - 10.20	2.985 0.660 - 4.005	12.54	13.11	13.68	99
20+20+60+71	1.08	1.08	3.23	3.82	-	9.20 3.70 - 10.20	3.064 0.660 - 3.984	12.87	13.46	14.05	99
20+22+22+22	1.95	2.15	2.15	2.15	-	8.40 3.70 - 9.20	1.908 0.660 - 3.988	8.02	8.38	8.74	99
20+22+22+25	1.60	1.76	1.76	1.99	-	7.10 3.70 - 9.30	1.613 0.660 - 4.023	6.77	7.08	7.39	99
20+22+22+35	1.39	1.53	1.53	2.44	-	6.90 3.70 - 9.80	1.563 0.660 - 4.023	6.56	6.86	7.16	99
20+22+22+42	1.62	1.78	1.78	3.41 *	-	8.60 3.70 - 10.00	2.203 0.660 - 4.023	9.26	9.68	10.10	99
20+22+22+50	1.54	1.70	1.70	3.86 *	-	8.80 3.70 - 10.10	2.547 0.660 - 4.017	10.70	11.19	11.68	99
20+22+22+60	1.44	1.58	1.58	4.31	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+22+71	1.32	1.45	1.45	4.68	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+25+25	1.52	1.67	1.90	1.90	-	7.00 3.70 - 9.40	1.574 0.660 - 4.004	6.61	6.91	7.21	99
20+22+25+42	1.60	1.76	2.00	3.35 *	-	8.70 3.70 - 10.00	2.333 0.660 - 4.023	9.80	10.25	10.70	99
20+22+25+50	1.50	1.65	1.88	3.76 *	-	8.80 3.70 - 10.20	2.677 0.660 - 4.017	11.25	11.76	12.27	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+25+60	1.40	1.54	1.75	4.20	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+25+71	1.29	1.42	1.61	4.58	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+22+35+35	1.55	1.71	2.72	2.72	-	8.70 3.70 - 10.10	2.444 0.660 - 4.004	10.26	10.73	11.20	99
20+22+35+42	1.50	1.65	2.62	3.14 *	-	8.90 3.70 - 10.20	2.773 0.660 - 4.023	11.65	12.18	12.71	99
20+22+35+50	1.40	1.54	2.45	3.50 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+60	1.30	1.43	2.27	3.90	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+22+35+71	1.22	1.34	2.13	4.32	-	9.00 3.70 - 10.20	2.830 0.660 - 4.000	11.89	12.43	12.97	99
20+22+42+42	1.41	1.55	2.97 *	2.97 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+22+42+50	1.33	1.46	2.79 *	3.32 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+60	1.24	1.36	2.60 *	3.71	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+22+42+71	1.17	1.29	2.47 *	4.17	-	9.10 3.70 - 10.20	2.914 0.660 - 3.994	12.24	12.80	13.36	99
20+22+50+50	1.25	1.38	3.13 *	3.13 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
20+22+50+60	1.18	1.30	2.96 *	3.55	-	9.00 3.70 - 10.20	2.891 0.660 - 4.011	12.15	12.70	13.25	99
20+22+50+71	1.13	1.24	2.82 *	4.01	-	9.20 3.70 - 10.20	3.014 0.660 - 3.994	12.66	13.24	13.82	99
20+22+60+60	1.14	1.25	3.41	3.41	-	9.20 3.70 - 10.20	2.998 0.660 - 3.998	12.60	13.17	13.74	99
20+25+25+25	1.47	1.84	1.84	1.84	-	7.00 3.70 - 9.60	1.537 0.660 - 3.977	6.46	6.75	7.04	99
20+25+25+35	1.64	2.05	2.05	2.87	-	8.60 3.70 - 10.00	2.163 0.660 - 4.023	9.09	9.50	9.91	99
20+25+25+42	1.55	1.94	1.94	3.26 *	-	8.70 3.70 - 10.10	2.463 0.660 - 4.023	10.35	10.82	11.29	99
20+25+25+50	1.48	1.85	1.85	3.71 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+60	1.37	1.71	1.71	4.11	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+25+71	1.26	1.58	1.58	4.48	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	11.72	12.25	12.78	99
20+25+35+35	1.53	1.91	2.68	2.68	-	8.80 3.70 - 10.10	2.574 0.660 - 4.004	10.81	11.30	11.79	99
20+25+35+42	1.46	1.82	2.55	3.06 *	-	8.90 3.70 - 10.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+25+35+50	1.37	1.71	2.40	3.42 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+60	1.27	1.59	2.23	3.81	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+25+35+71	1.19	1.49	2.09	4.23	-	9.00 3.70 - 10.20	2.870 0.660 - 4.000	12.05	12.60	13.15	99
20+25+42+42	1.38	1.72	2.90 *	2.90 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+25+42+50	1.30	1.62	2.73 *	3.25 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	11.77	12.30	12.83	99
20+25+42+60	1.21	1.51	2.54 *	3.63	-	8.90 3.70 - 10.20	2.831 0.660 - 4.011	11.89	12.43	12.97	99
20+25+42+71	1.15	1.44	2.42 *	4.09	-	9.10 3.70 - 10.20	2.944 0.660 - 3.994	12.37	12.93	13.49	99
20+25+50+50	1.23	1.53	3.07 *	3.07 *	-	8.90 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
20+25+50+60	1.17	1.47	2.94 *	3.52	-	9.10 3.70 - 10.20	2.931 0.660 - 4.011	12.31	12.87	13.43	99
20+25+50+71	1.12	1.40	2.80 *	3.98	-	9.30 3.70 - 10.20	3.044 0.660 - 3.994	12.79	13.37	13.95	99
20+25+60+60	1.12	1.39	3.35	3.35	-	9.20 3.70 - 10.20	3.038 0.660 - 3.998	12.76	13.34	13.92	99
20+35+35+35	1.42	2.49	2.49	2.49	-	8.90 3.70 - 10.20	2.767 0.660 - 3.977	11.62	12.15	12.68	99
20+35+35+42	1.35	2.36	2.36	2.83 *	-	8.90 3.70 - 10.20	2.813 0.660 - 4.023	11.81	12.35	12.89	99
20+35+35+50	1.27	2.23	2.23	3.18 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	11.79	12.33	12.87	99
20+35+35+60	1.20	2.10	2.10	3.60	-	9.00 3.70 - 10.20	2.867 0.660 - 4.017	12.04	12.59	13.14	99
20+35+35+71	1.14	2.00	2.00	4.06	-	9.20 3.70 - 10.20	2.990 0.660 - 4.000	12.56	13.13	13.70	99
20+35+42+42	1.28	2.24	2.69 *	2.69 *	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
20+35+42+50	1.21	2.12	2.54 *	3.03 *	-	8.90 3.70 - 10.20	2.831 0.660 - 4.011	11.89	12.43	12.97	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+35+42+60	1.16	2.03	2.43 *	3.48	-	9.10 3.70 - 10.20	2.951 0.660 - 4.011	12.40	12.96	13.52	99
20+35+42+71	1.11	1.94	2.33 *	3.93	-	9.30 3.70 - 10.20	3.074 0.660 - 3.994	12.91	13.50	14.09	99
20+35+50+50	1.17	2.05	2.94 *	2.94 *	-	9.10 3.70 - 10.20	2.918 0.660 - 3.998	12.26	12.82	13.38	99
20+35+50+60	1.12	1.95	2.79 *	3.35	-	9.20 3.70 - 10.20	3.051 0.660 - 4.011	12.82	13.40	13.98	99
20+42+42+42	1.22	2.56	2.56 *	2.56 *	-	8.90 3.70 - 10.20	2.794 0.660 - 3.994	11.74	12.27	12.80	99
20+42+42+50	1.18	2.48	2.48 *	2.95 *	-	9.10 3.70 - 10.20	2.905 0.660 - 4.005	12.21	12.76	13.31	99
20+42+42+60	1.12	2.36	2.36 *	3.37	-	9.20 3.70 - 10.20	3.035 0.660 - 4.005	12.75	13.33	13.91	99
20+42+50+50	1.14	2.39	2.84 *	2.84 *	-	9.20 3.70 - 10.20	2.988 0.660 - 3.988	12.55	13.12	13.69	99
20+42+50+60	1.08	2.27	2.70 *	3.24	-	9.30 3.70 - 10.20	3.085 0.660 - 4.005	12.96	13.55	14.14	99
20+50+50+50	1.09	2.74	2.74 *	2.74 *	-	9.30 3.70 - 10.20	3.068 0.660 - 3.988	12.88	13.47	14.06	99
22+22+22+22	2.18	2.18	2.18	2.18	-	8.70 3.70 - 9.20	1.975 0.660 - 4.005	8.29	8.67	9.05	99
22+22+22+25	1.74	1.74	1.74	1.98	-	7.20 3.70 - 9.40	1.596 0.660 - 4.016	6.71	7.01	7.31	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 3.70 - 9.90	1.976 0.660 - 4.016	8.30	8.68	9.06	99
22+22+22+42	1.79	1.79	1.79	3.42 *	-	8.80 3.70 - 10.00	2.286 0.660 - 4.016	9.60	10.04	10.48	99
22+22+22+50	1.69	1.69	1.69	3.84 *	-	8.90 3.70 - 10.10	2.630 0.660 - 4.010	11.05	11.55	12.05	99
22+22+22+60	1.57	1.57	1.57	4.29	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+22+71	1.45	1.45	1.45	4.66	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+25+25	1.66	1.66	1.89	1.89	-	7.10 3.70 - 9.60	1.567 0.660 - 3.997	6.58	6.88	7.18	99
22+22+25+35	1.84	1.84	2.09	2.93	-	8.70 3.70 - 10.00	2.106 0.660 - 4.016	8.85	9.25	9.65	99
22+22+25+42	1.74	1.74	1.98	3.33 *	-	8.80 3.70 - 10.10	2.416 0.660 - 4.016	10.15	10.61	11.07	99
22+22+25+50	1.66	1.66	1.89	3.78 *	-	9.00 3.70 - 10.20	2.760 0.660 - 4.010	11.59	12.12	12.65	99
22+22+25+60	1.53	1.53	1.74	4.19	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+25+71	1.41	1.41	1.61	4.56	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+22+35+35	1.72	1.72	2.73	2.73	-	8.90 3.70 - 10.10	2.527 0.660 - 3.997	10.62	11.10	11.58	99
22+22+35+42	1.64	1.64	2.60	3.12 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+22+35+50	1.53	1.53	2.44	3.49 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+60	1.42	1.42	2.27	3.88	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+22+35+71	1.33	1.33	2.12	4.31	-	9.10 3.70 - 10.20	2.843 0.660 - 3.993	11.95	12.49	13.03	99
22+22+42+42	1.55	1.55	2.95 *	2.95 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+22+42+60	1.36	1.36	2.59 *	3.70	-	9.00 3.70 - 10.20	2.804 0.660 - 4.004	11.77	12.31	12.85	99
22+22+42+71	1.29	1.29	2.46 *	4.16	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	12.29	12.85	13.41	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	-	9.00 3.70 - 10.20	2.781 0.660 - 3.991	11.68	12.21	12.74	99
22+22+50+60	1.31	1.31	2.99 *	3.58	-	9.20 3.70 - 10.20	2.904 0.660 - 4.004	12.20	12.75	13.30	99
22+22+50+71	1.24	1.24	2.82 *	4.00	-	9.30 3.70 - 10.20	3.027 0.660 - 3.987	12.71	13.29	13.87	99
22+22+60+60	1.25	1.25	3.40	3.40	-	9.30 3.70 - 10.20	3.021 0.660 - 3.991	12.69	13.27	13.85	99
22+25+25+25	1.61	1.83	1.83	1.83	-	7.10 3.70 - 9.70	1.520 0.660 - 3.970	6.39	6.68	6.97	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	9.39	9.82	10.25	99
22+25+25+42	1.72	1.95	1.95	3.28 *	-	8.90 3.70 - 10.10	2.546 0.660 - 4.016	10.69	11.18	11.67	99
22+25+25+50	1.62	1.84	1.84	3.69 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+25+60	1.50	1.70	1.70	4.09	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25+71	1.38	1.57	1.57	4.47	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	11.69	12.22	12.75	99
22+25+35+35	1.67	1.90	2.66	2.66	-	8.90 3.70 - 10.20	2.657 0.660 - 3.997	11.16	11.67	12.18	99
22+25+35+42	1.60	1.81	2.54	3.05 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+25+35+50	1.50	1.70	2.39	3.41 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+60	1.39	1.58	2.22	3.80	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+25+35+71	1.31	1.49	2.08	4.22	-	9.10 3.70 - 10.20	2.883 0.660 - 3.993	12.11	12.66	13.21	99
22+25+42+42	1.51	1.72	2.89 *	2.89 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
22+25+42+60	1.34	1.53	2.57 *	3.66	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	11.95	12.49	13.03	99
22+25+42+71	1.28	1.45	2.44 *	4.13	-	9.30 3.70 - 10.20	2.967 0.660 - 3.987	12.46	13.03	13.60	99
22+25+50+50	1.35	1.53	3.06 *	3.06 *	-	9.00 3.70 - 10.20	2.811 0.660 - 3.991	11.81	12.35	12.89	99
22+25+50+60	1.29	1.46	2.93 *	3.52	-	9.20 3.70 - 10.20	2.944 0.660 - 4.004	12.37	12.93	13.49	99
22+25+50+71	1.23	1.40	2.80 *	3.97	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
22+25+60+60	1.24	1.41	3.38	3.38	-	9.40 3.70 - 10.20	3.061 0.660 - 3.991	12.86	13.44	14.02	99
22+35+35+35	1.56	2.48	2.48	2.48	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
22+35+35+42	1.48	2.35	2.35	2.82 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
22+35+35+50	1.39	2.22	2.22	3.17 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
22+35+35+60	1.32	2.10	2.10	3.59	-	9.10 3.70 - 10.20	2.890 0.660 - 4.010	12.14	12.69	13.24	99
22+35+35+71	1.26	2.00	2.00	4.05	-	9.30 3.70 - 10.20	3.013 0.660 - 3.993	12.65	13.23	13.81	99
22+35+42+42	1.40	2.23	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
22+35+42+50	1.34	2.14	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	11.95	12.49	13.03	99
22+35+42+60	1.27	2.03	2.43 *	3.47	-	9.20 3.70 - 10.20	2.974 0.660 - 4.004	12.49	13.06	13.63	99
22+35+42+71	1.22	1.94	2.32 *	3.93	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
22+35+50+50	1.29	2.05	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	12.31	12.87	13.43	99
22+35+50+60	1.24	1.97	2.81 *	3.38	-	9.40 3.70 - 10.20	3.074 0.660 - 4.004	12.91	13.50	14.09	99
22+42+42+42	1.35	2.58	2.58 *	2.58 *	-	9.10 3.70 - 10.20	2.817 0.660 - 3.987	11.83	12.37	12.91	99
22+42+42+50	1.30	2.48	2.48 *	2.95 *	-	9.20 3.70 - 10.20	2.928 0.660 - 3.998	12.30	12.86	13.42	99
22+42+42+60	1.25	2.38	2.38 *	3.40	-	9.40 3.70 - 10.20	3.048 0.660 - 3.998	12.81	13.39	13.97	99
22+42+50+50	1.25	2.38	2.84 *	2.84 *	-	9.30 3.70 - 10.20	3.011 0.660 - 3.981	12.65	13.22	13.79	99
22+50+50+50	1.20	2.73	2.73 *	2.73 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 3.70 - 9.90	1.918 0.660 - 3.998	8.05	8.42	8.79	99
25+25+25+35	2.00	2.00	2.00	2.80	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	9.98	10.43	10.88	99
25+25+25+42	1.90	1.90	1.90	3.19 *	-	8.90 3.70 - 10.20	2.676 0.660 - 4.016	11.24	11.75	12.26	99
25+25+25+50	1.80	1.80	1.80	3.60 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+60	1.67	1.67	1.67	4.00	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+25+71	1.54	1.54	1.54	4.38	-	9.00 3.70 - 10.20	2.793 0.660 - 3.993	11.74	12.27	12.80	99
25+25+35+35	1.88	1.88	2.63	2.63	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+25+35+42	1.77	1.77	2.48	2.98 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+25+35+50	1.67	1.67	2.33	3.33 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+60	1.55	1.55	2.17	3.72	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+25+35+71	1.47	1.47	2.06	4.19	-	9.20 3.70 - 10.20	2.923 0.660 - 3.993	12.28	12.84	13.40	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
25+25+42+42	1.68	1.68	2.82 *	2.82 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	11.74	12.27	12.80	99
25+25+42+60	1.50	1.50	2.51 *	3.59	-	9.10 3.70 - 10.20	2.884 0.660 - 4.004	12.12	12.67	13.22	99
25+25+42+71	1.43	1.43	2.40 *	4.05	-	9.30 3.70 - 10.20	3.007 0.660 - 3.987	12.64	13.21	13.78	99
25+25+50+50	1.52	1.52	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.841 0.660 - 3.991	11.94	12.48	13.02	99
25+25+50+60	1.45	1.45	2.91 *	3.49	-	9.30 3.70 - 10.20	2.984 0.660 - 4.004	12.53	13.10	13.67	99
25+25+50+71	1.37	1.37	2.75 *	3.90	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
25+25+60+60	1.38	1.38	3.32	3.32	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	12.90	13.49	14.08	99
25+35+35+35	1.73	2.42	2.42	2.42	-	9.00 3.70 - 10.20	2.760 0.660 - 3.970	11.59	12.12	12.65	99
25+35+35+42	1.64	2.30	2.30	2.76 *	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	11.78	12.32	12.86	99
25+35+35+50	1.55	2.17	2.17	3.10 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	11.77	12.30	12.83	99
25+35+35+60	1.48	2.08	2.08	3.56	-	9.20 3.70 - 10.20	2.930 0.660 - 4.010	12.31	12.87	13.43	99
25+35+35+71	1.42	1.98	1.98	4.02	-	9.40 3.70 - 10.20	3.043 0.660 - 3.993	12.78	13.36	13.94	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	11.71	12.24	12.77	99
25+35+42+50	1.50	2.10	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.884 0.660 - 4.004	12.12	12.67	13.22	99
25+35+42+60	1.44	2.01	2.41 *	3.44	-	9.30 3.70 - 10.20	3.004 0.660 - 4.004	12.62	13.19	13.76	99
25+35+50+50	1.45	2.03	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.967 0.660 - 3.987	12.46	13.03	13.60	99
25+35+50+60	1.38	1.94	2.76 *	3.32	-	9.40 3.70 - 10.20	3.084 0.660 - 4.004	12.95	13.54	14.13	99
25+42+42+42	1.51	2.53	2.53 *	2.53 *	-	9.10 3.70 - 10.20	2.857 0.660 - 3.987	12.00	12.55	13.10	99
25+42+42+50	1.45	2.43	2.43 *	2.89 *	-	9.20 3.70 - 10.20	2.968 0.660 - 3.998	12.46	13.03	13.60	99
25+42+42+60	1.39	2.34	2.34 *	3.34	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
25+42+50+50	1.41	2.36	2.81 *	2.81 *	-	9.40 3.70 - 10.20	3.051 0.660 - 3.981	12.82	13.40	13.98	99
35+35+35+35	2.25	2.25	2.25	2.25	-	9.00 3.70 - 10.20	2.788 0.660 - 3.998	11.71	12.24	12.77	99
35+35+35+42	2.14	2.14	2.14	2.57 *	-	9.00 3.70 - 10.20	2.836 0.660 - 4.016	11.91	12.45	12.99	99
35+35+35+50	2.08	2.08	2.08	2.97 *	-	9.20 3.70 - 10.20	2.930 0.660 - 4.010	12.31	12.87	13.43	99
35+35+35+60	1.97	1.97	1.97	3.38	-	9.30 3.70 - 10.20	3.050 0.660 - 4.010	12.81	13.39	13.97	99
35+35+42+42	2.09	2.09	2.51 *	2.51 *	-	9.20 3.70 - 10.20	2.893 0.660 - 3.993	12.16	12.71	13.26	99
35+35+42+50	2.01	2.01	2.41 *	2.87 *	-	9.30 3.70 - 10.20	3.004 0.660 - 4.004	12.62	13.19	13.76	99
35+35+42+60	1.91	1.91	2.30 *	3.28	-	9.40 3.70 - 10.20	3.084 0.660 - 4.004	12.95	13.54	14.13	99
35+35+50+50	1.94	1.94	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	12.88	13.47	14.06	99
35+42+42+42	2.02	2.43	2.43 *	2.43 *	-	9.30 3.70 - 10.20	2.994 0.660 - 4.004	12.58	13.15	13.72	99
35+42+42+50	1.95	2.34	2.34 *	2.78 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
42+42+42+42	2.35	2.35	2.35 *	2.35 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	12.93	13.52	14.11	99
15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	7.50 3.90 - 8.90	1.932 0.640 - 3.992	8.11	8.48	8.85	99
15+15+15+15+18	1.40	1.40	1.40	1.40	1.68	7.30 3.90 - 9.32	2.055 0.640 - 4.065	8.64	9.03	9.42	99
15+15+15+15+20	1.43	1.43	1.43	1.43	1.90	7.60 3.90 - 9.60	2.106 0.640 - 4.076	8.85	9.25	9.65	99
15+15+15+15+22	1.41	1.41	1.41	1.41	2.07	7.70 3.90 - 9.88	2.163 0.640 - 4.103	9.09	9.50	9.91	99
15+15+15+15+25	1.43	1.43	1.43	1.43	2.38	8.10 3.90 - 10.30	2.236 0.640 - 4.126	9.39	9.82	10.25	99
15+15+15+15+35	1.43	1.43	1.43	1.43	3.33	9.03 3.90 - 11.00	2.496 0.640 - 4.176	10.48	10.96	11.44	99
15+15+15+15+42	1.42	1.42	1.42	1.42	3.97 *	9.63 3.90 - 11.00	2.656 0.640 - 4.176	11.15	11.66	12.17	99
15+15+15+15+50	1.34	1.34	1.34	1.34	4.45 *	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99

MXZ-5F102VF COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+15+60	1.23	1.23	1.23	1.23	4.90	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+15+15+15+71	1.12	1.12	1.12	1.12	5.31	9.80 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+15+18+18	1.43	1.43	1.43	1.71	1.71	7.70 3.90 - 9.74	2.107 0.640 - 4.067	8.85	9.25	9.65	99
15+15+15+18+20	1.45	1.45	1.45	1.73	1.93	8.00 3.90 - 10.02	2.177 0.640 - 4.097	9.14	9.56	9.98	99
15+15+15+18+22	1.43	1.43	1.43	1.72	2.10	8.10 3.90 - 10.30	2.234 0.640 - 4.124	9.38	9.81	10.24	99
15+15+15+18+25	1.45	1.45	1.45	1.74	2.41	8.50 3.90 - 10.72	2.317 0.640 - 4.147	9.74	10.18	10.62	99
15+15+15+18+35	1.44	1.44	1.44	1.72	3.35	9.39 3.90 - 11.00	2.557 0.640 - 4.167	10.74	11.23	11.72	99
15+15+15+18+42	1.41	1.41	1.41	1.70	3.96 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+18+50	1.31	1.31	1.31	1.58	4.38 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+18+60	1.21	1.21	1.21	1.45	4.83	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+18+71	1.11	1.11	1.11	1.33	5.25	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+20+20	1.45	1.45	1.45	1.93	1.93	8.20 3.90 - 10.30	2.208 0.640 - 4.098	9.28	9.70	10.12	99
15+15+15+20+22	1.41	1.41	1.41	1.89	2.07	8.20 3.90 - 10.58	2.301 0.640 - 4.151	9.67	10.11	10.55	99
15+15+15+20+25	1.43	1.43	1.43	1.91	2.39	8.60 3.90 - 11.00	2.374 0.640 - 4.174	9.98	10.43	10.88	99
15+15+15+20+35	1.42	1.42	1.42	1.89	3.31	9.46 3.90 - 11.00	2.614 0.640 - 4.174	10.98	11.48	11.98	99
15+15+15+20+42	1.37	1.37	1.37	1.83	3.85 *	9.80 3.90 - 11.00	2.704 0.640 - 4.174	11.36	11.88	12.40	99
15+15+15+20+50	1.28	1.28	1.28	1.70	4.26 *	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
15+15+15+20+60	1.18	1.18	1.18	1.57	4.70	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
15+15+15+20+71	1.08	1.08	1.08	1.44	5.12	9.80 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+15+15+22+22	1.43	1.43	1.43	2.10	2.10	8.50 3.90 - 10.86	2.325 0.640 - 4.145	9.77	10.21	10.65	99
15+15+15+22+25	1.45	1.45	1.45	2.12	2.41	8.87 3.90 - 11.00	2.417 0.640 - 4.167	10.15	10.61	11.07	99
15+15+15+22+35	1.43	1.43	1.43	2.10	3.34	9.73 3.90 - 11.00	2.647 0.640 - 4.167	11.11	11.62	12.13	99
15+15+15+22+42	1.36	1.36	1.36	2.00	3.81 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+22+50	1.27	1.27	1.27	1.86	4.23 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+22+60	1.17	1.17	1.17	1.71	4.68	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+22+71	1.08	1.08	1.08	1.58	5.09	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+25+25	1.44	1.44	1.44	2.40	2.40	9.13 3.90 - 11.00	2.468 0.640 - 4.148	10.37	10.84	11.31	99
15+15+15+25+35	1.41	1.41	1.41	2.36	3.30	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+25+42	1.33	1.33	1.33	2.21	3.71 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+25+50	1.24	1.24	1.24	2.06	4.13 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+25+60	1.14	1.14	1.14	1.90	4.57	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+25+71	1.05	1.05	1.05	1.76	4.99	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+35+35	1.29	1.29	1.29	3.01	3.01	9.90 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
15+15+15+35+42	1.22	1.22	1.22	2.84	3.41 *	9.90 3.90 - 11.00	2.697 0.640 - 4.167	11.33	11.84	12.35	99
15+15+15+35+50	1.14	1.14	1.14	2.67	3.81 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+35+60	1.06	1.06	1.06	2.48	4.24	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
15+15+15+35+71	0.98	0.98	0.98	2.29	4.65	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+15+15+42+42	1.15	1.15	1.15	3.22 *	3.22 *	9.90 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
15+15+15+42+50	1.08	1.08	1.08	3.04 *	3.61 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+42+60	1.01	1.01	1.01	2.83 *	4.04	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+42+71	0.94	0.94	0.94	2.63 *	4.45	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99

MXZ-5F102VF COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+50+50	1.02	1.02	1.02	3.41 *	3.41 *	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+15+50+60	0.96	0.96	0.96	3.19 *	3.83	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
15+15+15+50+71	0.89	0.89	0.89	2.98 *	4.23	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+15+15+60+60	0.90	0.90	0.90	3.60	3.60	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+18+18+18	1.45	1.45	1.74	1.74	1.74	8.10 3.90 - 10.16	2.161 0.640 - 4.061	9.08	9.49	9.90	99
15+15+18+18+20	1.47	1.47	1.76	1.76	1.95	8.40 3.90 - 10.44	2.248 0.640 - 4.118	9.44	9.87	10.30	99
15+15+18+18+22	1.45	1.45	1.74	1.74	2.13	8.50 3.90 - 10.72	2.315 0.640 - 4.145	9.73	10.17	10.61	99
15+15+18+18+25	1.47	1.47	1.76	1.76	2.44	8.89 3.90 - 11.00	2.378 0.640 - 4.158	9.99	10.44	10.89	99
15+15+18+18+35	1.45	1.45	1.74	1.74	3.38	9.74 3.90 - 11.00	2.618 0.640 - 4.158	11.00	11.50	12.00	99
15+15+18+18+42	1.39	1.39	1.67	1.67	3.89 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+18+50	1.29	1.29	1.55	1.55	4.31 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+18+60	1.19	1.19	1.43	1.43	4.76	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+18+71	1.09	1.09	1.31	1.31	5.18	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+20+20	1.47	1.47	1.76	1.95	1.95	8.60 3.90 - 10.72	2.289 0.640 - 4.119	9.61	10.05	10.49	99
15+15+18+20+22	1.43	1.43	1.72	1.91	2.10	8.60 3.90 - 11.00	2.372 0.640 - 4.172	9.97	10.42	10.87	99
15+15+18+20+25	1.45	1.45	1.73	1.93	2.41	8.96 3.90 - 11.00	2.435 0.640 - 4.165	10.23	10.69	11.15	99
15+15+18+20+35	1.43	1.43	1.71	1.90	3.33	9.81 3.90 - 11.00	2.675 0.640 - 4.165	11.24	11.75	12.26	99
15+15+18+20+42	1.35	1.35	1.62	1.80	3.78 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+18+20+50	1.26	1.26	1.51	1.68	4.19 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+18+20+60	1.16	1.16	1.39	1.55	4.64	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+18+20+71	1.07	1.07	1.28	1.42	5.06	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+18+22+22	1.45	1.45	1.74	2.12	2.12	8.87 3.90 - 11.00	2.396 0.640 - 4.146	10.06	10.52	10.98	99
15+15+18+22+25	1.46	1.46	1.75	2.14	2.43	9.23 3.90 - 11.00	2.478 0.640 - 4.158	10.41	10.88	11.35	99
15+15+18+22+35	1.43	1.43	1.71	2.10	3.33	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+22+42	1.34	1.34	1.61	1.96	3.75 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+22+50	1.25	1.25	1.50	1.83	4.17 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+22+60	1.15	1.15	1.38	1.69	4.62	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+22+71	1.06	1.06	1.28	1.56	5.04	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+25+25	1.45	1.45	1.74	2.42	2.42	9.49 3.90 - 11.00	2.529 0.640 - 4.139	10.63	11.11	11.59	99
15+15+18+25+35	1.39	1.39	1.67	2.31	3.24	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+25+42	1.30	1.30	1.57	2.17	3.65 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+25+50	1.22	1.22	1.46	2.03	4.07 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+25+60	1.13	1.13	1.35	1.88	4.51	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+25+71	1.04	1.04	1.25	1.74	4.93	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+35+35	1.27	1.27	1.53	2.97	2.97	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+18+35+42	1.20	1.20	1.44	2.80	3.36 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+18+35+50	1.13	1.13	1.35	2.63	3.76 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+35+60	1.05	1.05	1.26	2.45	4.20	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+18+35+71	0.97	0.97	1.17	2.27	4.61	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+18+42+42	1.14	1.14	1.36	3.18 *	3.18 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+18+42+50	1.07	1.07	1.29	3.00 *	3.57 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42+60	1.00	1.00	1.20	2.80 *	4.00	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+18+42+71	0.93	0.93	1.12	2.61 *	4.41	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+18+50+50	1.01	1.01	1.22	3.38 *	3.38 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+18+50+60	0.95	0.95	1.14	3.16 *	3.80	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+18+50+71	0.89	0.89	1.07	2.96 *	4.20	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+18+60+60	0.89	0.89	1.07	3.57	3.57	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+20+20+20	1.47	1.47	1.96	1.96	1.96	8.80 3.90 - 11.00	2.312 0.640 - 4.112	9.71	10.15	10.59	99
15+15+20+20+22	1.41	1.41	1.88	1.88	2.07	8.67 3.90 - 11.00	2.429 0.640 - 4.179	10.21	10.67	11.13	99
15+15+20+20+25	1.43	1.43	1.90	1.90	2.38	9.03 3.90 - 11.00	2.492 0.640 - 4.172	10.46	10.94	11.42	99
15+15+20+20+35	1.40	1.40	1.87	1.87	3.27	9.80 3.90 - 11.00	2.702 0.640 - 4.172	11.35	11.87	12.39	99
15+15+20+20+42	1.31	1.31	1.75	1.75	3.68 *	9.80 3.90 - 11.00	2.702 0.640 - 4.172	11.35	11.87	12.39	99
15+15+20+20+50	1.23	1.23	1.63	1.63	4.08 *	9.80 3.90 - 11.00	2.696 0.640 - 4.166	11.33	11.84	12.35	99
15+15+20+20+60	1.13	1.13	1.51	1.51	4.52	9.80 3.90 - 11.00	2.696 0.640 - 4.166	11.33	11.84	12.35	99
15+15+20+20+71	1.04	1.04	1.39	1.39	4.93	9.80 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+15+20+22+22	1.43	1.43	1.90	2.09	2.09	8.94 3.90 - 11.00	2.443 0.640 - 4.153	10.26	10.73	11.20	99
15+15+20+22+25	1.44	1.44	1.92	2.11	2.40	9.30 3.90 - 11.00	2.535 0.640 - 4.165	10.65	11.13	11.61	99
15+15+20+22+35	1.39	1.39	1.85	2.04	3.24	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+22+42	1.30	1.30	1.74	1.91	3.65 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+22+50	1.22	1.22	1.62	1.79	4.06 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+22+60	1.13	1.13	1.50	1.65	4.50	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+22+71	1.04	1.04	1.38	1.52	4.92	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+25+25	1.43	1.43	1.91	2.39	2.39	9.56 3.90 - 11.00	2.586 0.640 - 4.146	10.87	11.36	11.85	99
15+15+20+25+35	1.35	1.35	1.80	2.25	3.15	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+25+42	1.27	1.27	1.69	2.12	3.55 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+25+50	1.19	1.19	1.58	1.98	3.96 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+25+60	1.10	1.10	1.47	1.83	4.40	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+25+71	1.02	1.02	1.36	1.70	4.81	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+35+35	1.24	1.24	1.65	2.89	2.89	9.90 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+20+35+42	1.17	1.17	1.56	2.73	3.27 *	9.90 3.90 - 11.00	2.695 0.640 - 4.165	11.33	11.84	12.35	99
15+15+20+35+50	1.10	1.10	1.47	2.57	3.67 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+35+60	1.02	1.02	1.37	2.39	4.10	9.90 3.90 - 11.00	2.689 0.640 - 4.159	11.30	11.81	12.32	99
15+15+20+35+71	0.95	0.95	1.27	2.22	4.51	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
15+15+20+42+42	1.11	1.11	1.48	3.10 *	3.10 *	9.90 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+20+42+50	1.05	1.05	1.39	2.93 *	3.49 *	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+42+60	0.98	0.98	1.30	2.74 *	3.91	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+42+71	0.91	0.91	1.21	2.55 *	4.31	9.90 3.90 - 11.00	2.666 0.640 - 4.136	11.20	11.71	12.22	99
15+15+20+50+50	0.99	0.99	1.32	3.30 *	3.30 *	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+20+50+60	0.93	0.93	1.24	3.09 *	3.71	9.90 3.90 - 11.00	2.683 0.640 - 4.153	11.27	11.78	12.29	99
15+15+20+50+71	0.87	0.87	1.16	2.89 *	4.11	9.90 3.90 - 11.00	2.666 0.640 - 4.136	11.20	11.71	12.22	99
15+15+20+60+60	0.87	0.87	1.16	3.49	3.49	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+22+22+22	1.44	1.44	2.11	2.11	2.11	9.21 3.90 - 11.00	2.459 0.640 - 4.119	10.33	10.80	11.27	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+22+22+25	1.45	1.45	2.13	2.13	2.42	9.57 3.90 - 11.00	2.568 0.640 - 4.158	10.79	11.28	11.77	99
15+15+22+22+35	1.38	1.38	2.02	2.02	3.21	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+22+42	1.29	1.29	1.90	1.90	3.62 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+22+50	1.21	1.21	1.77	1.77	4.03 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+22+60	1.12	1.12	1.64	1.64	4.48	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+22+71	1.03	1.03	1.52	1.52	4.90	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+25+25	1.45	1.45	2.12	2.41	2.41	9.83 3.90 - 11.00	2.619 0.640 - 4.139	11.00	11.50	12.00	99
15+15+22+25+35	1.34	1.34	1.96	2.23	3.13	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+25+42	1.26	1.26	1.85	2.10	3.53 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+25+50	1.18	1.18	1.73	1.97	3.94 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+25+60	1.09	1.09	1.61	1.82	4.38	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+25+71	1.01	1.01	1.49	1.69	4.80	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+35+35	1.23	1.23	1.80	2.87	2.87	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+22+35+42	1.16	1.16	1.71	2.71	3.26 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+22+35+50	1.09	1.09	1.61	2.55	3.65 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+35+60	1.02	1.02	1.50	2.38	4.08	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+22+35+71	0.95	0.95	1.39	2.22	4.49	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+22+42+42	1.10	1.10	1.62	3.09 *	3.09 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+22+42+50	1.04	1.04	1.53	2.92 *	3.47 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+42+60	0.97	0.97	1.43	2.73 *	3.90	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+42+71	0.91	0.91	1.33	2.55 *	4.30	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+22+50+50	0.99	0.99	1.45	3.29 *	3.29 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+22+50+60	0.93	0.93	1.36	3.09 *	3.70	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+22+60+60	0.87	0.87	1.28	3.49	3.49	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+25+25+25	1.43	1.43	2.38	2.38	2.38	10.00 3.90 - 11.00	2.642 0.640 - 4.112	11.10	11.60	12.10	99
15+15+25+25+35	1.30	1.30	2.17	2.17	3.04	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+25+42	1.23	1.23	2.05	2.05	3.44 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+25+50	1.15	1.15	1.92	1.92	3.85 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+25+60	1.07	1.07	1.79	1.79	4.29	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+25+71	0.99	0.99	1.66	1.66	4.70	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+25+35+35	1.20	1.20	2.00	2.80	2.80	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+25+35+42	1.14	1.14	1.89	2.65	3.18 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+25+35+50	1.07	1.07	1.79	2.50	3.57 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+35+60	1.00	1.00	1.67	2.33	4.00	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+25+35+71	0.93	0.93	1.55	2.17	4.41	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+25+42+42	1.08	1.08	1.80	3.02 *	3.02 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+25+42+50	1.02	1.02	1.70	2.86 *	3.40 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+25+42+60	0.96	0.96	1.59	2.68 *	3.82	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+25+42+71	0.89	0.89	1.49	2.50 *	4.23	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+25+50+50	0.97	0.97	1.61	3.23 *	3.23 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+15+25+50+60	0.91	0.91	1.52	3.03 *	3.64	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+35+35+35	1.11	1.11	2.59	2.59	2.59	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+35+35+42	1.06	1.06	2.46	2.46	2.96 *	10.00 3.90 - 11.00	2.688 0.640 - 4.158	11.30	11.81	12.32	99
15+15+35+35+50	1.00	1.00	2.33	2.33	3.33 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+35+35+60	0.94	0.94	2.19	2.19	3.75	10.00 3.90 - 11.00	2.682 0.640 - 4.152	11.27	11.78	12.29	99
15+15+35+35+71	0.88	0.88	2.05	2.05	4.15	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
15+15+35+42+42	1.01	1.01	2.35	2.82 *	2.82 *	10.00 3.90 - 11.00	2.669 0.640 - 4.139	11.21	11.72	12.23	99
15+15+35+42+50	0.96	0.96	2.23	2.68 *	3.18 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+35+42+60	0.90	0.90	2.10	2.51 *	3.59	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+35+50+50	0.91	0.91	2.12	3.03 *	3.03 *	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
15+15+42+42+42	0.96	0.96	2.69 *	2.69 *	2.69 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	11.24	11.75	12.26	99
15+15+42+42+50	0.91	0.91	2.56 *	2.56 *	3.05 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+15+42+50+50	0.87	0.87	2.44 *	2.91 *	2.91 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+18+18+18+18	1.47	1.76	1.76	1.76	1.76	8.50 3.90 - 10.58	2.260 0.640 - 4.110	9.50	9.93	10.36	99
15+18+18+18+20	1.48	1.78	1.78	1.78	1.98	8.80 3.90 - 10.86	2.319 0.640 - 4.139	9.74	10.18	10.62	99
15+18+18+18+22	1.47	1.76	1.76	1.76	2.15	8.89 3.90 - 11.00	2.376 0.640 - 4.156	9.98	10.43	10.88	99
15+18+18+18+25	1.47	1.77	1.77	1.77	2.46	9.24 3.90 - 11.00	2.439 0.640 - 4.149	10.24	10.71	11.18	99
15+18+18+18+42	1.36	1.64	1.64	1.64	3.82 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+18+50	1.27	1.53	1.53	1.53	4.24 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+18+60	1.17	1.41	1.41	1.41	4.70	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+18+71	1.08	1.30	1.30	1.30	5.12	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+20+20	1.48	1.78	1.78	1.98	1.98	8.99 3.90 - 11.00	2.350 0.640 - 4.130	9.87	10.32	10.77	99
15+18+18+20+22	1.45	1.73	1.73	1.93	2.12	8.96 3.90 - 11.00	2.433 0.640 - 4.163	10.23	10.69	11.15	99
15+18+18+20+25	1.45	1.75	1.75	1.94	2.42	9.31 3.90 - 11.00	2.496 0.640 - 4.156	10.48	10.96	11.44	99
15+18+18+20+35	1.42	1.70	1.70	1.89	3.30	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+18+20+42	1.33	1.59	1.59	1.77	3.72 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+18+20+50	1.24	1.49	1.49	1.65	4.13 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+18+20+60	1.15	1.37	1.37	1.53	4.58	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+18+20+71	1.06	1.27	1.27	1.41	5.00	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+18+22+22	1.46	1.75	1.75	2.14	2.14	9.23 3.90 - 11.00	2.457 0.640 - 4.137	10.32	10.79	11.26	99
15+18+18+22+25	1.47	1.76	1.76	2.15	2.45	9.59 3.90 - 11.00	2.539 0.640 - 4.149	10.67	11.15	11.63	99
15+18+18+22+35	1.40	1.68	1.68	2.06	3.27	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+22+42	1.32	1.58	1.58	1.93	3.69 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+22+50	1.23	1.48	1.48	1.81	4.11 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+22+60	1.14	1.37	1.37	1.67	4.56	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+22+71	1.05	1.26	1.26	1.54	4.98	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+25+25	1.46	1.75	1.75	2.44	2.44	9.84 3.90 - 11.00	2.590 0.640 - 4.130	10.88	11.37	11.86	99
15+18+18+25+35	1.36	1.64	1.64	2.27	3.18	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+25+42	1.28	1.54	1.54	2.14	3.59 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+25+50	1.20	1.44	1.44	2.00	4.01 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+25+60	1.11	1.34	1.34	1.86	4.46	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+25+71	1.03	1.24	1.24	1.72	4.88	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+35+35	1.25	1.50	1.50	2.92	2.92	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+18+35+42	1.18	1.42	1.42	2.76	3.31 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+18+35+50	1.11	1.34	1.34	2.60	3.71 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+35+60	1.04	1.25	1.25	2.42	4.15	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+18+35+71	0.96	1.16	1.16	2.25	4.57	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+18+42+42	1.12	1.35	1.35	3.14 *	3.14 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+18+42+50	1.06	1.27	1.27	2.97 *	3.53 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+42+60	0.99	1.19	1.19	2.77 *	3.96	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+42+71	0.92	1.11	1.11	2.59 *	4.37	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+18+50+50	1.00	1.20	1.20	3.34 *	3.34 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+18+50+60	0.94	1.13	1.13	3.14 *	3.76	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+18+50+71	0.88	1.06	1.06	2.94 *	4.17	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+18+60+60	0.89	1.06	1.06	3.54	3.54	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+20+20+20	1.48	1.77	1.97	1.97	1.97	9.16 3.90 - 11.00	2.373 0.640 - 4.103	9.97	10.42	10.87	99
15+18+20+20+22	1.43	1.71	1.90	1.90	2.09	9.03 3.90 - 11.00	2.490 0.640 - 4.170	10.46	10.94	11.42	99
15+18+20+20+25	1.44	1.72	1.92	1.92	2.40	9.39 3.90 - 11.00	2.553 0.640 - 4.163	10.72	11.21	11.70	99
15+18+20+20+35	1.38	1.65	1.83	1.83	3.21	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+18+20+20+42	1.29	1.55	1.72	1.72	3.62 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+18+20+20+50	1.21	1.45	1.61	1.61	4.02 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+18+20+20+60	1.12	1.34	1.49	1.49	4.47	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+18+20+20+71	1.03	1.24	1.38	1.38	4.88	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+18+20+22+22	1.44	1.73	1.92	2.11	2.11	9.30 3.90 - 11.00	2.514 0.640 - 4.144	10.56	11.04	11.52	99
15+18+20+22+25	1.45	1.74	1.93	2.13	2.42	9.66 3.90 - 11.00	2.596 0.640 - 4.156	10.90	11.40	11.90	99
15+18+20+22+35	1.36	1.64	1.82	2.00	3.18	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+22+42	1.28	1.54	1.71	1.88	3.59 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+22+50	1.20	1.44	1.60	1.76	4.00 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+22+60	1.11	1.33	1.48	1.63	4.44	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+22+71	1.03	1.23	1.37	1.51	4.86	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+25+25	1.44	1.73	1.92	2.41	2.41	9.91 3.90 - 11.00	2.647 0.640 - 4.137	11.11	11.62	12.13	99
15+18+20+25+35	1.33	1.59	1.77	2.21	3.10	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+25+42	1.25	1.50	1.67	2.08	3.50 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+25+50	1.17	1.41	1.56	1.95	3.91 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+25+60	1.09	1.30	1.45	1.81	4.35	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+25+71	1.01	1.21	1.34	1.68	4.77	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+35+35	1.22	1.46	1.63	2.85	2.85	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+20+35+42	1.15	1.38	1.54	2.69	3.23 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+18+20+35+50	1.09	1.30	1.45	2.54	3.62 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+35+60	1.01	1.22	1.35	2.36	4.05	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+18+20+35+71	0.94	1.13	1.26	2.20	4.47	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+18+20+42+42	1.09	1.31	1.46	3.07 *	3.07 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+20+42+50	1.03	1.24	1.38	2.90 *	3.45 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+20+42+60	0.97	1.16	1.29	2.71 *	3.87	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+18+20+42+71	0.90	1.08	1.20	2.53 *	4.28	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+18+20+50+50	0.98	1.18	1.31	3.27 *	3.27 *	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+18+20+50+60	0.92	1.10	1.23	3.07 *	3.68	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+18+22+22+22	1.45	1.74	2.13	2.13	2.13	9.57 3.90 - 11.00	2.537 0.640 - 4.127	10.66	11.14	11.62	99
15+18+22+22+25	1.46	1.75	2.14	2.14	2.43	9.93 3.90 - 11.00	2.629 0.640 - 4.149	11.05	11.55	12.05	99
15+18+22+22+35	1.35	1.62	1.98	1.98	3.16	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+22+22+42	1.27	1.53	1.87	1.87	3.56 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+22+22+50	1.19	1.43	1.75	1.75	3.98 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+22+60	1.11	1.33	1.62	1.62	4.42	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+22+71	1.02	1.23	1.50	1.50	4.85	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+22+25+25	1.44	1.73	2.12	2.40	2.40	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+22+25+35	1.32	1.58	1.93	2.20	3.07	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+22+25+42	1.24	1.49	1.82	2.07	3.48 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+22+25+50	1.17	1.40	1.71	1.94	3.88 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+25+60	1.08	1.30	1.59	1.80	4.33	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+25+71	1.00	1.20	1.47	1.67	4.75	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+22+35+35	1.21	1.45	1.78	2.83	2.83	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+22+35+42	1.15	1.38	1.68	2.68	3.21 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+22+35+50	1.08	1.30	1.59	2.53	3.61 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+35+60	1.01	1.21	1.48	2.36	4.04	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+22+35+71	0.94	1.13	1.38	2.20	4.45	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+22+42+42	1.09	1.31	1.60	3.05 *	3.05 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+22+42+50	1.03	1.24	1.51	2.89 *	3.44 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+22+42+60	0.96	1.16	1.42	2.70 *	3.86	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+22+42+71	0.90	1.08	1.32	2.53 *	4.27	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+22+50+50	0.98	1.17	1.43	3.26 *	3.26 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+22+50+60	0.92	1.10	1.35	3.06 *	3.67	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+25+25+25	1.40	1.68	2.34	2.34	2.34	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+25+25+35	1.28	1.54	2.14	2.14	3.00	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+25+25+42	1.21	1.45	2.02	2.02	3.39 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+25+25+50	1.14	1.37	1.90	1.90	3.80 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+25+25+60	1.06	1.27	1.77	1.77	4.24	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+25+25+71	0.98	1.18	1.64	1.64	4.66	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+25+35+35	1.18	1.42	1.97	2.76	2.76	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+25+35+42	1.12	1.35	1.87	2.62	3.14 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+25+35+50	1.06	1.27	1.77	2.47	3.53 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+25+35+60	0.99	1.19	1.65	2.31	3.96	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+25+35+71	0.92	1.11	1.54	2.16	4.37	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+25+42+42	1.07	1.28	1.78	2.99 *	2.99 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+18+25+42+50	1.01	1.21	1.68	2.83 *	3.37 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+25+42+60	0.95	1.14	1.58	2.65 *	3.79	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+25+42+71	0.89	1.06	1.48	2.48 *	4.19	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+25+50+50	0.96	1.15	1.60	3.20 *	3.20 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+18+25+50+60	0.90	1.08	1.50	3.01 *	3.61	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+35+35	1.10	1.32	2.56	2.56	2.56	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+35+35+42	1.04	1.25	2.44	2.44	2.93 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+18+35+35+50	0.99	1.19	2.31	2.31	3.30 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+35+35+60	0.93	1.12	2.17	2.17	3.72	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+18+35+42+42	1.00	1.20	2.33	2.79 *	2.79 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+18+35+42+50	0.95	1.14	2.21	2.65 *	3.16 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+42+60	0.89	1.07	2.08	2.50 *	3.56	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+35+50+50	0.90	1.08	2.10	3.01 *	3.01 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+18+42+42+42	0.95	1.14	2.67 *	2.67 *	2.67 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+18+42+42+50	0.91	1.09	2.54 *	2.54 *	3.02 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+20+20+20+20	1.47	1.96	1.96	1.96	1.96	9.33 3.90 - 11.00	2.451 0.640 - 4.131	10.29	10.76	11.23	99
15+20+20+20+22	1.41	1.88	1.88	1.88	2.06	9.10 3.90 - 11.00	2.547 0.640 - 4.177	10.70	11.19	11.68	99
15+20+20+20+25	1.42	1.89	1.89	1.89	2.37	9.46 3.90 - 11.00	2.610 0.640 - 4.170	10.96	11.46	11.96	99
15+20+20+20+35	1.34	1.78	1.78	1.78	3.12	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+20+20+20+42	1.26	1.68	1.68	1.68	3.52 *	9.80 3.90 - 11.00	2.700 0.640 - 4.170	11.34	11.86	12.38	99
15+20+20+20+50	1.18	1.57	1.57	1.57	3.92 *	9.80 3.90 - 11.00	2.694 0.640 - 4.164	11.32	11.83	12.34	99
15+20+20+20+60	1.09	1.45	1.45	1.45	4.36	9.80 3.90 - 11.00	2.694 0.640 - 4.164	11.32	11.83	12.34	99
15+20+20+20+71	1.01	1.34	1.34	1.34	4.77	9.80 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
15+20+20+22+22	1.42	1.89	1.89	2.08	2.08	9.37 3.90 - 11.00	2.561 0.640 - 4.151	10.76	11.25	11.74	99
15+20+20+22+25	1.43	1.91	1.91	2.10	2.38	9.73 3.90 - 11.00	2.643 0.640 - 4.163	11.11	11.61	12.11	99
15+20+20+22+35	1.33	1.77	1.77	1.94	3.09	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+22+42	1.25	1.66	1.66	1.83	3.49 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+22+50	1.17	1.56	1.56	1.71	3.90 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+22+60	1.08	1.45	1.45	1.59	4.34	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+22+71	1.00	1.34	1.34	1.47	4.75	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+25+25	1.41	1.89	1.89	2.36	2.36	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+20+25+35	1.29	1.72	1.72	2.15	3.01	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+25+42	1.22	1.62	1.62	2.03	3.41 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+25+50	1.14	1.52	1.52	1.90	3.81 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+25+60	1.06	1.41	1.41	1.77	4.24	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+25+71	0.98	1.31	1.31	1.64	4.65	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+35+35	1.19	1.58	1.58	2.77	2.77	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+20+35+42	1.13	1.50	1.50	2.63	3.15 *	9.90 3.90 - 11.00	2.693 0.640 - 4.163	11.32	11.83	12.34	99
15+20+20+35+50	1.06	1.41	1.41	2.48	3.54 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+35+60	0.99	1.32	1.32	2.31	3.96	9.90 3.90 - 11.00	2.687 0.640 - 4.157	11.29	11.80	12.31	99
15+20+20+35+71	0.92	1.23	1.23	2.15	4.37	9.90 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
15+20+20+42+42	1.07	1.42	1.42	2.99 *	2.99 *	9.90 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+20+42+50	1.01	1.35	1.35	2.83 *	3.37 *	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+20+42+60	0.95	1.26	1.26	2.65 *	3.78	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+20+42+71	0.88	1.18	1.18	2.48 *	4.18	9.90 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
15+20+20+50+50	0.96	1.28	1.28	3.19 *	3.19 *	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+20+20+50+60	0.90	1.20	1.20	3.00 *	3.60	9.90 3.90 - 11.00	2.681 0.640 - 4.151	11.26	11.77	12.28	99
15+20+22+22+22	1.43	1.91	2.10	2.10	2.10	9.64 3.90 - 11.00	2.594 0.640 - 4.134	10.89	11.39	11.89	99
15+20+22+22+35	1.32	1.75	1.93	1.93	3.07	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+22+42	1.24	1.65	1.82	1.82	3.47 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+22+50	1.16	1.55	1.71	1.71	3.88 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+22+60	1.08	1.44	1.58	1.58	4.32	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+22+71	1.00	1.33	1.47	1.47	4.73	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+25+25	1.40	1.87	2.06	2.34	2.34	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+25+35	1.28	1.71	1.88	2.14	2.99	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+25+42	1.21	1.61	1.77	2.02	3.39 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+25+50	1.14	1.52	1.67	1.89	3.79 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+25+60	1.06	1.41	1.55	1.76	4.23	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+25+71	0.98	1.31	1.44	1.63	4.64	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+35+35	1.18	1.57	1.73	2.76	2.76	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+35+42	1.12	1.49	1.64	2.61	3.13 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+22+35+50	1.06	1.41	1.55	2.46	3.52 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+35+60	0.99	1.32	1.45	2.30	3.95	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+22+35+71	0.92	1.23	1.35	2.15	4.36	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+22+42+42	1.06	1.42	1.56	2.98 *	2.98 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+22+42+50	1.01	1.34	1.48	2.82 *	3.36 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+22+42+60	0.94	1.26	1.38	2.64 *	3.77	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+22+42+71	0.88	1.18	1.29	2.47 *	4.18	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+22+50+50	0.96	1.27	1.40	3.18 *	3.18 *	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+20+22+50+60	0.90	1.20	1.32	2.99 *	3.59	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+25+25+25	1.36	1.82	2.27	2.27	2.27	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+25+25+35	1.25	1.67	2.08	2.08	2.92	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+25+42	1.18	1.57	1.97	1.97	3.31 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+25+50	1.11	1.48	1.85	1.85	3.70 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+25+60	1.03	1.38	1.72	1.72	4.14	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+25+71	0.96	1.28	1.60	1.60	4.55	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+25+35+35	1.15	1.54	1.92	2.69	2.69	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+25+35+42	1.09	1.46	1.82	2.55	3.07 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+25+35+50	1.03	1.38	1.72	2.41	3.45 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+35+60	0.97	1.29	1.61	2.26	3.87	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+25+35+71	0.90	1.20	1.51	2.11	4.28	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+25+42+42	1.04	1.39	1.74	2.92 *	2.92 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+20+25+42+50	0.99	1.32	1.64	2.76 *	3.29 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+25+42+60	0.93	1.23	1.54	2.59 *	3.70	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+25+50+50	0.94	1.25	1.56	3.13 *	3.13 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+25+50+60	0.88	1.18	1.47	2.94 *	3.53	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+35+35	1.07	1.43	2.50	2.50	2.50	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+35+35+42	1.02	1.36	2.38	2.38	2.86 *	10.00 3.90 - 11.00	2.686 0.640 - 4.156	11.29	11.80	12.31	99
15+20+35+35+50	0.97	1.29	2.26	2.26	3.23 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+35+35+60	0.91	1.21	2.12	2.12	3.64	10.00 3.90 - 11.00	2.680 0.640 - 4.150	11.26	11.77	12.28	99
15+20+35+42+42	0.97	1.30	2.27	2.73 *	2.73 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	11.19	11.70	12.21	99
15+20+35+42+50	0.93	1.23	2.16	2.59 *	3.09 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+42+60	0.87	1.16	2.03	2.44 *	3.49	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+35+50+50	0.88	1.18	2.06	2.94 *	2.94 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	11.16	11.67	12.18	99
15+20+42+42+42	0.93	1.24	2.61 *	2.61 *	2.61 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	11.23	11.74	12.25	99
15+20+42+42+50	0.89	1.18	2.49 *	2.49 *	2.96 *	10.00 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
15+22+22+22+22	1.44	2.12	2.12	2.12	2.12	9.91 3.90 - 11.00	2.648 0.640 - 4.138	11.12	11.63	12.14	99
15+22+22+22+25	1.43	2.10	2.10	2.10	2.38	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+35	1.31	1.92	1.92	1.92	3.05	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+42	1.23	1.81	1.81	1.81	3.45 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+22+50	1.16	1.70	1.70	1.70	3.85 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+22+60	1.07	1.58	1.58	1.58	4.30	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+22+71	1.00	1.46	1.46	1.46	4.72	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+25+25	1.39	2.04	2.04	2.32	2.32	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+25+35	1.27	1.87	1.87	2.12	2.97	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+25+42	1.20	1.76	1.76	2.00	3.37 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+25+50	1.13	1.66	1.66	1.88	3.77 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+25+60	1.05	1.54	1.54	1.75	4.21	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+25+71	0.98	1.43	1.43	1.63	4.63	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+35+35	1.17	1.72	1.72	2.74	2.74	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+35+42	1.11	1.63	1.63	2.60	3.12 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+22+35+50	1.05	1.54	1.54	2.45	3.51 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+35+60	0.98	1.44	1.44	2.30	3.94	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+22+35+71	0.92	1.35	1.35	2.14	4.35	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+22+42+42	1.06	1.55	1.55	2.97 *	2.97 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+22+42+50	1.00	1.47	1.47	2.81 *	3.34 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+22+42+60	0.94	1.38	1.38	2.63 *	3.76	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+22+42+71	0.88	1.29	1.29	2.47 *	4.17	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+22+50+50	0.95	1.40	1.40	3.18 *	3.18 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
15+22+22+50+60	0.90	1.31	1.31	2.99 *	3.59	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+25+25	1.35	1.98	2.25	2.25	2.25	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+25+25+35	1.24	1.82	2.07	2.07	2.90	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+25+42	1.17	1.72	1.96	1.96	3.29 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+25+50	1.11	1.62	1.84	1.84	3.69 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+25+25+60	1.03	1.51	1.72	1.72	4.12	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+25+71	0.96	1.41	1.60	1.60	4.54	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+25+35+35	1.15	1.68	1.91	2.68	2.68	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+25+35+42	1.09	1.60	1.82	2.54	3.05 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+25+35+50	1.03	1.51	1.72	2.40	3.44 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+35+60	0.96	1.42	1.61	2.25	3.86	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+25+35+71	0.90	1.32	1.50	2.10	4.27	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+25+42+42	1.04	1.52	1.73	2.91 *	2.91 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+22+25+42+50	0.98	1.44	1.64	2.75 *	3.28 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+42+60	0.92	1.35	1.54	2.59 *	3.70	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+25+50+50	0.94	1.37	1.56	3.12 *	3.12 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+25+50+60	0.88	1.29	1.47	2.94 *	3.52	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+35+35+35	1.07	1.56	2.49	2.49	2.49	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+22+35+35+42	1.02	1.49	2.37	2.37	2.85 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+22+35+35+50	0.96	1.42	2.25	2.25	3.22 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+35+35+60	0.91	1.33	2.12	2.12	3.63	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+22+35+42+42	0.97	1.42	2.27	2.72 *	2.72 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+22+35+42+50	0.92	1.35	2.16	2.59 *	3.08 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+35+50+50	0.88	1.29	2.06	2.94 *	2.94 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+42+42+42	0.93	1.36	2.60 *	2.60 *	2.60 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+22+42+42+50	0.89	1.30	2.48 *	2.48 *	2.95 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+25+25+25+25	1.32	2.20	2.20	2.20	2.20	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+25+25+25+35	1.21	2.02	2.02	2.02	2.83	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+25+42	1.15	1.91	1.91	1.91	3.21 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+25+50	1.08	1.80	1.80	1.80	3.61 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+25+60	1.01	1.68	1.68	1.68	4.04	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+25+71	0.94	1.57	1.57	1.57	4.45	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+25+25+35+35	1.12	1.87	1.87	2.62	2.62	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+25+25+35+42	1.07	1.78	1.78	2.49	2.99 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+25+35+50	1.01	1.68	1.68	2.36	3.37 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+35+60	0.95	1.58	1.58	2.21	3.79	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+25+35+71	0.89	1.48	1.48	2.07	4.19	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99
15+25+25+42+42	1.02	1.69	1.69	2.85 *	2.85 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	11.17	11.68	12.19	99
15+25+25+42+50	0.96	1.61	1.61	2.70 *	3.22 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+25+42+60	0.91	1.51	1.51	2.54 *	3.63	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+25+50+50	0.92	1.53	1.53	3.06 *	3.06 *	10.10 3.90 - 11.00	2.650 0.640 - 4.120	11.13	11.64	12.15	99
15+25+35+35+35	1.04	1.74	2.44	2.44	2.44	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+35+35+42	1.00	1.66	2.33	2.33	2.79 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+25+35+35+50	0.95	1.58	2.21	2.21	3.16 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+35+35+60	0.89	1.49	2.08	2.08	3.56	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+25+35+42+42	0.95	1.59	2.22	2.67 *	2.67 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	11.15	11.66	12.17	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+35+42+50	0.91	1.51	2.12	2.54 *	3.02 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+25+42+42+42	0.91	1.52	2.56 *	2.56 *	2.56 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	11.20	11.71	12.22	99
15+35+35+35+35	0.98	2.28	2.28	2.28	2.28	10.10 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
15+35+35+35+42	0.94	2.18	2.18	2.18	2.62 *	10.10 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
15+35+35+35+50	0.89	2.08	2.08	2.08	2.97 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
15+35+35+42+42	0.90	2.09	2.09	2.51 *	2.51 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	11.23	11.74	12.25	99
18+18+18+18+18	1.78	1.78	1.78	1.78	1.78	8.90 3.90 - 11.00	2.337 0.640 - 4.137	9.81	10.26	10.71	99
18+18+18+18+20	1.79	1.79	1.79	1.79	1.99	9.17 3.90 - 11.00	2.390 0.640 - 4.140	10.04	10.50	10.96	99
18+18+18+18+22	1.77	1.77	1.77	1.77	2.16	9.24 3.90 - 11.00	2.437 0.640 - 4.147	10.23	10.70	11.17	99
18+18+18+18+25	1.78	1.78	1.78	1.78	2.47	9.60 3.90 - 11.00	2.510 0.640 - 4.140	10.54	11.02	11.50	99
18+18+18+18+35	1.72	1.72	1.72	1.72	3.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+18+42	1.61	1.61	1.61	1.61	3.76 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+18+50	1.50	1.50	1.50	1.50	4.18 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+18+60	1.39	1.39	1.39	1.39	4.64	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+18+71	1.28	1.28	1.28	1.28	5.06	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+20+20	1.79	1.79	1.79	1.99	1.99	9.34 3.90 - 11.00	2.411 0.640 - 4.121	10.13	10.59	11.05	99
18+18+18+20+22	1.75	1.75	1.75	1.94	2.13	9.31 3.90 - 11.00	2.494 0.640 - 4.154	10.47	10.95	11.43	99
18+18+18+20+25	1.76	1.76	1.76	1.95	2.44	9.67 3.90 - 11.00	2.557 0.640 - 4.147	10.74	11.23	11.72	99
18+18+18+20+35	1.67	1.67	1.67	1.85	3.24	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+18+20+42	1.57	1.57	1.57	1.74	3.66 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+18+20+50	1.47	1.47	1.47	1.63	4.07 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+18+20+60	1.36	1.36	1.36	1.51	4.52	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+18+20+71	1.25	1.25	1.25	1.39	4.95	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+18+22+22	1.76	1.76	1.76	2.15	2.15	9.59 3.90 - 11.00	2.518 0.640 - 4.128	10.58	11.06	11.54	99
18+18+18+22+25	1.77	1.77	1.77	2.17	2.46	9.94 3.90 - 11.00	2.600 0.640 - 4.140	10.92	11.42	11.92	99
18+18+18+22+35	1.65	1.65	1.65	2.02	3.22	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+22+42	1.56	1.56	1.56	1.90	3.63 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+22+50	1.46	1.46	1.46	1.78	4.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+22+60	1.35	1.35	1.35	1.65	4.50	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+22+71	1.25	1.25	1.25	1.53	4.93	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+25+25	1.77	1.77	1.77	2.45	2.45	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+25+35	1.61	1.61	1.61	2.24	3.13	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+25+42	1.52	1.52	1.52	2.11	3.54 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+25+50	1.42	1.42	1.42	1.98	3.95 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+25+60	1.32	1.32	1.32	1.83	4.40	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+25+71	1.22	1.22	1.22	1.70	4.83	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+18+35+35	1.48	1.48	1.48	2.88	2.88	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+35+42	1.40	1.40	1.40	2.73	3.27 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+18+35+50	1.32	1.32	1.32	2.57	3.67 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+35+60	1.23	1.23	1.23	2.40	4.11	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+18+35+71	1.15	1.15	1.15	2.23	4.53	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+18+42+42	1.33	1.33	1.33	3.10 *	3.10 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+18+42+50	1.26	1.26	1.26	2.93 *	3.49 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+18+42+60	1.18	1.18	1.18	2.75 *	3.92	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+18+42+71	1.10	1.10	1.10	2.57 *	4.34	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+18+50+50	1.19	1.19	1.19	3.31 *	3.31 *	10.20 3.90 - 11.00	2.645 0.640 - 4.115	11.11	11.62	12.13	99
18+18+18+50+60	1.12	1.12	1.12	3.11 *	3.73	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+20+20	1.78	1.78	1.98	1.98	1.98	9.51 3.90 - 11.00	2.451 0.640 - 4.111	10.29	10.76	11.23	99
18+18+20+20+22	1.72	1.72	1.92	1.92	2.11	9.39 3.90 - 11.00	2.551 0.640 - 4.161	10.71	11.20	11.69	99
18+18+20+20+25	1.74	1.74	1.93	1.93	2.41	9.74 3.90 - 11.00	2.614 0.640 - 4.154	10.98	11.48	11.98	99
18+18+20+20+35	1.62	1.62	1.80	1.80	3.15	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+18+20+20+42	1.53	1.53	1.69	1.69	3.56 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+18+20+20+50	1.43	1.43	1.59	1.59	3.97 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+18+20+20+60	1.32	1.32	1.47	1.47	4.41	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+18+20+20+71	1.22	1.22	1.36	1.36	4.83	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+18+20+22+22	1.74	1.74	1.93	2.13	2.13	9.66 3.90 - 11.00	2.575 0.640 - 4.135	10.82	11.31	11.80	99
18+18+20+22+25	1.75	1.75	1.94	2.14	2.43	10.01 3.90 - 11.00	2.657 0.640 - 4.147	11.16	11.67	12.18	99
18+18+20+22+35	1.61	1.61	1.79	1.97	3.13	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+22+42	1.52	1.52	1.68	1.85	3.54 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+22+50	1.42	1.42	1.58	1.74	3.95 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+22+60	1.32	1.32	1.46	1.61	4.39	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+22+71	1.22	1.22	1.36	1.49	4.81	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+25+25	1.72	1.72	1.91	2.38	2.38	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+25+35	1.57	1.57	1.74	2.18	3.05	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+25+42	1.48	1.48	1.64	2.05	3.45 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+25+50	1.39	1.39	1.54	1.93	3.85 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+25+60	1.29	1.29	1.43	1.79	4.30	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+25+71	1.20	1.20	1.33	1.66	4.72	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+35+35	1.44	1.44	1.60	2.81	2.81	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+35+42	1.37	1.37	1.52	2.66	3.19 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+18+20+35+50	1.29	1.29	1.43	2.51	3.58 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+35+60	1.20	1.20	1.34	2.34	4.01	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+18+20+35+71	1.12	1.12	1.25	2.18	4.43	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+18+20+42+42	1.30	1.30	1.44	3.03 *	3.03 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+20+42+50	1.23	1.23	1.36	2.87 *	3.41 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+20+42+60	1.15	1.15	1.28	2.68 *	3.84	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+20+42+71	1.08	1.08	1.20	2.51 *	4.24	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+18+20+50+50	1.17	1.17	1.29	3.24 *	3.24 *	10.10 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+18+20+50+60	1.10	1.10	1.22	3.04 *	3.65	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+18+22+22+22	1.75	1.75	2.14	2.14	2.14	9.93 3.90 - 11.00	2.598 0.640 - 4.118	10.91	11.41	11.91	99
18+18+22+22+25	1.75	1.75	2.14	2.14	2.43	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+22+35	1.60	1.60	1.95	1.95	3.10	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+22+42	1.50	1.50	1.84	1.84	3.51 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+22+50	1.41	1.41	1.73	1.73	3.92 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+22+60	1.31	1.31	1.60	1.60	4.37	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+22+71	1.22	1.22	1.49	1.49	4.80	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+25+25	1.70	1.70	2.08	2.36	2.36	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+25+35	1.56	1.56	1.90	2.16	3.03	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+25+42	1.47	1.47	1.80	2.04	3.43 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+25+50	1.38	1.38	1.69	1.92	3.83 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+25+60	1.28	1.28	1.57	1.78	4.28	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+25+71	1.19	1.19	1.46	1.66	4.70	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+35+35	1.43	1.43	1.75	2.79	2.79	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+35+42	1.36	1.36	1.66	2.64	3.17 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+22+35+50	1.28	1.28	1.57	2.50	3.57 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+35+60	1.20	1.20	1.47	2.33	4.00	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+22+35+71	1.12	1.12	1.37	2.18	4.42	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+22+42+42	1.29	1.29	1.58	3.02 *	3.02 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+22+42+50	1.22	1.22	1.50	2.86 *	3.40 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+22+42+60	1.15	1.15	1.40	2.68 *	3.83	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+22+42+71	1.07	1.07	1.31	2.51 *	4.24	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+22+50+50	1.16	1.16	1.42	3.23 *	3.23 *	10.20 3.90 - 11.00	2.645 0.640 - 4.115	11.11	11.62	12.13	99
18+18+22+50+60	1.09	1.09	1.34	3.04 *	3.64	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+25+25	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+25+25+35	1.52	1.52	2.11	2.11	2.95	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+25+42	1.43	1.43	1.99	1.99	3.35 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+25+50	1.35	1.35	1.88	1.88	3.75 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+25+60	1.26	1.26	1.75	1.75	4.19	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+25+71	1.17	1.17	1.62	1.62	4.61	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+25+35+35	1.40	1.40	1.95	2.73	2.73	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+25+35+42	1.33	1.33	1.85	2.59	3.10 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+25+35+50	1.26	1.26	1.75	2.45	3.49 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+35+60	1.18	1.18	1.63	2.29	3.92	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+25+35+71	1.10	1.10	1.53	2.14	4.34	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+25+42+42	1.27	1.27	1.76	2.95 *	2.95 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+18+25+42+50	1.20	1.20	1.67	2.80 *	3.33 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+42+60	1.13	1.13	1.56	2.63 *	3.75	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+25+50+50	1.14	1.14	1.58	3.17 *	3.17 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+25+50+60	1.07	1.07	1.49	2.98 *	3.58	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+35+35+35	1.30	1.30	2.53	2.53	2.53	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+18+35+35+42	1.24	1.24	2.41	2.41	2.89 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+18+35+35+50	1.18	1.18	2.29	2.29	3.27 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+18+35+35+60	1.11	1.11	2.15	2.15	3.69	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35+42+42	1.18	1.18	2.30	2.76 *	2.76 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+18+35+42+50	1.13	1.13	2.19	2.63 *	3.13 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+35+50+50	1.07	1.07	2.09	2.98 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+42+42+42	1.13	1.13	2.64 *	2.64 *	2.64 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+18+42+42+50	1.08	1.08	2.52 *	2.52 *	3.00 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+20+20+20+20	1.78	1.98	1.98	1.98	1.98	9.69 3.90 - 11.00	2.512 0.640 - 4.122	10.55	11.03	11.51	99
18+20+20+20+22	1.70	1.89	1.89	1.89	2.08	9.46 3.90 - 11.00	2.608 0.640 - 4.168	10.95	11.45	11.95	99
18+20+20+20+25	1.71	1.90	1.90	1.90	2.38	9.81 3.90 - 11.00	2.671 0.640 - 4.161	11.22	11.73	12.24	99
18+20+20+20+35	1.58	1.75	1.75	1.75	3.07	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
18+20+20+20+42	1.49	1.65	1.65	1.65	3.47 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
18+20+20+20+50	1.39	1.55	1.55	1.55	3.87 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
18+20+20+20+60	1.29	1.43	1.43	1.43	4.30	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
18+20+20+20+71	1.20	1.33	1.33	1.33	4.72	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
18+20+20+22+22	1.72	1.91	1.91	2.10	2.10	9.73 3.90 - 11.00	2.622 0.640 - 4.142	11.02	11.52	12.02	99
18+20+20+22+25	1.71	1.90	1.90	2.10	2.38	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+35	1.57	1.74	1.74	1.91	3.04	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+42	1.48	1.64	1.64	1.80	3.44 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+22+50	1.38	1.54	1.54	1.69	3.85 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+22+60	1.29	1.43	1.43	1.57	4.29	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+22+71	1.19	1.32	1.32	1.46	4.70	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+25+25	1.67	1.85	1.85	2.31	2.31	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+25+35	1.53	1.69	1.69	2.12	2.97	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+25+42	1.44	1.60	1.60	2.00	3.36 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+25+50	1.35	1.50	1.50	1.88	3.76 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+25+60	1.26	1.40	1.40	1.75	4.20	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+25+71	1.17	1.30	1.30	1.62	4.61	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+35+35	1.41	1.56	1.56	2.73	2.73	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+35+42	1.33	1.48	1.48	2.59	3.11 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
18+20+20+35+50	1.26	1.40	1.40	2.45	3.50 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+35+60	1.18	1.31	1.31	2.29	3.92	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
18+20+20+35+71	1.10	1.22	1.22	2.13	4.33	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
18+20+20+42+42	1.27	1.41	1.41	2.96 *	2.96 *	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+20+42+50	1.20	1.33	1.33	2.80 *	3.33 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+20+42+60	1.13	1.25	1.25	2.63 *	3.75	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+20+42+71	1.05	1.17	1.17	2.46 *	4.15	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
18+20+20+50+50	1.14	1.27	1.27	3.16 *	3.16 *	10.00 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
18+20+20+50+60	1.07	1.19	1.19	2.98 *	3.57	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
18+20+22+22+25	1.68	1.87	2.06	2.06	2.34	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
18+20+22+22+35	1.55	1.73	1.90	1.90	3.02	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+22+42	1.47	1.63	1.79	1.79	3.42 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+22+50	1.38	1.53	1.68	1.68	3.83 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+22+22+60	1.28	1.42	1.56	1.56	4.27	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+22+71	1.19	1.32	1.45	1.45	4.69	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+25+25	1.65	1.84	2.02	2.30	2.30	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+25+35	1.52	1.68	1.85	2.10	2.95	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+25+42	1.43	1.59	1.75	1.99	3.34 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+25+50	1.35	1.50	1.65	1.87	3.74 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+25+60	1.25	1.39	1.53	1.74	4.18	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+25+71	1.17	1.29	1.42	1.62	4.60	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+35+35	1.40	1.55	1.71	2.72	2.72	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+35+42	1.33	1.47	1.62	2.58	3.10 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+22+35+50	1.25	1.39	1.53	2.44	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+35+60	1.17	1.30	1.43	2.28	3.91	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+22+35+71	1.10	1.22	1.34	2.13	4.32	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+22+42+42	1.26	1.40	1.54	2.95 *	2.95 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+22+42+50	1.20	1.33	1.46	2.79 *	3.32 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+22+42+60	1.12	1.25	1.37	2.62 *	3.74	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+22+50+50	1.14	1.26	1.39	3.16 *	3.16 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+22+50+60	1.07	1.19	1.31	2.97 *	3.56	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+25+25	1.61	1.79	2.23	2.23	2.23	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+25+25+35	1.48	1.64	2.05	2.05	2.87	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+25+42	1.40	1.55	1.94	1.94	3.26 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+25+50	1.32	1.46	1.83	1.83	3.66 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+25+60	1.23	1.36	1.71	1.71	4.09	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+25+71	1.14	1.27	1.59	1.59	4.51	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+25+35+35	1.37	1.52	1.90	2.66	2.66	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+25+35+42	1.30	1.44	1.80	2.53	3.03 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+25+35+50	1.23	1.36	1.71	2.39	3.41 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+35+60	1.15	1.28	1.60	2.24	3.84	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+25+35+71	1.08	1.20	1.49	2.09	4.24	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+25+42+42	1.24	1.37	1.72	2.89 *	2.89 *	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+20+25+42+50	1.17	1.30	1.63	2.74 *	3.26 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+42+60	1.10	1.22	1.53	2.57 *	3.67	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+25+50+50	1.12	1.24	1.55	3.10 *	3.10 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
18+20+35+35+35	1.27	1.41	2.47	2.47	2.47	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+35+35+42	1.21	1.35	2.36	2.36	2.83 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
18+20+35+35+50	1.15	1.28	2.24	2.24	3.20 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+35+35+60	1.08	1.20	2.10	2.10	3.61	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
18+20+35+42+42	1.16	1.29	2.25	2.70 *	2.70 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
18+20+35+42+50	1.10	1.22	2.14	2.57 *	3.06 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+42+42+42	1.11	1.23	2.59 *	2.59 *	2.59 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
18+20+42+42+50	1.06	1.17	2.47 *	2.47 *	2.94 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+22+22+22	1.72	2.10	2.10	2.10	2.10	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
18+22+22+22+25	1.68	2.06	2.06	2.06	2.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+35	1.54	1.89	1.89	1.89	3.00	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+42	1.46	1.78	1.78	1.78	3.40 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+22+50	1.37	1.67	1.67	1.67	3.81 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+22+60	1.28	1.56	1.56	1.56	4.25	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+22+71	1.18	1.45	1.45	1.45	4.67	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+25+25	1.64	2.00	2.00	2.28	2.28	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+25+35	1.50	1.84	1.84	2.09	2.93	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+25+42	1.42	1.74	1.74	1.98	3.32 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+25+50	1.34	1.64	1.64	1.86	3.72 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+25+60	1.25	1.53	1.53	1.73	4.16	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+25+71	1.16	1.42	1.42	1.61	4.58	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+35+35	1.39	1.70	1.70	2.70	2.70	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+35+42	1.32	1.61	1.61	2.57	3.08 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+22+35+50	1.25	1.53	1.53	2.43	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+35+60	1.17	1.43	1.43	2.27	3.90	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+22+35+71	1.09	1.34	1.34	2.13	4.31	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+22+42+42	1.26	1.54	1.54	2.93 *	2.93 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+22+42+50	1.19	1.46	1.46	2.78 *	3.31 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+22+42+60	1.12	1.37	1.37	2.61 *	3.73	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+22+50+50	1.13	1.39	1.39	3.15 *	3.15 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+22+50+60	1.07	1.30	1.30	2.97 *	3.56	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+25+25	1.60	1.95	2.22	2.22	2.22	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+25+25+35	1.47	1.80	2.04	2.04	2.86	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+25+42	1.39	1.70	1.93	1.93	3.25 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+25+50	1.31	1.60	1.82	1.82	3.64 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+25+60	1.22	1.50	1.70	1.70	4.08	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+25+71	1.14	1.39	1.58	1.58	4.50	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+25+35+35	1.36	1.66	1.89	2.64	2.64	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+25+35+42	1.29	1.58	1.80	2.51	3.02 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+25+35+50	1.22	1.50	1.70	2.38	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+35+60	1.15	1.40	1.59	2.23	3.83	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+25+35+71	1.07	1.31	1.49	2.09	4.24	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+25+42+42	1.23	1.51	1.71	2.88 *	2.88 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+22+25+42+50	1.17	1.43	1.62	2.73 *	3.25 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+42+60	1.10	1.34	1.53	2.57 *	3.66	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+25+50+50	1.11	1.36	1.55	3.09 *	3.09 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+22+35+35+35	1.27	1.55	2.46	2.46	2.46	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+35+35+42	1.21	1.48	2.35	2.35	2.82 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+22+35+35+50	1.15	1.40	2.23	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+35+35+60	1.08	1.32	2.10	2.10	3.60	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+22+35+42+42	1.15	1.41	2.25	2.69 *	2.69 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+22+35+42+50	1.10	1.34	2.14	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+22+42+42+42	1.11	1.35	2.58 *	2.58 *	2.58 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+25+25+25+25	1.56	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+25+25+25+35	1.43	1.99	1.99	1.99	2.79	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+25+25+25+42	1.36	1.89	1.89	1.89	3.17 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+25+25+25+50	1.28	1.78	1.78	1.78	3.57 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+25+25+60	1.20	1.67	1.67	1.67	4.00	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+25+25+71	1.12	1.55	1.55	1.55	4.42	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+25+25+35+35	1.33	1.85	1.85	2.59	2.59	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
18+25+25+35+42	1.27	1.76	1.76	2.46	2.95 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+25+25+35+50	1.20	1.67	1.67	2.33	3.33 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+25+35+60	1.13	1.56	1.56	2.19	3.75	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+25+42+42	1.21	1.68	1.68	2.82 *	2.82 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
18+25+25+42+50	1.15	1.59	1.59	2.68 *	3.19 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+25+25+42+60	1.08	1.50	1.50	2.52 *	3.60	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+25+25+50+50	1.09	1.52	1.52	3.04 *	3.04 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
18+25+35+35+35	1.24	1.72	2.41	2.41	2.41	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+25+35+35+42	1.18	1.65	2.30	2.30	2.76 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+25+35+35+50	1.13	1.56	2.19	2.19	3.13 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+35+42+42	1.13	1.57	2.20	2.64 *	2.64 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
18+25+35+42+50	1.08	1.50	2.10	2.52 *	3.00 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+25+42+42+42	1.09	1.51	2.53 *	2.53 *	2.53 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
18+35+35+35+35	1.16	2.26	2.26	2.26	2.26	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
18+35+35+35+42	1.11	2.16	2.16	2.16	2.60 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
18+35+35+42+42	1.07	2.08	2.08	2.49 *	2.49 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
20+20+20+20+20	1.97	1.97	1.97	1.97	1.97	9.86 3.90 - 11.00	2.568 0.640 - 4.128	10.79	11.28	11.77	99
20+20+20+20+22	1.87	1.87	1.87	1.87	2.06	9.53 3.90 - 11.00	2.655 0.640 - 4.175	11.15	11.66	12.17	99
20+20+20+20+25	1.87	1.87	1.87	1.87	2.33	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
20+20+20+20+35	1.70	1.70	1.70	1.70	2.98	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
20+20+20+20+42	1.61	1.61	1.61	1.61	3.37 *	9.80 3.90 - 11.00	2.698 0.640 - 4.168	11.33	11.85	12.37	99
20+20+20+20+50	1.51	1.51	1.51	1.51	3.77 *	9.80 3.90 - 11.00	2.692 0.640 - 4.162	11.31	11.82	12.33	99
20+20+20+20+60	1.40	1.40	1.40	1.40	4.20	9.80 3.90 - 11.00	2.692 0.640 - 4.162	11.31	11.82	12.33	99
20+20+20+20+71	1.30	1.30	1.30	1.30	4.61	9.80 3.90 - 11.00	2.675 0.640 - 4.145	11.24	11.75	12.26	99
20+20+20+22+25	1.83	1.83	1.83	2.01	2.29	9.80 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+20+22+35	1.69	1.69	1.69	1.86	2.96	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+22+42	1.60	1.60	1.60	1.76	3.35 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+22+50	1.50	1.50	1.50	1.65	3.75 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+22+60	1.39	1.39	1.39	1.53	4.18	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+22+71	1.29	1.29	1.29	1.42	4.59	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+25+25	1.80	1.80	1.80	2.25	2.25	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+25+35	1.65	1.65	1.65	2.06	2.89	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+25+42	1.56	1.56	1.56	1.95	3.27 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+25+50	1.47	1.47	1.47	1.83	3.67 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+25+60	1.37	1.37	1.37	1.71	4.10	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+25+71	1.27	1.27	1.27	1.59	4.51	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
20+20+20+35+35	1.52	1.52	1.52	2.67	2.67	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+35+42	1.45	1.45	1.45	2.53	3.04 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	11.31	11.82	12.33	99
20+20+20+35+50	1.37	1.37	1.37	2.39	3.41 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+35+60	1.28	1.28	1.28	2.24	3.83	9.90 3.90 - 11.00	2.685 0.640 - 4.155	11.28	11.79	12.30	99
20+20+20+35+71	1.19	1.19	1.19	2.09	4.23	9.90 3.90 - 11.00	2.668 0.640 - 4.138	11.21	11.72	12.23	99
20+20+20+42+42	1.38	1.38	1.38	2.89 *	2.89 *	9.90 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+20+42+50	1.30	1.30	1.30	2.74 *	3.26 *	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+20+42+60	1.22	1.22	1.22	2.57 *	3.67	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+20+50+50	1.24	1.24	1.24	3.09 *	3.09 *	9.90 3.90 - 11.00	2.662 0.640 - 4.132	11.18	11.69	12.20	99
20+20+20+50+60	1.16	1.16	1.16	2.91 *	3.49	9.90 3.90 - 11.00	2.679 0.640 - 4.149	11.26	11.77	12.28	99
20+20+22+22+22	1.87	1.87	2.05	2.05	2.05	9.90 3.90 - 11.00	2.662 0.640 - 4.132	11.18	11.69	12.20	99
20+20+22+22+25	1.83	1.83	2.02	2.02	2.29	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+35	1.68	1.68	1.85	1.85	2.94	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+42	1.59	1.59	1.75	1.75	3.33 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+22+50	1.49	1.49	1.64	1.64	3.73 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+22+60	1.39	1.39	1.53	1.53	4.17	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+22+71	1.29	1.29	1.42	1.42	4.58	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+25+25	1.79	1.79	1.96	2.23	2.23	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+25+35	1.64	1.64	1.80	2.05	2.87	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+25+42	1.55	1.55	1.71	1.94	3.26 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+25+50	1.46	1.46	1.61	1.82	3.65 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+25+60	1.36	1.36	1.50	1.70	4.08	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+25+71	1.27	1.27	1.39	1.58	4.49	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+35+35	1.52	1.52	1.67	2.65	2.65	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+35+42	1.44	1.44	1.58	2.52	3.02 *	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99
20+20+22+35+50	1.36	1.36	1.50	2.38	3.40 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+35+60	1.27	1.27	1.40	2.23	3.82	10.00 3.90 - 11.00	2.678 0.640 - 4.148	11.25	11.76	12.27	99
20+20+22+35+71	1.19	1.19	1.31	2.08	4.23	10.00 3.90 - 11.00	2.661 0.640 - 4.131	11.18	11.69	12.20	99
20+20+22+42+42	1.37	1.37	1.51	2.88 *	2.88 *	10.00 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+20+22+42+50	1.30	1.30	1.43	2.73 *	3.25 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+22+42+60	1.22	1.22	1.34	2.56 *	3.66	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+22+50+50	1.23	1.23	1.36	3.09 *	3.09 *	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
20+20+22+50+60	1.16	1.16	1.28	2.91 *	3.49	10.00 3.90 - 11.00	2.672 0.640 - 4.142	11.22	11.73	12.24	99
20+20+25+25+25	1.74	1.74	2.17	2.17	2.17	10.00 3.90 - 11.00	2.655 0.640 - 4.125	11.15	11.66	12.17	99
20+20+25+25+35	1.60	1.60	2.00	2.00	2.80	10.00 3.90 - 11.00	2.684 0.640 - 4.154	11.28	11.79	12.30	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+25+25+42	1.52	1.52	1.89	1.89	3.18 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+25+25+50	1.43	1.43	1.79	1.79	3.57 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+25+60	1.33	1.33	1.67	1.67	4.00	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+25+71	1.24	1.24	1.55	1.55	4.41	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+25+35+35	1.48	1.48	1.85	2.59	2.59	10.00 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+20+25+35+42	1.41	1.41	1.76	2.46	2.96 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+25+35+50	1.33	1.33	1.67	2.33	3.33 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+35+60	1.25	1.25	1.56	2.19	3.75	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+25+35+71	1.17	1.17	1.46	2.05	4.15	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+25+42+42	1.34	1.34	1.68	2.82 *	2.82 *	10.00 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+20+25+42+50	1.27	1.27	1.59	2.68 *	3.18 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+25+42+60	1.20	1.20	1.50	2.51 *	3.59	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+25+50+50	1.21	1.21	1.52	3.03 *	3.03 *	10.00 3.90 - 11.00	2.655 - 4.125	11.15	11.66	12.17	99
20+20+35+35+35	1.38	1.38	2.41	2.41	2.41	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+35+35+42	1.32	1.32	2.30	2.30	2.76 *	10.00 3.90 - 11.00	2.684 - 4.154	11.28	11.79	12.30	99
20+20+35+35+50	1.25	1.25	2.19	2.19	3.13 *	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+35+35+60	1.18	1.18	2.06	2.06	3.53	10.00 3.90 - 11.00	2.678 - 4.148	11.25	11.76	12.27	99
20+20+35+42+42	1.26	1.26	2.20	2.64 *	2.64 *	10.00 3.90 - 11.00	2.661 - 4.131	11.18	11.69	12.20	99
20+20+35+42+50	1.20	1.20	2.10	2.51 *	2.99 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+20+42+42+42	1.20	1.20	2.53 *	2.53 *	2.53 *	10.00 3.90 - 11.00	2.672 - 4.142	11.22	11.73	12.24	99
20+22+22+22+22	1.85	2.04	2.04	2.04	2.04	10.00 3.90 - 11.00	2.666 - 4.136	11.20	11.71	12.22	99
20+22+22+22+25	1.82	2.00	2.00	2.00	2.27	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+35	1.67	1.84	1.84	1.84	2.92	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+42	1.58	1.74	1.74	1.74	3.31 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+22+50	1.49	1.63	1.63	1.63	3.71 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+22+60	1.38	1.52	1.52	1.52	4.15	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+22+71	1.29	1.42	1.42	1.42	4.57	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+25+25	1.77	1.95	1.95	2.21	2.21	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+25+35	1.63	1.79	1.79	2.04	2.85	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+25+42	1.54	1.70	1.70	1.93	3.24 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+25+50	1.45	1.60	1.60	1.82	3.63 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+25+60	1.36	1.49	1.49	1.69	4.07	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+25+71	1.26	1.39	1.39	1.58	4.48	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+35+35	1.51	1.66	1.66	2.64	2.64	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+35+42	1.43	1.58	1.58	2.51	3.01 *	10.10 3.90 - 11.00	2.677 - 4.147	11.25	11.76	12.27	99
20+22+22+35+50	1.36	1.49	1.49	2.37	3.39 *	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+35+60	1.27	1.40	1.40	2.22	3.81	10.10 3.90 - 11.00	2.671 - 4.141	11.22	11.73	12.24	99
20+22+22+35+71	1.19	1.31	1.31	2.08	4.22	10.10 3.90 - 11.00	2.654 - 4.124	11.15	11.66	12.17	99
20+22+22+42+42	1.36	1.50	1.50	2.87 *	2.87 *	10.10 3.90 - 11.00	2.658 - 4.128	11.16	11.67	12.18	99
20+22+22+42+50	1.29	1.42	1.42	2.72 *	3.24 *	10.10 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99
20+22+22+42+60	1.22	1.34	1.34	2.56 *	3.65	10.10 3.90 - 11.00	2.665 - 4.135	11.19	11.70	12.21	99



**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+22+50+50	1.23	1.35	1.35	3.08 *	3.08 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+22+25+25+25	1.73	1.90	2.16	2.16	2.16	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+25+35	1.59	1.75	1.99	1.99	2.78	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+25+42	1.51	1.66	1.88	1.88	3.17 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+25+50	1.42	1.56	1.78	1.78	3.56 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+25+60	1.33	1.46	1.66	1.66	3.99	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+25+71	1.24	1.36	1.55	1.55	4.40	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+25+35+35	1.47	1.62	1.84	2.58	2.58	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
20+22+25+35+42	1.40	1.54	1.75	2.45	2.95 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+25+35+50	1.33	1.46	1.66	2.33	3.32 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+35+60	1.25	1.37	1.56	2.18	3.74	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+25+42+42	1.34	1.47	1.67	2.81 *	2.81 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+25+42+50	1.27	1.40	1.59	2.67 *	3.18 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+42+60	1.20	1.31	1.49	2.51 *	3.59	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+25+50+50	1.21	1.33	1.51	3.02 *	3.02 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+22+35+35+35	1.37	1.51	2.40	2.40	2.40	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+35+35+42	1.31	1.44	2.30	2.30	2.75 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+22+35+35+50	1.25	1.37	2.18	2.18	3.12 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+35+35+60	1.17	1.29	2.06	2.06	3.52	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+22+35+42+42	1.25	1.38	2.20	2.63 *	2.63 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+22+35+42+50	1.20	1.31	2.09	2.51 *	2.99 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+22+42+42+42	1.20	1.32	2.53 *	2.53 *	2.53 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+25+25	1.68	2.10	2.10	2.10	2.10	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
20+25+25+25+35	1.55	1.94	1.94	1.94	2.72	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+25+42	1.47	1.84	1.84	1.84	3.10 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+25+50	1.39	1.74	1.74	1.74	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+25+60	1.30	1.63	1.63	1.63	3.91	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+25+71	1.22	1.52	1.52	1.52	4.32	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+25+25+35+35	1.44	1.80	1.80	2.53	2.53	10.10 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
20+25+25+35+42	1.37	1.72	1.72	2.40	2.89 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+25+35+50	1.30	1.63	1.63	2.28	3.26 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+35+60	1.22	1.53	1.53	2.14	3.67	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+25+42+42	1.31	1.64	1.64	2.75 *	2.75 *	10.10 3.90 - 11.00	2.654 0.640 - 4.124	11.15	11.66	12.17	99
20+25+25+42+50	1.25	1.56	1.56	2.62 *	3.12 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+42+60	1.17	1.47	1.47	2.47 *	3.52	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+25+50+50	1.19	1.49	1.49	2.97 *	2.97 *	10.10 3.90 - 11.00	2.648 0.640 - 4.118	11.12	11.63	12.14	99
20+25+35+35+35	1.35	1.68	2.36	2.36	2.36	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+25+35+35+42	1.29	1.61	2.25	2.25	2.70 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
20+25+35+35+50	1.22	1.53	2.14	2.14	3.06 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+35+42+42	1.23	1.54	2.16	2.59 *	2.59 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
20+25+35+42+50	1.17	1.47	2.06	2.47 *	2.94 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+42+42+42	1.18	1.48	2.48 *	2.48 *	2.48 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	11.19	11.70	12.21	99
20+35+35+35+35	1.26	2.21	2.21	2.21	2.21	10.10 3.90 - 11.00	2.659 0.640 - 4.129	11.17	11.68	12.19	99
20+35+35+35+42	1.21	2.12	2.12	2.12	2.54 *	10.10 3.90 - 11.00	2.677 0.640 - 4.147	11.25	11.76	12.27	99
22+22+22+22+22	2.02	2.02	2.02	2.02	2.02	10.10 3.90 - 11.00	2.671 0.640 - 4.141	11.22	11.73	12.24	99
22+22+22+22+25	1.99	1.99	1.99	1.99	2.26	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+35	1.82	1.82	1.82	1.82	2.90	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+42	1.73	1.73	1.73	1.73	3.30 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+22+50	1.63	1.63	1.63	1.63	3.70 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+22+60	1.52	1.52	1.52	1.52	4.14	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+22+71	1.41	1.41	1.41	1.41	4.55	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+25+25	1.93	1.93	1.93	2.20	2.20	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+25+35	1.78	1.78	1.78	2.02	2.83	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+25+42	1.69	1.69	1.69	1.92	3.22 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+25+50	1.59	1.59	1.59	1.81	3.62 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+25+60	1.49	1.49	1.49	1.69	4.05	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+25+71	1.39	1.39	1.39	1.57	4.47	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+35+35	1.65	1.65	1.65	2.63	2.63	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+35+42	1.57	1.57	1.57	2.50	3.00 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+22+35+50	1.49	1.49	1.49	2.36	3.38 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+35+60	1.39	1.39	1.39	2.22	3.80	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+22+35+71	1.30	1.30	1.30	2.08	4.21	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+22+42+42	1.50	1.50	1.50	2.86 *	2.86 *	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+22+42+50	1.42	1.42	1.42	2.71 *	3.23 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+22+42+60	1.34	1.34	1.34	2.55 *	3.64	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+22+50+50	1.35	1.35	1.35	3.07 *	3.07 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
22+22+25+25+25	1.89	1.89	2.14	2.14	2.14	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+25+35	1.74	1.74	1.98	1.98	2.77	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+25+42	1.65	1.65	1.88	1.88	3.15 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+25+50	1.56	1.56	1.77	1.77	3.54 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+25+60	1.46	1.46	1.66	1.66	3.97	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+25+71	1.36	1.36	1.55	1.55	4.39	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+25+35+35	1.61	1.61	1.83	2.57	2.57	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+22+25+35+42	1.54	1.54	1.75	2.45	2.93 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+22+25+35+50	1.46	1.46	1.66	2.32	3.31 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+35+60	1.37	1.37	1.55	2.18	3.73	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+25+42+42	1.47	1.47	1.67	2.80 *	2.80 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+22+25+42+50	1.39	1.39	1.58	2.66 *	3.17 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+42+60	1.31	1.31	1.49	2.51 *	3.58	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+25+50+50	1.33	1.33	1.51	3.02 *	3.02 *	10.20 3.90 - 11.00	2.641 0.640 - 4.111	11.10	11.60	12.10	99
22+22+35+35+35	1.51	1.51	2.40	2.40	2.40	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+35+35+42	1.44	1.44	2.29	2.29	2.75 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

**MXZ-5F102VF COOLING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+22+35+35+50	1.37	1.37	2.18	2.18	3.11 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+35+42+42	1.38	1.38	2.19	2.63 *	2.63 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+22+35+42+50	1.31	1.31	2.09	2.51 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+22+42+42+42	1.32	1.32	2.52 *	2.52 *	2.52 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+25+25+25	1.84	2.09	2.09	2.09	2.09	10.20 3.90 - 11.00	2.652 0.640 - 4.122	11.14	11.65	12.16	99
22+25+25+25+35	1.70	1.93	1.93	1.93	2.70	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+25+42	1.61	1.83	1.83	1.83	3.08 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+25+50	1.53	1.73	1.73	1.73	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+25+60	1.43	1.62	1.62	1.62	3.90	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+25+71	1.34	1.52	1.52	1.52	4.31	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+25+25+35+35	1.58	1.80	1.80	2.51	2.51	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
22+25+25+35+42	1.51	1.71	1.71	2.40	2.88 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+25+35+50	1.43	1.62	1.62	2.27	3.25 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+35+60	1.34	1.53	1.53	2.14	3.66	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+25+42+42	1.44	1.63	1.63	2.75 *	2.75 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
22+25+25+42+50	1.37	1.55	1.55	2.61 *	3.11 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+25+50+50	1.30	1.48	1.48	2.97 *	2.97 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+35+35+35	1.48	1.68	2.35	2.35	2.35	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+25+35+35+42	1.41	1.60	2.25	2.25	2.69 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
22+25+35+35+50	1.34	1.53	2.14	2.14	3.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+25+35+42+42	1.35	1.54	2.15	2.58 *	2.58 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
22+35+35+35+35	1.39	2.20	2.20	2.20	2.20	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
22+35+35+35+42	1.33	2.11	2.11	2.11	2.53 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+25	2.04	2.04	2.04	2.04	2.04	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+35	1.89	1.89	1.89	1.89	2.64	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+42	1.80	1.80	1.80	1.80	3.02 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+25+50	1.70	1.70	1.70	1.70	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+60	1.59	1.59	1.59	1.59	3.83	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+25+71	1.49	1.49	1.49	1.49	4.24	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
25+25+25+35+35	1.76	1.76	1.76	2.46	2.46	10.20 3.90 - 11.00	2.651 0.640 - 4.121	11.13	11.64	12.15	99
25+25+25+35+42	1.68	1.68	1.68	2.35	2.82 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+25+35+50	1.59	1.59	1.59	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+35+60	1.50	1.50	1.50	2.10	3.60	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+25+42+42	1.60	1.60	1.60	2.69 *	2.69 *	10.20 3.90 - 11.00	2.647 0.640 - 4.117	11.11	11.62	12.13	99
25+25+25+42+50	1.53	1.53	1.53	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+25+35+35+35	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+25+35+35+42	1.57	1.57	2.20	2.20	2.64 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99
25+25+35+35+50	1.50	1.50	2.10	2.10	3.00 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+25+35+42+42	1.51	1.51	2.11	2.53 *	2.53 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	11.19	11.70	12.21	99
25+35+35+35+35	1.55	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.658 0.640 - 4.128	11.16	11.67	12.18	99
25+35+35+35+42	1.48	2.08	2.08	2.08	2.49 *	10.20 3.90 - 11.00	2.670 0.640 - 4.140	11.22	11.73	12.24	99

\* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 : Rated capacity is 1.67kW
- MSZ-LN25VG2 : Rated capacity is 2.32kW
- MSZ-AP42VG : Rated capacity is 3.51kW (=3.92\*0.9)

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15	1.70	-	-	-	-	1.70 1.50 - 3.20	0.590 - 1.300	2.48	2.59	2.70	99
18	3.30	-	-	-	-	3.30 1.50 - 4.60	0.750 - 1.610	3.15	3.29	3.43	99
20	2.20	-	-	-	-	2.20 1.50 - 3.40	0.620 - 1.380	2.60	2.72	2.84	99
22	3.30	-	-	-	-	3.30 1.50 - 4.80	0.750 - 1.670	3.15	3.29	3.43	99
25	3.60	-	-	-	-	3.60 1.50 - 5.10	0.800 - 1.720	3.36	3.51	3.66	99
35	4.00	-	-	-	-	4.00 1.50 - 5.60	0.890 - 1.890	3.74	3.91	4.08	99
42	5.40	-	-	-	-	5.40 1.50 - 6.50	1.250 - 2.180	5.25	5.49	5.73	99
50	7.20	-	-	-	-	7.20 1.50 - 7.50	1.930 - 2.520	8.11	8.48	8.85	99
60	7.90	-	-	-	-	7.90 1.50 - 8.60	2.200 - 2.970	9.24	9.66	10.08	99
71	8.60	-	-	-	-	8.60 1.50 - 9.20	2.560 - 3.400	10.75	11.24	11.73	99
15+15	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.420 - 2.500	5.97	6.24	6.51	99
15+18	2.91	3.49	-	-	-	6.40 3.00 - 7.20	1.386 - 2.556	5.83	6.09	6.35	99
15+20	2.79	3.71	-	-	-	6.50 3.00 - 7.20	1.377 - 2.607	5.79	6.05	6.31	99
15+22	2.59	3.81	-	-	-	6.40 3.00 - 7.20	1.384 - 2.644	5.82	6.08	6.34	99
15+25	2.44	4.06	-	-	-	6.50 3.00 - 7.20	1.377 - 2.637	5.79	6.05	6.31	99
15+35	2.13	4.97	-	-	-	7.10 3.00 - 8.80	1.547 - 2.787	6.49	6.79	7.09	99
15+42	1.95	5.45	-	-	-	7.40 3.00 - 9.20	1.657 - 2.847	6.96	7.28	7.60	99
15+50	1.78	5.92	-	-	-	7.70 3.00 - 9.60	1.771 - 2.921	7.44	7.78	8.12	99
15+60	1.66	6.64	-	-	-	8.30 3.00 - 10.20	2.021 - 3.041	8.49	8.88	9.27	99
15+71	1.57	7.43	-	-	-	9.00 3.00 - 11.00	2.334 - 3.154	9.80	10.25	10.70	99
18+18	3.25	3.25	-	-	-	6.50 3.00 - 7.20	1.358 - 2.618	5.70	5.96	6.22	99
18+20	3.13	3.47	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+22	2.93	3.58	-	-	-	6.50 3.00 - 7.20	1.375 - 2.635	5.78	6.04	6.30	99
18+25	2.76	3.84	-	-	-	6.60 3.00 - 7.20	1.368 - 2.628	5.75	6.01	6.27	99
18+35	2.48	4.82	-	-	-	7.30 3.00 - 9.00	1.588 - 2.808	6.67	6.97	7.27	99
18+42	2.28	5.32	-	-	-	7.60 3.00 - 9.30	1.698 - 2.868	7.14	7.46	7.78	99
18+50	2.09	5.81	-	-	-	7.90 3.00 - 9.70	1.812 - 2.932	7.61	7.96	8.31	99
18+60	1.98	6.62	-	-	-	8.60 3.00 - 10.50	2.112 - 3.072	8.88	9.28	9.68	99
18+71	1.88	7.42	-	-	-	9.30 3.00 - 11.00	2.375 - 3.145	9.98	10.43	10.88	99
20+20	3.30	3.30	-	-	-	6.60 3.00 - 7.20	1.349 - 2.609	5.66	5.92	6.18	99
20+22	3.05	3.35	-	-	-	6.40 3.00 - 7.20	1.382 - 2.642	5.81	6.07	6.33	99
20+25	2.93	3.67	-	-	-	6.60 3.00 - 7.50	1.405 - 2.665	5.90	6.17	6.44	99
20+35	2.65	4.65	-	-	-	7.30 3.00 - 9.10	1.625 - 2.835	6.83	7.14	7.45	99
20+42	2.45	5.15	-	-	-	7.60 3.00 - 9.40	1.735 - 2.895	7.29	7.62	7.95	99
20+50	2.26	5.64	-	-	-	7.90 3.00 - 9.80	1.849 - 2.959	7.77	8.12	8.47	99
20+60	2.15	6.45	-	-	-	8.60 3.00 - 10.70	2.189 - 3.109	9.19	9.61	10.03	99
20+71	2.04	7.26	-	-	-	9.30 3.00 - 11.00	2.422 - 3.152	10.18	10.64	11.10	99
22+22	3.25	3.25	-	-	-	6.50 3.00 - 7.20	1.356 - 2.616	5.70	5.96	6.22	99
22+25	3.23	3.67	-	-	-	6.90 3.00 - 8.00	1.458 - 2.708	6.12	6.40	6.68	99
22+35	2.89	4.61	-	-	-	7.50 3.00 - 9.20	1.648 - 2.838	6.93	7.24	7.55	99
22+42	2.68	5.12	-	-	-	7.80 3.00 - 9.50	1.758 - 2.908	7.38	7.72	8.06	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+50	2.48	5.63	-	-	-	8.10 3.00 - 10.00	1.912 0.720 - 2.982	8.03	8.40	8.77	99
22+60	2.39	6.51	-	-	-	8.90 3.00 - 10.80	2.242 0.690 - 3.132	9.42	9.85	10.28	99
22+71	2.27	7.33	-	-	-	9.60 3.00 - 11.00	2.445 0.690 - 3.145	10.27	10.74	11.21	99
25+25	3.60	3.60	-	-	-	7.20 3.00 - 8.80	1.519 0.720 - 2.759	6.38	6.67	6.96	99
25+35	3.17	4.43	-	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.14	7.46	7.78	99
25+42	2.95	4.95	-	-	-	7.90 3.00 - 9.70	1.798 0.720 - 2.928	7.56	7.90	8.24	99
25+50	2.80	5.60	-	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	8.46	8.84	9.22	99
25+60	2.68	6.42	-	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
25+71	2.55	7.25	-	-	-	9.80 3.00 - 11.00	2.495 0.690 - 3.145	10.48	10.96	11.44	99
35+35	4.00	4.00	-	-	-	8.00 3.00 - 9.80	1.829 0.720 - 2.939	7.68	8.03	8.38	99
35+42	3.86	4.64	-	-	-	8.50 3.00 - 10.40	2.088 0.710 - 3.068	8.77	9.17	9.57	99
35+50	3.75	5.35	-	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	9.79	10.24	10.69	99
35+60	3.57	6.13	-	-	-	9.70 3.00 - 11.00	2.502 0.690 - 3.162	10.51	10.99	11.47	99
35+71	3.37	6.83	-	-	-	10.20 3.00 - 11.00	2.605 0.690 - 3.145	10.94	11.44	11.94	99
42+42	4.50	4.50	-	-	-	9.00 3.00 - 11.00	2.299 0.690 - 3.149	9.66	10.10	10.54	99
42+50	4.34	5.16	-	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156	10.27	10.74	11.21	99
42+71	3.83	6.47	-	-	-	10.30 3.00 - 11.00	2.656 0.690 - 3.156	11.15	11.66	12.17	99
50+50	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.563 0.690 - 3.143	10.77	11.26	11.75	99
50+60	4.68	5.62	-	-	-	10.30 3.00 - 11.00	2.646 0.690 - 3.156	11.11	11.62	12.13	99
50+71	4.34	6.16	-	-	-	10.50 3.00 - 11.00	2.689 0.690 - 3.139	11.30	11.81	12.32	99
60+60	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.693 0.690 - 3.143	11.32	11.83	12.34	99
60+71	4.81	5.69	-	-	-	10.50 3.00 - 11.00	2.672 0.690 - 3.122	11.22	11.73	12.24	99
71+71	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.676 0.690 - 3.126	11.24	11.75	12.26	99
15+15+15	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
15+15+18	2.63	2.63	3.15	-	-	8.40 3.20 - 10.60	1.719 0.530 - 3.879	7.22	7.55	7.88	99
15+15+20	2.55	2.55	3.40	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+22	2.42	2.42	3.55	-	-	8.40 3.20 - 10.60	1.717 0.530 - 3.877	7.21	7.54	7.87	99
15+15+25	2.32	2.32	3.86	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+35	1.96	1.96	4.58	-	-	8.50 3.20 - 10.60	1.710 0.530 - 3.870	7.18	7.51	7.84	99
15+15+42	1.81	1.81	5.08	-	-	8.70 3.20 - 11.30	1.820 0.530 - 3.870	7.64	7.99	8.34	99
15+15+50	1.69	1.69	5.63	-	-	9.00 3.20 - 11.80	2.034 0.560 - 3.864	8.54	8.93	9.32	99
15+15+60	1.55	1.55	6.20	-	-	9.30 3.20 - 12.10	2.344 0.610 - 3.864	9.84	10.29	10.74	99
15+15+71	1.44	1.44	6.82	-	-	9.70 3.20 - 12.50	2.667 0.660 - 3.847	11.20	11.71	12.22	99
15+18+18	2.50	3.00	3.00	-	-	8.50 3.20 - 10.60	1.691 0.530 - 3.851	7.11	7.43	7.75	99
15+18+20	2.43	2.92	3.25	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+22	2.32	2.78	3.40	-	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+18+25	2.22	2.67	3.71	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+18+35	1.92	2.30	4.48	-	-	8.70 3.20 - 10.80	1.741 0.530 - 3.861	7.32	7.65	7.98	99
15+18+42	1.78	2.14	4.98	-	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+18+50	1.66	2.00	5.54	-	-	9.20 3.20 - 11.90	2.115 0.570 - 3.855	8.89	9.29	9.69	99
15+18+60	1.53	1.84	6.13	-	-	9.50 3.20 - 12.20	2.425 0.620 - 3.855	10.19	10.65	11.11	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+71	1.43	1.71	6.76	-	-	9.90 3.20 - 12.60	2.758 0.680 - 3.838	11.58	12.11	12.64	99
15+20+20	2.35	3.13	3.13	-	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+20+22	2.21	2.95	3.24	-	-	8.40 3.20 - 10.60	1.715 0.530 - 3.875	7.20	7.53	7.86	99
15+20+25	2.13	2.83	3.54	-	-	8.50 3.20 - 10.60	1.708 0.530 - 3.868	7.17	7.50	7.83	99
15+20+35	1.84	2.46	4.30	-	-	8.60 3.20 - 11.00	1.788 0.530 - 3.868	7.51	7.85	8.19	99
15+20+42	1.73	2.31	4.85	-	-	8.90 3.20 - 11.70	1.938 0.540 - 3.868	8.14	8.51	8.88	99
15+20+50	1.61	2.14	5.35	-	-	9.10 3.20 - 11.90	2.182 0.580 - 3.862	9.16	9.58	10.00	99
15+20+60	1.50	2.00	6.00	-	-	9.50 3.20 - 12.30	2.502 0.630 - 3.862	10.51	10.99	11.47	99
15+20+71	1.39	1.85	6.56	-	-	9.80 3.20 - 12.60	2.795 0.680 - 3.845	11.74	12.27	12.80	99
15+22+22	2.16	3.17	3.17	-	-	8.50 3.20 - 10.60	1.689 0.530 - 3.849	7.10	7.42	7.74	99
15+22+25	2.08	3.05	3.47	-	-	8.60 3.20 - 10.60	1.701 0.530 - 3.861	7.15	7.47	7.79	99
15+22+35	1.83	2.69	4.28	-	-	8.80 3.20 - 11.30	1.811 0.530 - 3.861	7.60	7.95	8.30	99
15+22+42	1.71	2.51	4.78	-	-	9.00 3.20 - 11.70	2.001 0.550 - 3.861	8.41	8.79	9.17	99
15+22+50	1.60	2.35	5.34	-	-	9.30 3.20 - 12.00	2.245 0.590 - 3.855	9.43	9.86	10.29	99
15+22+60	1.48	2.18	5.94	-	-	9.60 3.20 - 12.30	2.555 0.640 - 3.855	10.73	11.22	11.71	99
15+22+71	1.38	2.02	6.51	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+25+25	1.98	3.31	3.31	-	-	8.60 3.20 - 10.60	1.682 0.530 - 3.842	7.07	7.39	7.71	99
15+25+35	1.78	2.97	4.15	-	-	8.90 3.20 - 11.60	1.871 0.530 - 3.861	7.86	8.22	8.58	99
15+25+42	1.66	2.77	4.66	-	-	9.10 3.20 - 11.80	2.091 0.570 - 3.861	8.78	9.18	9.58	99
15+25+50	1.57	2.61	5.22	-	-	9.40 3.20 - 12.10	2.335 0.610 - 3.855	9.80	10.25	10.70	99
15+25+60	1.46	2.43	5.82	-	-	9.70 3.20 - 12.40	2.645 0.660 - 3.855	11.11	11.62	12.13	99
15+25+71	1.34	2.23	6.33	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+35+35	1.62	3.79	3.79	-	-	9.20 3.20 - 11.90	2.162 0.580 - 3.842	9.08	9.49	9.90	99
15+35+42	1.55	3.61	4.34	-	-	9.50 3.20 - 12.20	2.401 0.620 - 3.861	10.08	10.54	11.00	99
15+35+50	1.46	3.40	4.85	-	-	9.70 3.20 - 12.40	2.645 0.660 - 3.855	11.11	11.62	12.13	99
15+35+60	1.35	3.15	5.40	-	-	9.90 3.20 - 12.60	2.805 0.680 - 3.855	11.78	12.32	12.86	99
15+35+71	1.23	2.86	5.81	-	-	9.90 3.20 - 12.60	2.788 0.680 - 3.838	11.71	12.24	12.77	99
15+42+42	1.47	4.12	4.12	-	-	9.70 3.20 - 12.40	2.602 0.650 - 3.842	10.93	11.43	11.93	99
15+42+50	1.39	3.89	4.63	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+42+60	1.27	3.55	5.08	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+42+71	1.16	3.25	5.49	-	-	9.90 3.20 - 12.60	2.782 0.680 - 3.832	11.69	12.22	12.75	99
15+50+50	1.29	4.30	4.30	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
15+50+60	1.19	3.96	4.75	-	-	9.90 3.20 - 12.60	2.799 0.680 - 3.849	11.76	12.29	12.82	99
15+50+71	1.09	3.64	5.17	-	-	9.90 3.20 - 12.60	2.782 0.680 - 3.832	11.69	12.22	12.75	99
15+60+60	1.10	4.40	4.40	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
15+60+71	1.02	4.07	4.81	-	-	9.90 3.20 - 12.60	2.765 0.680 - 3.815	11.61	12.14	12.67	99
15+71+71	0.95	4.48	4.48	-	-	9.90 3.20 - 12.60	2.769 0.680 - 3.819	11.63	12.16	12.69	99
18+18+18	2.87	2.87	2.87	-	-	8.60 3.20 - 10.60	1.663 0.530 - 3.823	6.98	7.30	7.62	99
18+18+20	2.80	2.80	3.11	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+18+22	2.67	2.67	3.26	-	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+18+25	2.57	2.57	3.57	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35	2.26	2.26	4.39	-	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	7.49	7.83	8.17	99
18+18+42	2.10	2.10	4.90	-	-	9.10 3.20 - 11.70	1.952 0.550 - 3.852	8.20	8.57	8.94	99
18+18+50	1.97	1.97	5.47	-	-	9.40 3.20 - 12.00	2.196 0.590 - 3.846	9.22	9.64	10.06	99
18+18+60	1.82	1.82	6.06	-	-	9.70 3.20 - 12.30	2.516 0.640 - 3.846	10.57	11.05	11.53	99
18+18+71	1.68	1.68	6.64	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+20+20	2.70	3.00	3.00	-	-	8.70 3.20 - 10.60	1.673 0.530 - 3.833	7.03	7.35	7.67	99
18+20+22	2.55	2.83	3.12	-	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
18+20+25	2.46	2.73	3.41	-	-	8.60 3.20 - 10.60	1.699 0.530 - 3.859	7.14	7.46	7.78	99
18+20+35	2.17	2.41	4.22	-	-	8.80 3.20 - 11.40	1.829 0.530 - 3.859	7.68	8.03	8.38	99
18+20+42	2.05	2.28	4.78	-	-	9.10 3.20 - 11.80	2.029 0.560 - 3.859	8.52	8.91	9.30	99
18+20+50	1.90	2.11	5.28	-	-	9.30 3.20 - 12.00	2.273 0.600 - 3.853	9.55	9.98	10.41	99
18+20+60	1.78	1.98	5.94	-	-	9.70 3.20 - 12.40	2.583 0.650 - 3.853	10.85	11.34	11.83	99
18+20+71	1.63	1.82	6.45	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
18+22+22	2.50	3.05	3.05	-	-	8.60 3.20 - 10.60	1.680 0.530 - 3.840	7.06	7.38	7.70	99
18+22+25	2.41	2.94	3.35	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.11	7.43	7.75	99
18+22+35	2.16	2.64	4.20	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	7.82	8.18	8.54	99
18+22+42	2.02	2.47	4.71	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	8.74	9.14	9.54	99
18+22+50	1.90	2.32	5.28	-	-	9.50 3.20 - 12.10	2.326 0.610 - 3.846	9.78	10.22	10.66	99
18+22+60	1.76	2.16	5.88	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	11.08	11.58	12.08	99
18+22+71	1.62	1.98	6.40	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+25+25	2.33	3.24	3.24	-	-	8.80 3.20 - 10.80	1.713 0.530 - 3.833	7.19	7.52	7.85	99
18+25+35	2.10	2.92	4.08	-	-	9.10 3.20 - 11.70	1.952 0.550 - 3.852	8.20	8.57	8.94	99
18+25+42	1.97	2.74	4.60	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.13	9.54	9.95	99
18+25+50	1.86	2.58	5.16	-	-	9.60 3.20 - 12.20	2.416 0.620 - 3.846	10.15	10.61	11.07	99
18+25+60	1.73	2.40	5.77	-	-	9.90 3.20 - 12.50	2.736 0.670 - 3.846	11.50	12.02	12.54	99
18+25+71	1.58	2.19	6.23	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+35+35	1.92	3.74	3.74	-	-	9.40 3.20 - 12.00	2.253 0.600 - 3.833	9.46	9.89	10.32	99
18+35+42	1.84	3.57	4.29	-	-	9.70 3.20 - 12.30	2.492 0.630 - 3.852	10.46	10.94	11.42	99
18+35+50	1.73	3.36	4.81	-	-	9.90 3.20 - 12.50	2.736 0.670 - 3.846	11.50	12.02	12.54	99
18+35+60	1.59	3.10	5.31	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
18+35+71	1.45	2.82	5.73	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
18+42+50	1.64	3.82	4.55	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
18+42+60	1.50	3.50	5.00	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
18+42+71	1.37	3.21	5.42	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
18+50+50	1.53	4.24	4.24	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
18+50+60	1.41	3.91	4.69	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
18+50+71	1.29	3.60	5.11	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
18+60+60	1.30	4.35	4.35	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
18+60+71	1.21	4.03	4.77	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
18+71+71	1.13	4.44	4.44	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
20+20+20	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.654 0.530 - 3.814	6.94	7.26	7.58	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+22	2.71	2.71	2.98	-	-	8.40 3.20 - 10.60	1.713 0.530 - 3.873	7.19	7.52	7.85	99
20+20+25	2.62	2.62	3.27	-	-	8.50 3.20 - 10.60	1.706 0.530 - 3.866	7.16	7.49	7.82	99
20+20+35	2.35	2.35	4.11	-	-	8.80 3.20 - 11.60	1.876 0.530 - 3.866	7.88	8.24	8.60	99
20+20+42	2.20	2.20	4.61	-	-	9.00 3.20 - 11.80	2.096 0.570 - 3.866	8.81	9.21	9.61	99
20+20+50	2.07	2.07	5.17	-	-	9.30 3.20 - 12.10	2.340 0.610 - 3.860	9.83	10.28	10.73	99
20+20+60	1.92	1.92	5.76	-	-	9.60 3.20 - 12.40	2.650 0.660 - 3.860	11.13	11.64	12.15	99
20+20+71	1.77	1.77	6.27	-	-	9.80 3.20 - 12.60	2.793 0.680 - 3.843	11.74	12.27	12.80	99
20+22+22	2.66	2.92	2.92	-	-	8.50 3.20 - 10.60	1.687 0.530 - 3.847	7.09	7.41	7.73	99
20+22+25	2.57	2.82	3.21	-	-	8.60 3.20 - 10.70	1.719 0.530 - 3.859	7.22	7.55	7.88	99
20+22+35	2.34	2.57	4.09	-	-	9.00 3.20 - 11.70	1.929 0.540 - 3.859	8.10	8.47	8.84	99
20+22+42	2.19	2.41	4.60	-	-	9.20 3.20 - 11.90	2.149 0.580 - 3.859	9.03	9.44	9.85	99
20+22+50	2.07	2.27	5.16	-	-	9.50 3.20 - 12.20	2.393 0.620 - 3.853	10.05	10.51	10.97	99
20+22+71	1.75	1.93	6.22	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+25+25	2.49	3.11	3.11	-	-	8.70 3.20 - 11.00	1.760 0.530 - 3.840	7.39	7.73	8.07	99
20+25+35	2.28	2.84	3.98	-	-	9.10 3.20 - 11.80	2.029 0.560 - 3.859	8.52	8.91	9.30	99
20+25+42	2.14	2.67	4.49	-	-	9.30 3.20 - 12.00	2.249 0.590 - 3.859	9.45	9.88	10.31	99
20+25+50	2.02	2.53	5.05	-	-	9.60 3.20 - 12.30	2.493 0.630 - 3.853	10.47	10.95	11.43	99
20+25+60	1.89	2.36	5.66	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+25+71	1.71	2.13	6.06	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
20+35+35	2.09	3.66	3.66	-	-	9.40 3.20 - 12.10	2.320 0.610 - 3.840	9.75	10.19	10.63	99
20+35+42	1.98	3.46	4.16	-	-	9.60 3.20 - 12.30	2.559 0.640 - 3.859	10.75	11.24	11.73	99
20+35+50	1.89	3.30	4.71	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+35+60	1.72	3.01	5.17	-	-	9.90 3.20 - 12.60	2.803 0.680 - 3.853	11.77	12.31	12.85	99
20+35+71	1.57	2.75	5.58	-	-	9.90 3.20 - 12.60	2.786 0.680 - 3.836	11.71	12.24	12.77	99
20+42+42	1.90	4.00	4.00	-	-	9.90 3.20 - 12.60	2.760 0.680 - 3.840	11.59	12.12	12.65	99
20+42+50	1.77	3.71	4.42	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+42+60	1.62	3.41	4.87	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+42+71	1.49	3.13	5.28	-	-	9.90 3.20 - 12.60	2.780 0.680 - 3.830	11.68	12.21	12.74	99
20+50+50	1.65	4.13	4.13	-	-	9.90 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
20+50+60	1.52	3.81	4.57	-	-	9.90 3.20 - 12.60	2.797 0.680 - 3.847	11.75	12.28	12.81	99
20+50+71	1.40	3.51	4.99	-	-	9.90 3.20 - 12.60	2.780 0.680 - 3.830	11.68	12.21	12.74	99
20+60+60	1.41	4.24	4.24	-	-	9.90 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
20+60+71	1.31	3.93	4.65	-	-	9.90 3.20 - 12.60	2.763 0.680 - 3.813	11.60	12.13	12.66	99
20+71+71	1.22	4.34	4.34	-	-	9.90 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
22+22+22	2.87	2.87	2.87	-	-	8.60 3.20 - 10.60	1.661 0.530 - 3.821	6.97	7.29	7.61	99
22+22+25	2.81	2.81	3.19	-	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	7.36	7.69	8.02	99
22+22+35	2.53	2.53	4.03	-	-	9.10 3.20 - 11.70	1.992 0.550 - 3.852	8.37	8.75	9.13	99
22+22+42	2.40	2.40	4.59	-	-	9.40 3.20 - 12.00	2.202 0.590 - 3.852	9.25	9.67	10.09	99
22+22+50	2.25	2.25	5.11	-	-	9.60 3.20 - 12.20	2.456 0.630 - 3.846	10.32	10.79	11.26	99
22+22+60	2.12	2.12	5.77	-	-	10.00 3.20 - 12.60	2.766 0.680 - 3.846	11.62	12.15	12.68	99
22+22+71	1.91	1.91	6.17	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25	2.72	3.09	3.09	-	-	8.90 3.20 - 11.30	1.783 0.530 - 3.833	7.49	7.83	8.17	99
22+25+35	2.47	2.80	3.93	-	-	9.20 3.20 - 11.80	2.082 0.570 - 3.852	8.74	9.14	9.54	99
22+25+42	2.35	2.67	4.48	-	-	9.50 3.20 - 12.10	2.302 0.600 - 3.852	9.67	10.11	10.55	99
22+25+50	2.20	2.50	5.00	-	-	9.70 3.20 - 12.30	2.546 0.640 - 3.846	10.69	11.18	11.67	99
22+25+60	2.06	2.34	5.61	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+25+71	1.86	2.12	6.02	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
22+35+35	2.30	3.65	3.65	-	-	9.60 3.20 - 12.20	2.373 0.620 - 3.833	9.97	10.42	10.87	99
22+35+42	2.18	3.46	4.16	-	-	9.80 3.20 - 12.40	2.612 0.650 - 3.852	10.97	11.47	11.97	99
22+35+50	2.06	3.27	4.67	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+35+60	1.88	2.99	5.13	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
22+35+71	1.72	2.73	5.55	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
22+42+42	2.08	3.96	3.96	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
22+42+50	1.93	3.68	4.39	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+42+60	1.77	3.39	4.84	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+42+71	1.63	3.11	5.26	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
22+50+50	1.80	4.10	4.10	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
22+50+60	1.67	3.79	4.55	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
22+50+71	1.54	3.50	4.97	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
22+60+60	1.55	4.23	4.23	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
22+60+71	1.44	3.92	4.64	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
22+71+71	1.34	4.33	4.33	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
25+25+25	3.00	3.00	3.00	-	-	9.00 3.20 - 11.60	1.824 0.530 - 3.814	7.66	8.01	8.36	99
25+25+35	2.74	2.74	3.83	-	-	9.30 3.20 - 11.90	2.172 0.580 - 3.852	9.13	9.54	9.95	99
25+25+42	2.61	2.61	4.38	-	-	9.60 3.20 - 12.20	2.392 0.620 - 3.852	10.05	10.51	10.97	99
25+25+50	2.45	2.45	4.90	-	-	9.80 3.20 - 12.40	2.636 0.660 - 3.846	11.08	11.58	12.08	99
25+25+60	2.27	2.27	5.45	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
25+25+71	2.07	2.07	5.87	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
25+35+35	2.55	3.57	3.57	-	-	9.70 3.20 - 12.30	2.473 0.630 - 3.833	10.39	10.86	11.33	99
25+35+50	2.27	3.18	4.55	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	11.77	12.31	12.85	99
25+35+60	2.08	2.92	5.00	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
25+35+71	1.91	2.67	5.42	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
25+42+42	2.29	3.85	3.85	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
25+42+50	2.14	3.59	4.27	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+42+60	1.97	3.31	4.72	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+42+71	1.81	3.04	5.14	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
25+50+50	2.00	4.00	4.00	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
25+50+60	1.85	3.70	4.44	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
25+50+71	1.71	3.42	4.86	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
25+60+60	1.72	4.14	4.14	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
25+60+71	1.60	3.85	4.55	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
25+71+71	1.50	4.25	4.25	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
35+35+35	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	11.61	12.14	12.67	99
35+35+42	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.802 0.680 - 3.852	11.77	12.31	12.85	99
35+35+50	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
35+35+60	2.69	2.69	4.62	-	-	10.00 3.20 - 12.60	2.796 0.680 - 3.846	11.75	12.28	12.81	99
35+35+71	2.48	2.48	5.04	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	11.67	12.20	12.73	99
35+42+42	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	11.69	12.22	12.75	99
35+42+50	2.76	3.31	3.94	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+42+60	2.55	3.07	4.38	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+42+71	2.36	2.84	4.80	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
35+50+50	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
35+50+60	2.41	3.45	4.14	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	11.72	12.25	12.78	99
35+50+71	2.24	3.21	4.55	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	11.65	12.18	12.71	99
35+60+60	2.26	3.87	3.87	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	11.67	12.20	12.73	99
35+60+71	2.11	3.61	4.28	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	11.57	12.10	12.63	99
42+42+42	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	11.59	12.12	12.65	99
42+42+50	3.13	3.13	3.73	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+42+60	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+42+71	2.71	2.71	4.58	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
42+50+50	2.96	3.52	3.52	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
42+50+60	2.76	3.29	3.95	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
42+50+71	2.58	3.07	4.36	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
42+60+60	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
50+50+50	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	11.55	12.08	12.61	99
50+50+60	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	11.70	12.23	12.76	99
50+50+71	2.92	2.92	4.15	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	11.62	12.15	12.68	99
50+60+60	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	11.64	12.17	12.70	99
15+15+15+15	2.25	2.25	2.25	2.25	-	9.00 3.40 - 11.60	1.810 0.590 - 3.800	7.60	7.95	8.30	99
15+15+15+18	2.12	2.12	2.12	2.54	-	8.90 3.40 - 12.00	1.982 0.590 - 3.862	8.32	8.70	9.08	99
15+15+15+20	2.10	2.10	2.10	2.80	-	9.10 3.40 - 12.30	2.053 0.590 - 3.853	8.63	9.02	9.41	99
15+15+15+22	2.06	2.06	2.06	3.02	-	9.20 3.40 - 12.60	2.130 0.590 - 3.860	8.94	9.35	9.76	99
15+15+15+25	2.04	2.04	2.04	3.39	-	9.50 3.40 - 13.00	2.243 0.590 - 3.853	9.42	9.85	10.28	99
15+15+15+35	1.82	1.82	1.82	4.24	-	9.70 3.40 - 13.30	2.313 0.590 - 3.853	9.72	10.16	10.60	99
15+15+15+42	1.67	1.67	1.67	4.68	-	9.70 3.40 - 13.30	2.313 0.590 - 3.853	9.72	10.16	10.60	99
15+15+15+50	1.53	1.53	1.53	5.11	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
15+15+15+60	1.40	1.40	1.40	5.60	-	9.80 3.40 - 13.30	2.377 0.590 - 3.847	9.99	10.44	10.89	99
15+15+15+71	1.31	1.31	1.31	6.18	-	10.10 3.40 - 13.30	2.520 0.590 - 3.830	10.59	11.07	11.55	99
15+15+18+18	2.09	2.09	2.51	2.51	-	9.20 3.40 - 12.50	2.074 0.590 - 3.834	8.71	9.11	9.51	99
15+15+18+20	2.10	2.10	2.51	2.79	-	9.50 3.40 - 12.70	2.154 0.590 - 3.844	9.05	9.46	9.87	99
15+15+18+22	2.04	2.04	2.44	2.99	-	9.50 3.40 - 13.00	2.241 0.590 - 3.851	9.41	9.84	10.27	99
15+15+18+25	2.01	2.01	2.42	3.36	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+18+35	1.77	1.77	2.13	4.13	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42	1.63	1.63	1.96	4.57	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+18+50	1.50	1.50	1.80	5.00	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	9.65	10.09	10.53	99
15+15+18+60	1.39	1.39	1.67	5.56	-	10.00 3.40 - 13.30	2.418 0.590 - 3.838	10.16	10.62	11.08	99
15+15+18+71	1.30	1.30	1.56	6.15	-	10.30 3.40 - 13.30	2.561 0.590 - 3.821	10.76	11.25	11.74	99
15+15+20+20	2.06	2.06	2.74	2.74	-	9.60 3.40 - 13.00	2.215 0.590 - 3.825	9.31	9.73	10.15	99
15+15+20+22	2.00	2.00	2.67	2.93	-	9.60 3.40 - 13.30	2.318 0.590 - 3.858	9.74	10.18	10.62	99
15+15+20+25	1.94	1.94	2.59	3.23	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+35	1.71	1.71	2.28	3.99	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+42	1.58	1.58	2.11	4.43	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	9.71	10.15	10.59	99
15+15+20+50	1.46	1.46	1.94	4.85	-	9.70 3.40 - 13.30	2.305 0.590 - 3.845	9.68	10.12	10.56	99
15+15+20+60	1.36	1.36	1.82	5.45	-	10.00 3.40 - 13.30	2.455 0.590 - 3.845	10.31	10.78	11.25	99
15+15+20+71	1.26	1.26	1.69	5.99	-	10.20 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
15+15+22+22	1.97	1.97	2.88	2.88	-	9.70 3.40 - 13.30	2.292 0.590 - 3.832	9.63	10.07	10.51	99
15+15+22+25	1.91	1.91	2.80	3.18	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+35	1.69	1.69	2.48	3.94	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+42	1.56	1.56	2.29	4.38	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+22+60	1.35	1.35	1.98	5.41	-	10.10 3.40 - 13.30	2.468 0.590 - 3.838	10.37	10.84	11.31	99
15+15+22+71	1.26	1.26	1.84	5.95	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+25+25	1.84	1.84	3.06	3.06	-	9.80 3.40 - 13.30	2.285 0.590 - 3.825	9.60	10.04	10.48	99
15+15+25+35	1.63	1.63	2.72	3.81	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+25+42	1.52	1.52	2.53	4.24	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	9.68	10.12	10.56	99
15+15+25+50	1.41	1.41	2.36	4.71	-	9.90 3.40 - 13.30	2.368 0.590 - 3.838	9.95	10.40	10.85	99
15+15+25+60	1.33	1.33	2.22	5.32	-	10.20 3.40 - 13.30	2.518 0.590 - 3.838	10.58	11.06	11.54	99
15+15+25+71	1.23	1.23	2.04	5.80	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+35+35	1.47	1.47	3.43	3.43	-	9.80 3.40 - 13.30	2.285 0.590 - 3.825	9.60	10.04	10.48	99
15+15+35+42	1.40	1.40	3.27	3.93	-	10.00 3.40 - 13.30	2.404 0.590 - 3.844	10.10	10.56	11.02	99
15+15+35+50	1.33	1.33	3.10	4.43	-	10.20 3.40 - 13.30	2.518 0.590 - 3.838	10.58	11.06	11.54	99
15+15+35+60	1.24	1.24	2.88	4.94	-	10.30 3.40 - 13.30	2.588 0.590 - 3.838	10.88	11.37	11.86	99
15+15+35+71	1.14	1.14	2.65	5.38	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
15+15+42+42	1.34	1.34	3.76	3.76	-	10.20 3.40 - 13.30	2.485 0.590 - 3.825	10.44	10.91	11.38	99
15+15+42+50	1.27	1.27	3.55	4.22	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+42+60	1.17	1.17	3.28	4.68	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+42+71	1.08	1.08	3.03	5.11	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
15+15+50+50	1.19	1.19	3.96	3.96	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+15+50+60	1.10	1.10	3.68	4.41	-	10.30 3.40 - 13.30	2.582 0.590 - 3.832	10.85	11.34	11.83	99
15+15+50+71	1.02	1.02	3.41	4.84	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
15+15+60+60	1.03	1.03	4.12	4.12	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+15+60+71	0.96	0.96	3.84	4.54	-	10.30 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
15+15+71+71	0.90	0.90	4.25	4.25	-	10.30 3.50 - 13.30	2.552 0.590 - 3.802	10.72	11.21	11.70	99
15+18+18+18	2.09	2.50	2.50	2.50	-	9.60 3.40 - 12.90	2.156 0.590 - 3.806	9.06	9.47	9.88	99
15+18+18+20	2.07	2.48	2.48	2.76	-	9.80 3.40 - 13.20	2.255 0.590 - 3.835	9.47	9.90	10.33	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+22	2.01	2.42	2.42	2.95	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+18+25	1.95	2.34	2.34	3.26	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+35	1.73	2.07	2.07	4.03	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+42	1.60	1.92	1.92	4.47	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+18+50	1.47	1.76	1.76	4.90	-	9.90 3.40 - 13.30	2.299 0.590 - 3.829	9.66	10.10	10.54	99
15+18+18+60	1.38	1.65	1.65	5.51	-	10.20 3.40 - 13.30	2.449 0.590 - 3.829	10.29	10.76	11.23	99
15+18+18+71	1.28	1.53	1.53	6.05	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+20+20	2.03	2.44	2.71	2.71	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+18+20+22	1.94	2.33	2.59	2.85	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+18+20+25	1.88	2.26	2.51	3.14	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+35	1.67	2.00	2.23	3.90	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+42	1.55	1.86	2.06	4.33	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+18+20+50	1.44	1.73	1.92	4.81	-	9.90 3.40 - 13.30	2.336 0.590 - 3.836	9.81	10.26	10.71	99
15+18+20+60	1.34	1.61	1.79	5.36	-	10.10 3.40 - 13.30	2.486 0.590 - 3.836	10.45	10.92	11.39	99
15+18+20+71	1.25	1.50	1.66	5.90	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+18+22+22	1.91	2.29	2.80	2.80	-	9.80 3.40 - 13.30	2.283 0.590 - 3.823	9.59	10.03	10.47	99
15+18+22+25	1.86	2.23	2.72	3.09	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+35	1.65	1.98	2.42	3.85	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+42	1.53	1.84	2.25	4.29	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+22+50	1.43	1.71	2.10	4.76	-	10.00 3.40 - 13.30	2.359 0.590 - 3.829	9.91	10.36	10.81	99
15+18+22+60	1.34	1.61	1.97	5.37	-	10.30 3.40 - 13.30	2.509 0.590 - 3.829	10.54	11.02	11.50	99
15+18+22+71	1.24	1.49	1.82	5.86	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+25+25	1.79	2.15	2.98	2.98	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+18+25+35	1.60	1.92	2.66	3.73	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+25+42	1.49	1.78	2.48	4.16	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+18+25+50	1.40	1.68	2.34	4.68	-	10.10 3.40 - 13.30	2.409 0.590 - 3.829	10.12	10.58	11.04	99
15+18+25+60	1.32	1.59	2.20	5.29	-	10.40 3.40 - 13.30	2.549 0.590 - 3.829	10.70	11.19	11.68	99
15+18+25+71	1.21	1.45	2.02	5.72	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+35+35	1.46	1.75	3.40	3.40	-	10.00 3.40 - 13.30	2.316 0.590 - 3.816	9.73	10.17	10.61	99
15+18+35+42	1.39	1.67	3.25	3.89	-	10.20 3.40 - 13.30	2.445 0.590 - 3.835	10.27	10.74	11.21	99
15+18+35+50	1.32	1.59	3.08	4.41	-	10.40 3.40 - 13.30	2.549 0.590 - 3.829	10.70	11.19	11.68	99
15+18+35+60	1.22	1.46	2.84	4.88	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+18+35+71	1.12	1.35	2.62	5.31	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+18+42+42	1.32	1.58	3.70	3.70	-	10.30 3.40 - 13.30	2.526 0.590 - 3.816	10.61	11.09	11.57	99
15+18+42+50	1.25	1.50	3.49	4.16	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+42+60	1.16	1.39	3.24	4.62	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+42+71	1.07	1.28	2.99	5.06	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+18+50+50	1.17	1.41	3.91	3.91	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+18+50+60	1.09	1.31	3.64	4.36	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+18+50+71	1.01	1.22	3.38	4.79	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+18+60+60	1.02	1.22	4.08	4.08	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+60+71	0.95	1.14	3.80	4.50	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99
15+20+20+20	1.98	2.64	2.64	2.64	-	9.90 3.40 - 13.30	2.253 0.590 - 3.793	9.46	9.89	10.32	99
15+20+20+22	1.87	2.49	2.49	2.74	-	9.60 3.40 - 13.30	2.316 0.590 - 3.856	9.73	10.17	10.61	99
15+20+20+25	1.82	2.43	2.43	3.03	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+35	1.62	2.16	2.16	3.77	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+42	1.50	2.00	2.00	4.20	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	9.70	10.14	10.58	99
15+20+20+50	1.40	1.87	1.87	4.67	-	9.80 3.40 - 13.30	2.373 0.590 - 3.843	9.97	10.42	10.87	99
15+20+20+60	1.32	1.76	1.76	5.27	-	10.10 3.40 - 13.30	2.523 0.590 - 3.843	10.60	11.08	11.56	99
15+20+20+71	1.21	1.62	1.62	5.75	-	10.20 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
15+20+22+22	1.84	2.46	2.70	2.70	-	9.70 3.40 - 13.30	2.290 0.590 - 3.830	9.62	10.06	10.50	99
15+20+22+25	1.79	2.39	2.63	2.99	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+35	1.60	2.13	2.34	3.73	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+42	1.48	1.98	2.18	4.16	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+22+50	1.40	1.87	2.06	4.67	-	10.00 3.40 - 13.30	2.396 0.590 - 3.836	10.06	10.52	10.98	99
15+20+22+60	1.31	1.74	1.92	5.23	-	10.20 3.40 - 13.30	2.546 0.590 - 3.836	10.69	11.18	11.67	99
15+20+22+71	1.21	1.61	1.77	5.71	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+25+25	1.73	2.31	2.88	2.88	-	9.80 3.40 - 13.30	2.283 0.590 - 3.823	9.59	10.03	10.47	99
15+20+25+35	1.55	2.06	2.58	3.61	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	9.67	10.11	10.55	99
15+20+25+50	1.38	1.84	2.30	4.59	-	10.10 3.40 - 13.30	2.452 0.590 - 3.842	10.30	10.77	11.24	99
15+20+25+60	1.29	1.72	2.15	5.15	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+25+71	1.18	1.57	1.97	5.58	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+35+35	1.41	1.89	3.30	3.30	-	9.90 3.40 - 13.30	2.353 0.590 - 3.823	9.88	10.33	10.78	99
15+20+35+42	1.35	1.80	3.16	3.79	-	10.10 3.40 - 13.30	2.472 0.590 - 3.842	10.39	10.86	11.33	99
15+20+35+50	1.29	1.72	3.00	4.29	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+35+60	1.19	1.58	2.77	4.75	-	10.30 3.40 - 13.30	2.586 0.590 - 3.836	10.87	11.36	11.85	99
15+20+35+71	1.10	1.46	2.56	5.19	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	10.79	11.28	11.77	99
15+20+42+42	1.30	1.73	3.64	3.64	-	10.30 3.40 - 13.30	2.563 0.590 - 3.823	10.77	11.26	11.75	99
15+20+42+50	1.22	1.62	3.41	4.06	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+42+60	1.13	1.50	3.16	4.51	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+42+71	1.04	1.39	2.92	4.94	-	10.30 3.40 - 13.30	2.563 0.590 - 3.813	10.77	11.26	11.75	99
15+20+50+50	1.14	1.53	3.81	3.81	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+20+50+60	1.07	1.42	3.55	4.26	-	10.30 3.40 - 13.30	2.580 0.590 - 3.830	10.84	11.33	11.82	99
15+20+50+71	0.99	1.32	3.30	4.69	-	10.30 3.40 - 13.30	2.563 0.590 - 3.813	10.77	11.26	11.75	99
15+20+60+60	1.00	1.33	3.99	3.99	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
15+20+60+71	0.93	1.24	3.72	4.41	-	10.30 3.50 - 13.30	2.546 0.590 - 3.796	10.69	11.18	11.67	99
15+22+22+22	1.81	2.66	2.66	2.66	-	9.80 3.40 - 13.30	2.260 0.590 - 3.800	9.50	9.93	10.36	99
15+22+22+25	1.77	2.59	2.59	2.95	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+22+35	1.58	2.32	2.32	3.69	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+22+42	1.47	2.16	2.16	4.12	-	9.90 3.40 - 13.30	2.305 0.590 - 3.835	9.68	10.12	10.56	99
15+22+22+50	1.39	2.04	2.04	4.63	-	10.10 3.40 - 13.30	2.419 0.590 - 3.829	10.16	10.62	11.08	99
15+22+22+60	1.31	1.92	1.92	5.24	-	10.40 3.40 - 13.30	2.569 0.590 - 3.829	10.79	11.28	11.77	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+22+71	1.20	1.76	1.76	5.68	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+25+25	1.71	2.50	2.84	2.84	-	9.90 3.40 - 13.30	2.276 0.590 - 3.816	9.57	10.00	10.43	99
15+22+25+35	1.53	2.25	2.55	3.57	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+22+25+42	1.44	2.12	2.40	4.04	-	10.00 3.40 - 13.30	2.355 0.590 - 3.835	9.89	10.34	10.79	99
15+22+25+50	1.37	2.00	2.28	4.55	-	10.20 3.40 - 13.30	2.459 0.590 - 3.829	10.33	10.80	11.27	99
15+22+25+60	1.28	1.88	2.13	5.11	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+25+71	1.17	1.72	1.95	5.55	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+35+35	1.42	2.08	3.30	3.30	-	10.10 3.40 - 13.30	2.376 0.590 - 3.816	9.98	10.43	10.88	99
15+22+35+42	1.36	1.99	3.16	3.79	-	10.30 3.40 - 13.30	2.495 0.590 - 3.835	10.48	10.96	11.44	99
15+22+35+50	1.28	1.88	2.98	4.26	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+35+60	1.18	1.73	2.76	4.73	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+22+35+71	1.09	1.60	2.55	5.16	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+22+42+42	1.29	1.89	3.61	3.61	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	10.78	11.27	11.76	99
15+22+42+50	1.21	1.77	3.39	4.03	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+42+60	1.12	1.65	3.14	4.49	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+42+71	1.04	1.53	2.91	4.92	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+22+50+50	1.14	1.67	3.80	3.80	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+22+50+60	1.06	1.56	3.54	4.24	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+22+50+71	0.99	1.45	3.29	4.67	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+22+60+60	0.99	1.46	3.97	3.97	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+22+60+71	0.93	1.36	3.71	4.40	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99
15+25+25+25	1.65	2.75	2.75	2.75	-	9.90 3.40 - 13.30	2.253 0.590 - 3.793	9.46	9.89	10.32	99
15+25+25+35	1.49	2.48	2.48	3.47	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	9.64	10.08	10.52	99
15+25+25+42	1.42	2.36	2.36	3.96	-	10.10 3.40 - 13.30	2.395 0.590 - 3.835	10.06	10.52	10.98	99
15+25+25+50	1.34	2.24	2.24	4.48	-	10.30 3.40 - 13.30	2.509 0.590 - 3.829	10.54	11.02	11.50	99
15+25+25+60	1.25	2.08	2.08	4.99	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+25+71	1.15	1.91	1.91	5.43	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+25+35+35	1.39	2.32	3.25	3.25	-	10.20 3.40 - 13.30	2.426 0.590 - 3.816	10.19	10.65	11.11	99
15+25+35+42	1.32	2.20	3.08	3.70	-	10.30 3.40 - 13.30	2.545 0.590 - 3.835	10.69	11.18	11.67	99
15+25+35+50	1.25	2.08	2.91	4.16	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+35+60	1.16	1.93	2.70	4.62	-	10.40 3.40 - 13.30	2.579 0.590 - 3.829	10.84	11.33	11.82	99
15+25+35+71	1.07	1.78	2.49	5.06	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	10.76	11.25	11.74	99
15+25+42+42	1.26	2.10	3.52	3.52	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	10.78	11.27	11.76	99
15+25+42+50	1.18	1.97	3.31	3.94	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+42+60	1.10	1.83	3.08	4.39	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+42+71	1.02	1.70	2.85	4.83	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+25+50+50	1.11	1.86	3.71	3.71	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+25+50+60	1.04	1.73	3.47	4.16	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	10.81	11.30	11.79	99
15+25+50+71	0.97	1.61	3.23	4.59	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	10.74	11.23	11.72	99
15+25+60+60	0.98	1.63	3.90	3.90	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
15+25+60+71	0.91	1.52	3.65	4.32	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	10.67	11.15	11.63	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+35+35+35	1.30	3.03	3.03	3.03	-	10.40 3.40 - 13.30	2.543 - 3.793	10.68	11.17	11.66	99
15+35+35+42	1.23	2.87	2.87	3.44	-	10.40 3.40 - 13.30	2.585 - 3.835	10.86	11.35	11.84	99
15+35+35+50	1.16	2.70	2.70	3.85	-	10.40 3.40 - 13.30	2.579 - 3.829	10.84	11.33	11.82	99
15+35+35+60	1.08	2.51	2.51	4.30	-	10.40 3.40 - 13.30	2.579 - 3.829	10.84	11.33	11.82	99
15+35+35+71	1.00	2.33	2.33	4.73	-	10.40 3.40 - 13.30	2.562 - 3.812	10.76	11.25	11.74	99
15+35+42+42	1.16	2.72	3.26	3.26	-	10.40 3.40 - 13.30	2.566 - 3.816	10.78	11.27	11.76	99
15+35+42+50	1.10	2.56	3.08	3.66	-	10.40 3.40 - 13.30	2.573 - 3.823	10.81	11.30	11.79	99
15+35+42+60	1.03	2.39	2.87	4.11	-	10.40 3.40 - 13.30	2.573 - 3.823	10.81	11.30	11.79	99
15+35+42+71	0.96	2.23	2.68	4.53	-	10.40 3.50 - 13.30	2.556 - 3.806	10.74	11.23	11.72	99
15+35+50+50	1.04	2.43	3.47	3.47	-	10.40 3.40 - 13.30	2.560 - 3.810	10.75	11.24	11.73	99
15+35+50+60	0.98	2.28	3.25	3.90	-	10.40 3.50 - 13.30	2.573 - 3.823	10.81	11.30	11.79	99
15+35+50+71	0.91	2.13	3.04	4.32	-	10.40 3.50 - 13.30	2.556 - 3.806	10.74	11.23	11.72	99
15+35+60+60	0.92	2.14	3.67	3.67	-	10.40 3.50 - 13.30	2.560 - 3.810	10.75	11.24	11.73	99
15+42+42+42	1.11	3.10	3.10	3.10	-	10.40 3.40 - 13.30	2.539 - 3.789	10.67	11.15	11.63	99
15+42+42+50	1.05	2.93	2.93	3.49	-	10.40 3.40 - 13.30	2.567 - 3.817	10.78	11.27	11.76	99
15+42+42+60	0.98	2.75	2.75	3.92	-	10.40 3.50 - 13.30	2.567 - 3.817	10.78	11.27	11.76	99
15+42+42+71	0.92	2.57	2.57	4.34	-	10.40 3.50 - 13.30	2.550 - 3.800	10.71	11.20	11.69	99
15+42+50+50	0.99	2.78	3.31	3.31	-	10.40 3.50 - 13.30	2.554 - 3.804	10.73	11.22	11.71	99
15+42+50+60	0.93	2.62	3.11	3.74	-	10.40 3.50 - 13.30	2.567 - 3.817	10.78	11.27	11.76	99
15+50+50+50	0.95	3.15	3.15	3.15	-	10.40 3.50 - 13.30	2.550 - 3.800	10.71	11.20	11.69	99
18+18+18+18	2.48	2.48	2.48	2.48	-	9.90 3.40 - 13.30	2.277 - 3.817	9.57	10.00	10.43	99
18+18+18+20	2.43	2.43	2.43	2.70	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+18+22	2.34	2.34	2.34	2.87	-	9.90 3.40 - 13.30	2.293 - 3.833	9.63	10.07	10.51	99
18+18+18+25	2.28	2.28	2.28	3.16	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+18+35	2.02	2.02	2.02	3.93	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+18+42	1.88	1.88	1.88	4.38	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+18+50	1.75	1.75	1.75	4.86	-	10.10 3.40 - 13.30	2.340 - 3.820	9.83	10.28	10.73	99
18+18+18+60	1.64	1.64	1.64	5.47	-	10.40 3.40 - 13.30	2.480 - 3.820	10.42	10.89	11.36	99
18+18+18+71	1.51	1.51	1.51	5.96	-	10.50 3.40 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
18+18+20+20	2.37	2.37	2.63	2.63	-	10.00 3.40 - 13.30	2.267 - 3.807	9.53	9.96	10.39	99
18+18+20+22	2.26	2.26	2.51	2.76	-	9.80 3.40 - 13.30	2.300 - 3.840	9.66	10.10	10.54	99
18+18+20+25	2.20	2.20	2.44	3.06	-	9.90 3.40 - 13.30	2.293 - 3.833	9.63	10.07	10.51	99
18+18+20+35	1.96	1.96	2.18	3.81	-	9.90 3.40 - 13.30	2.293 - 3.833	9.63	10.07	10.51	99
18+18+20+42	1.82	1.82	2.02	4.24	-	9.90 3.40 - 13.30	2.293 - 3.833	9.63	10.07	10.51	99
18+18+20+50	1.72	1.72	1.91	4.76	-	10.10 3.40 - 13.30	2.377 - 3.827	9.99	10.44	10.89	99
18+18+20+60	1.60	1.60	1.78	5.33	-	10.30 3.40 - 13.30	2.517 - 3.827	10.57	11.05	11.53	99
18+18+20+71	1.47	1.47	1.64	5.81	-	10.40 3.40 - 13.30	2.560 - 3.810	10.75	11.24	11.73	99
18+18+22+22	2.23	2.23	2.72	2.72	-	9.90 3.40 - 13.30	2.274 - 3.814	9.56	9.99	10.42	99
18+18+22+25	2.17	2.17	2.65	3.01	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+22+35	1.94	1.94	2.37	3.76	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+18+22+42	1.80	1.80	2.20	4.20	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+50	1.70	1.70	2.08	4.72	-	10.20 3.40 - 13.30	2.400 0.590 - 3.820	10.08	10.54	11.00	99
18+18+22+60	1.60	1.60	1.96	5.34	-	10.50 3.40 - 13.30	2.540 0.590 - 3.820	10.67	11.16	11.65	99
18+18+22+71	1.47	1.47	1.79	5.78	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+25+25	2.09	2.09	2.91	2.91	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
18+18+25+35	1.88	1.88	2.60	3.65	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
18+18+25+42	1.77	1.77	2.45	4.12	-	10.10 3.40 - 13.30	2.326 0.590 - 3.826	9.78	10.22	10.66	99
18+18+25+50	1.67	1.67	2.32	4.64	-	10.30 3.40 - 13.30	2.440 0.590 - 3.820	10.25	10.72	11.19	99
18+18+25+60	1.56	1.56	2.17	5.21	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+25+71	1.43	1.43	1.99	5.65	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+35+35	1.73	1.73	3.37	3.37	-	10.20 3.40 - 13.30	2.357 0.590 - 3.807	9.90	10.35	10.80	99
18+18+35+42	1.64	1.64	3.19	3.83	-	10.30 3.40 - 13.30	2.476 0.590 - 3.826	10.40	10.87	11.34	99
18+18+35+50	1.56	1.56	3.04	4.34	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+35+60	1.44	1.44	2.81	4.81	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+18+35+71	1.33	1.33	2.59	5.25	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+18+42+42	1.58	1.58	3.68	3.68	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+18+42+50	1.48	1.48	3.45	4.10	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+42+60	1.37	1.37	3.20	4.57	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+42+71	1.27	1.27	2.96	5.00	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+18+50+50	1.39	1.39	3.86	3.86	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+18+50+60	1.29	1.29	3.60	4.32	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+18+50+71	1.20	1.20	3.34	4.75	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+18+60+60	1.21	1.21	4.04	4.04	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+18+60+71	1.13	1.13	3.77	4.46	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+20+20+20	2.31	2.56	2.56	2.56	-	10.00 3.40 - 13.30	2.244 0.590 - 3.784	9.43	9.86	10.29	99
18+20+20+22	2.18	2.43	2.43	2.67	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
18+20+20+25	2.13	2.36	2.36	2.95	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+35	1.90	2.11	2.11	3.69	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+42	1.76	1.96	1.96	4.12	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
18+20+20+50	1.67	1.85	1.85	4.63	-	10.00 3.40 - 13.30	2.414 0.590 - 3.834	10.14	10.60	11.06	99
18+20+20+60	1.57	1.75	1.75	5.24	-	10.30 3.40 - 13.30	2.554 0.590 - 3.834	10.73	11.22	11.71	99
18+20+20+71	1.44	1.60	1.60	5.67	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
18+20+22+22	2.15	2.39	2.63	2.63	-	9.80 3.40 - 13.30	2.281 0.590 - 3.821	9.58	10.02	10.46	99
18+20+22+25	2.10	2.33	2.56	2.91	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+22+35	1.88	2.08	2.29	3.65	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+22+50	1.67	1.85	2.04	4.64	-	10.20 3.40 - 13.30	2.443 0.590 - 3.833	10.26	10.73	11.20	99
18+20+22+60	1.56	1.73	1.91	5.20	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
18+20+22+71	1.43	1.59	1.75	5.64	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
18+20+25+25	2.03	2.25	2.81	2.81	-	9.90 3.40 - 13.30	2.274 0.590 - 3.814	9.56	9.99	10.42	99
18+20+25+35	1.82	2.02	2.53	3.54	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
18+20+25+42	1.71	1.90	2.38	4.00	-	10.00 3.40 - 13.30	2.363 0.590 - 3.833	9.93	10.38	10.83	99
18+20+25+50	1.62	1.81	2.26	4.51	-	10.20 3.40 - 13.30	2.477 0.590 - 3.827	10.41	10.88	11.35	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+25+60	1.52	1.69	2.11	5.07	-	10.40 3.40 - 13.30	2.577 - 3.827	10.83	11.32	11.81	99
18+20+25+71	1.40	1.55	1.94	5.51	-	10.40 3.40 - 13.30	2.560 - 3.810	10.75	11.24	11.73	99
18+20+35+35	1.68	1.87	3.27	3.27	-	10.10 3.40 - 13.30	2.394 - 3.814	10.05	10.51	10.97	99
18+20+35+42	1.61	1.79	3.13	3.76	-	10.30 3.40 - 13.30	2.513 - 3.833	10.56	11.04	11.52	99
18+20+35+50	1.52	1.69	2.96	4.23	-	10.40 3.40 - 13.30	2.577 - 3.827	10.83	11.32	11.81	99
18+20+35+60	1.41	1.56	2.74	4.69	-	10.40 3.40 - 13.30	2.577 - 3.827	10.83	11.32	11.81	99
18+20+35+71	1.30	1.44	2.53	5.13	-	10.40 3.40 - 13.30	2.560 - 3.810	10.75	11.24	11.73	99
18+20+42+42	1.53	1.70	3.58	3.58	-	10.40 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
18+20+42+50	1.44	1.60	3.36	4.00	-	10.40 3.40 - 13.30	2.571 - 3.821	10.80	11.29	11.78	99
18+20+42+60	1.34	1.49	3.12	4.46	-	10.40 3.40 - 13.30	2.571 - 3.821	10.80	11.29	11.78	99
18+20+42+71	1.24	1.38	2.89	4.89	-	10.40 3.40 - 13.30	2.554 - 3.804	10.73	11.22	11.71	99
18+20+50+50	1.36	1.51	3.77	3.77	-	10.40 3.40 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
18+20+50+60	1.26	1.41	3.51	4.22	-	10.40 3.40 - 13.30	2.571 - 3.821	10.80	11.29	11.78	99
18+20+50+71	1.18	1.31	3.27	4.64	-	10.40 3.50 - 13.30	2.554 - 3.804	10.73	11.22	11.71	99
18+20+60+60	1.18	1.32	3.95	3.95	-	10.40 3.50 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
18+20+60+71	1.11	1.23	3.69	4.37	-	10.40 3.50 - 13.30	2.537 - 3.787	10.66	11.14	11.62	99
18+22+22+22	2.12	2.59	2.59	2.59	-	9.90 3.40 - 13.30	2.251 - 3.791	9.46	9.89	10.32	99
18+22+22+25	2.07	2.53	2.53	2.87	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+22+22+35	1.86	2.27	2.27	3.61	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+22+22+42	1.75	2.14	2.14	4.08	-	10.10 3.40 - 13.30	2.346 - 3.826	9.85	10.30	10.75	99
18+22+22+50	1.66	2.02	2.02	4.60	-	10.30 3.40 - 13.30	2.450 - 3.820	10.29	10.76	11.23	99
18+22+22+60	1.55	1.89	1.89	5.16	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
18+22+22+71	1.42	1.74	1.74	5.61	-	10.50 3.40 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
18+22+25+25	2.00	2.44	2.78	2.78	-	10.00 3.40 - 13.30	2.267 - 3.807	9.53	9.96	10.39	99
18+22+25+35	1.80	2.20	2.50	3.50	-	10.00 3.40 - 13.30	2.286 - 3.826	9.60	10.04	10.48	99
18+22+25+42	1.72	2.10	2.38	4.00	-	10.20 3.40 - 13.30	2.386 - 3.826	10.02	10.48	10.94	99
18+22+25+50	1.63	1.99	2.26	4.52	-	10.40 3.40 - 13.30	2.500 - 3.820	10.50	10.98	11.46	99
18+22+25+60	1.51	1.85	2.10	5.04	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
18+22+25+71	1.39	1.70	1.93	5.48	-	10.50 3.40 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
18+22+35+35	1.69	2.06	3.28	3.28	-	10.30 3.40 - 13.30	2.417 - 3.807	10.15	10.61	11.07	99
18+22+35+42	1.60	1.96	3.11	3.73	-	10.40 3.40 - 13.30	2.536 - 3.826	10.66	11.14	11.62	99
18+22+35+50	1.51	1.85	2.94	4.20	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
18+22+35+60	1.40	1.71	2.72	4.67	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
18+22+35+71	1.29	1.58	2.52	5.11	-	10.50 3.40 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
18+22+42+42	1.52	1.86	3.56	3.56	-	10.50 3.40 - 13.30	2.557 - 3.807	10.74	11.23	11.72	99
18+22+42+50	1.43	1.75	3.34	3.98	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
18+22+42+60	1.33	1.63	3.11	4.44	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
18+22+42+71	1.24	1.51	2.88	4.87	-	10.50 3.40 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
18+22+50+50	1.35	1.65	3.75	3.75	-	10.50 3.40 - 13.30	2.551 - 3.801	10.71	11.20	11.69	99
18+22+50+60	1.26	1.54	3.50	4.20	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
18+22+50+71	1.17	1.43	3.26	4.63	-	10.50 3.50 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+60+60	1.18	1.44	3.94	3.94	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+22+60+71	1.11	1.35	3.68	4.36	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+25+25+25	1.94	2.69	2.69	2.69	-	10.00 3.40 - 13.30	2.244 0.590 - 3.784	9.43	9.86	10.29	99
18+25+25+35	1.77	2.45	2.45	3.43	-	10.10 3.40 - 13.30	2.326 0.590 - 3.826	9.78	10.22	10.66	99
18+25+25+42	1.69	2.34	2.34	3.93	-	10.30 3.40 - 13.30	2.436 0.590 - 3.826	10.23	10.70	11.17	99
18+25+25+50	1.60	2.22	2.22	4.45	-	10.50 3.40 - 13.30	2.540 0.590 - 3.820	10.67	11.16	11.65	99
18+25+25+60	1.48	2.05	2.05	4.92	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+25+71	1.36	1.89	1.89	5.36	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+25+35+35	1.64	2.28	3.19	3.19	-	10.30 3.40 - 13.30	2.457 0.590 - 3.807	10.32	10.79	11.26	99
18+25+35+42	1.58	2.19	3.06	3.68	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
18+25+35+50	1.48	2.05	2.87	4.10	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+35+60	1.37	1.90	2.66	4.57	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+25+35+71	1.27	1.76	2.47	5.00	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+25+42+42	1.49	2.07	3.47	3.47	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+25+42+50	1.40	1.94	3.27	3.89	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+42+60	1.30	1.81	3.04	4.34	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+42+71	1.21	1.68	2.83	4.78	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+25+50+50	1.32	1.84	3.67	3.67	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+25+50+60	1.24	1.72	3.43	4.12	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+25+50+71	1.15	1.60	3.20	4.55	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+25+60+60	1.16	1.61	3.87	3.87	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+35+35+35	1.54	2.99	2.99	2.99	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
18+35+35+42	1.45	2.83	2.83	3.39	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
18+35+35+50	1.37	2.66	2.66	3.80	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+35+35+60	1.28	2.48	2.48	4.26	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
18+35+35+71	1.19	2.31	2.31	4.69	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
18+35+42+42	1.38	2.68	3.22	3.22	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
18+35+42+50	1.30	2.53	3.04	3.62	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+35+42+60	1.22	2.37	2.85	4.06	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+35+42+71	1.14	2.21	2.66	4.49	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+35+50+50	1.24	2.40	3.43	3.43	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
18+35+50+60	1.16	2.25	3.22	3.87	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
18+42+42+42	1.31	3.06	3.06	3.06	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
18+42+42+50	1.24	2.90	2.90	3.45	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+42+42+60	1.17	2.72	2.72	3.89	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+42+50+50	1.18	2.76	3.28	3.28	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
18+42+50+60	1.11	2.59	3.09	3.71	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
18+50+50+50	1.13	3.13	3.13	3.13	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
20+20+20+20	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	9.53	9.96	10.39	99
20+20+20+22	2.34	2.34	2.34	2.58	-	9.60 3.40 - 13.30	2.314 0.590 - 3.854	9.72	10.16	10.60	99
20+20+20+25	2.28	2.28	2.28	2.85	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+35	2.04	2.04	2.04	3.57	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	9.69	10.13	10.57	99
20+20+20+50	1.82	1.82	1.82	4.55	-	10.00 3.40 - 13.30	2.457 0.590 - 3.847	10.32	10.79	11.26	99
20+20+20+60	1.70	1.70	1.70	5.10	-	10.20 3.40 - 13.30	2.591 0.590 - 3.841	10.89	11.38	11.87	99
20+20+20+71	1.56	1.56	1.56	5.53	-	10.20 3.40 - 13.30	2.574 0.590 - 3.824	10.81	11.30	11.79	99
20+20+22+22	2.31	2.31	2.54	2.54	-	9.70 3.40 - 13.30	2.288 0.590 - 3.828	9.61	10.05	10.49	99
20+20+22+25	2.25	2.25	2.48	2.82	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+22+35	2.02	2.02	2.22	3.54	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+22+42	1.90	1.90	2.09	4.00	-	9.90 3.40 - 13.30	2.360 0.590 - 3.840	9.91	10.36	10.81	99
20+20+22+50	1.80	1.80	1.98	4.51	-	10.10 3.40 - 13.30	2.464 0.590 - 3.834	10.35	10.82	11.29	99
20+20+22+60	1.69	1.69	1.86	5.07	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+22+71	1.55	1.55	1.70	5.50	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+25+25	2.18	2.18	2.72	2.72	-	9.80 3.40 - 13.30	2.281 0.590 - 3.821	9.58	10.02	10.46	99
20+20+25+35	1.96	1.96	2.45	3.43	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	9.66	10.10	10.54	99
20+20+25+42	1.87	1.87	2.34	3.93	-	10.00 3.40 - 13.30	2.400 0.590 - 3.840	10.08	10.54	11.00	99
20+20+25+50	1.77	1.77	2.22	4.43	-	10.20 3.40 - 13.30	2.514 0.590 - 3.834	10.56	11.04	11.52	99
20+20+25+60	1.65	1.65	2.06	4.94	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+25+71	1.51	1.51	1.89	5.38	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+35+35	1.84	1.84	3.21	3.21	-	10.10 3.40 - 13.30	2.431 0.590 - 3.821	10.22	10.68	11.14	99
20+20+35+42	1.74	1.74	3.05	3.66	-	10.20 3.40 - 13.30	2.550 0.590 - 3.840	10.71	11.20	11.69	99
20+20+35+50	1.65	1.65	2.88	4.12	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+35+60	1.53	1.53	2.67	4.58	-	10.30 3.40 - 13.30	2.584 0.590 - 3.834	10.86	11.35	11.84	99
20+20+35+71	1.41	1.41	2.47	5.01	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	10.78	11.27	11.76	99
20+20+42+42	1.66	1.66	3.49	3.49	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+20+42+50	1.56	1.56	3.28	3.90	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+42+60	1.45	1.45	3.05	4.35	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+42+71	1.35	1.35	2.83	4.78	-	10.30 3.40 - 13.30	2.561 0.590 - 3.811	10.76	11.25	11.74	99
20+20+50+50	1.47	1.47	3.68	3.68	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+20+50+60	1.37	1.37	3.43	4.12	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	10.83	11.32	11.81	99
20+20+50+71	1.28	1.28	3.20	4.54	-	10.30 3.50 - 13.30	2.561 0.590 - 3.811	10.76	11.25	11.74	99
20+20+60+60	1.29	1.29	3.86	3.86	-	10.30 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+20+60+71	1.20	1.20	3.61	4.28	-	10.30 3.50 - 13.30	2.544 0.590 - 3.794	10.68	11.17	11.66	99
20+22+22+22	2.28	2.51	2.51	2.51	-	9.80 3.40 - 13.30	2.258 0.590 - 3.798	9.49	9.92	10.35	99
20+22+22+25	2.22	2.45	2.45	2.78	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
20+22+22+35	2.00	2.20	2.20	3.50	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	9.63	10.07	10.51	99
20+22+22+42	1.91	2.10	2.10	4.00	-	10.10 3.40 - 13.30	2.383 0.590 - 3.833	10.01	10.47	10.93	99
20+22+22+50	1.81	1.99	1.99	4.52	-	10.30 3.40 - 13.30	2.487 0.590 - 3.827	10.45	10.92	11.39	99
20+22+22+60	1.68	1.85	1.85	5.03	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+22+71	1.54	1.69	1.69	5.47	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+25+25	2.15	2.37	2.69	2.69	-	9.90 3.40 - 13.30	2.274 0.590 - 3.814	9.56	9.99	10.42	99
20+22+25+42	1.85	2.04	2.32	3.89	-	10.10 3.40 - 13.30	2.423 0.590 - 3.833	10.18	10.64	11.10	99
20+22+25+50	1.76	1.94	2.20	4.40	-	10.30 3.40 - 13.30	2.537 0.590 - 3.827	10.66	11.14	11.62	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+25+60	1.64	1.80	2.05	4.91	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+25+71	1.51	1.66	1.88	5.35	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+35+35	1.82	2.00	3.19	3.19	-	10.20 3.40 - 13.30	2.444 0.590 - 3.814	10.26	10.73	11.20	99
20+22+35+42	1.75	1.92	3.06	3.67	-	10.40 3.40 - 13.30	2.573 0.590 - 3.833	10.81	11.30	11.79	99
20+22+35+50	1.64	1.80	2.87	4.09	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+35+60	1.52	1.67	2.66	4.55	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+22+35+71	1.41	1.55	2.46	4.99	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+22+42+42	1.65	1.82	3.47	3.47	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+22+42+50	1.55	1.71	3.26	3.88	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+42+60	1.44	1.59	3.03	4.33	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+42+71	1.34	1.48	2.82	4.76	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+22+50+50	1.46	1.61	3.66	3.66	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+22+50+60	1.37	1.51	3.42	4.11	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+22+50+71	1.28	1.40	3.19	4.53	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+22+60+60	1.28	1.41	3.85	3.85	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+25+25+25	2.08	2.61	2.61	2.61	-	9.90 3.40 - 13.30	2.247 0.590 - 3.787	9.44	9.87	10.30	99
20+25+25+35	1.90	2.38	2.38	3.33	-	10.00 3.40 - 13.30	2.363 0.590 - 3.833	9.93	10.38	10.83	99
20+25+25+42	1.82	2.28	2.28	3.83	-	10.20 3.40 - 13.30	2.463 0.590 - 3.833	10.35	10.82	11.29	99
20+25+25+50	1.73	2.17	2.17	4.33	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+25+60	1.60	2.00	2.00	4.80	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+25+71	1.48	1.84	1.84	5.24	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+25+35+35	1.79	2.24	3.13	3.13	-	10.30 3.40 - 13.30	2.494 0.590 - 3.814	10.47	10.95	11.43	99
20+25+35+42	1.70	2.13	2.98	3.58	-	10.40 3.40 - 13.30	2.583 0.590 - 3.833	10.85	11.34	11.83	99
20+25+35+50	1.60	2.00	2.80	4.00	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+35+60	1.49	1.86	2.60	4.46	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+25+35+71	1.38	1.72	2.41	4.89	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+25+42+42	1.61	2.02	3.39	3.39	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+25+42+50	1.52	1.90	3.19	3.80	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+42+60	1.41	1.77	2.97	4.24	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+42+71	1.32	1.65	2.76	4.67	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+25+50+50	1.43	1.79	3.59	3.59	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+25+50+60	1.34	1.68	3.35	4.03	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+25+50+71	1.25	1.57	3.13	4.45	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+25+60+60	1.26	1.58	3.78	3.78	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+35+35+35	1.66	2.91	2.91	2.91	-	10.40 3.40 - 13.30	2.537 0.590 - 3.787	10.66	11.14	11.62	99
20+35+35+42	1.58	2.76	2.76	3.31	-	10.40 3.40 - 13.30	2.583 0.590 - 3.833	10.85	11.34	11.83	99
20+35+35+50	1.49	2.60	2.60	3.71	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+35+35+60	1.39	2.43	2.43	4.16	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	10.83	11.32	11.81	99
20+35+35+71	1.29	2.26	2.26	4.59	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	10.75	11.24	11.73	99
20+35+42+42	1.50	2.62	3.14	3.14	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
20+35+42+50	1.41	2.48	2.97	3.54	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+35+42+60	1.32	2.32	2.78	3.97	-	10.40 3.50 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+35+42+71	1.24	2.17	2.60	4.40	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+35+50+50	1.34	2.35	3.35	3.35	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
20+35+50+60	1.26	2.21	3.15	3.78	-	10.40 3.50 - 13.30	2.571 0.590 - 3.821	10.80	11.29	11.78	99
20+42+42+42	1.42	2.99	2.99	2.99	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	10.73	11.22	11.71	99
20+42+42+50	1.35	2.84	2.84	3.38	-	10.40 3.40 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+42+42+60	1.27	2.66	2.66	3.80	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+42+50+50	1.28	2.70	3.21	3.21	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
20+42+50+60	1.21	2.54	3.02	3.63	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	10.77	11.26	11.75	99
20+50+50+50	1.22	3.06	3.06	3.06	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	10.70	11.19	11.68	99
22+22+22+22	2.48	2.48	2.48	2.48	-	9.90 3.40 - 13.30	2.275 0.590 - 3.815	9.56	9.99	10.42	99
22+22+22+25	2.42	2.42	2.42	2.75	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	9.60	10.04	10.48	99
22+22+22+35	2.18	2.18	2.18	3.47	-	10.00 3.40 - 13.30	2.296 0.590 - 3.826	9.64	10.08	10.52	99
22+22+22+42	2.08	2.08	2.08	3.97	-	10.20 3.40 - 13.30	2.406 0.590 - 3.826	10.11	10.57	11.03	99
22+22+22+50	1.97	1.97	1.97	4.48	-	10.40 3.40 - 13.30	2.510 0.590 - 3.820	10.54	11.02	11.50	99
22+22+22+60	1.83	1.83	1.83	5.00	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+22+71	1.69	1.69	1.69	5.44	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+25+25	2.34	2.34	2.66	2.66	-	10.00 3.40 - 13.30	2.267 0.590 - 3.807	9.53	9.96	10.39	99
22+22+25+35	2.14	2.14	2.43	3.40	-	10.10 3.40 - 13.30	2.346 0.590 - 3.826	9.85	10.30	10.75	99
22+22+25+42	2.04	2.04	2.32	3.90	-	10.30 3.40 - 13.30	2.446 0.590 - 3.826	10.27	10.74	11.21	99
22+22+25+50	1.94	1.94	2.21	4.41	-	10.50 3.40 - 13.30	2.560 0.590 - 3.820	10.75	11.24	11.73	99
22+22+25+60	1.79	1.79	2.03	4.88	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+25+71	1.65	1.65	1.88	5.33	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+35+35	2.01	2.01	3.19	3.19	-	10.40 3.40 - 13.30	2.467 0.590 - 3.807	10.36	10.83	11.30	99
22+22+35+42	1.91	1.91	3.04	3.64	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+22+35+50	1.79	1.79	2.85	4.07	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+35+60	1.66	1.66	2.64	4.53	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+22+35+71	1.54	1.54	2.45	4.97	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+22+42+42	1.80	1.80	3.45	3.45	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+22+42+50	1.70	1.70	3.24	3.86	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+42+60	1.58	1.58	3.02	4.32	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+42+71	1.47	1.47	2.81	4.75	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+22+50+50	1.60	1.60	3.65	3.65	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+22+50+60	1.50	1.50	3.41	4.09	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+22+50+71	1.40	1.40	3.18	4.52	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+22+60+60	1.41	1.41	3.84	3.84	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+25+25+25	2.27	2.58	2.58	2.58	-	10.00 3.40 - 13.30	2.240 0.590 - 3.780	9.41	9.84	10.27	99
22+25+25+35	2.10	2.38	2.38	3.34	-	10.20 3.40 - 13.30	2.386 0.590 - 3.826	10.02	10.48	10.94	99
22+25+25+42	2.01	2.28	2.28	3.83	-	10.40 3.40 - 13.30	2.486 0.590 - 3.826	10.45	10.92	11.39	99
22+25+25+50	1.89	2.15	2.15	4.30	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+25+60	1.75	1.99	1.99	4.77	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+25+25+71	1.62	1.84	1.84	5.21	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+25+35+35	1.96	2.22	3.11	3.11	-	10.40 3.40 - 13.30	2.517 0.590 - 3.807	10.57	11.05	11.53	99
22+25+35+42	1.86	2.12	2.96	3.56	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+25+35+50	1.75	1.99	2.78	3.98	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+35+60	1.63	1.85	2.59	4.44	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+25+35+71	1.51	1.72	2.40	4.87	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+25+42+42	1.76	2.00	3.37	3.37	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+25+42+50	1.66	1.89	3.17	3.78	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+42+60	1.55	1.76	2.96	4.23	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+42+71	1.44	1.64	2.76	4.66	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+25+50+50	1.57	1.79	3.57	3.57	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+25+50+60	1.47	1.67	3.34	4.01	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+25+50+71	1.38	1.56	3.13	4.44	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+25+60+60	1.38	1.57	3.77	3.77	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+35+35+35	1.82	2.89	2.89	2.89	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	10.63	11.11	11.59	99
22+35+35+42	1.72	2.74	2.74	3.29	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
22+35+35+50	1.63	2.59	2.59	3.70	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+35+35+60	1.52	2.42	2.42	4.14	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
22+35+35+71	1.42	2.25	2.25	4.57	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
22+35+42+42	1.64	2.61	3.13	3.13	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
22+35+42+50	1.55	2.47	2.96	3.52	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+35+42+60	1.45	2.31	2.77	3.96	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+35+42+71	1.36	2.16	2.59	4.39	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+35+50+50	1.47	2.34	3.34	3.34	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	10.71	11.20	11.69	99
22+35+50+60	1.38	2.20	3.14	3.77	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	10.77	11.26	11.75	99
22+42+42+42	1.56	2.98	2.98	2.98	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	10.70	11.19	11.68	99
22+42+42+50	1.48	2.83	2.83	3.37	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
22+42+42+60	1.39	2.66	2.66	3.80	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
22+42+50+50	1.41	2.69	3.20	3.20	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	10.67	11.16	11.65	99
22+50+50+50	1.34	3.05	3.05	3.05	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	10.74	11.23	11.72	99
25+25+25+25	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.268 0.590 - 3.808	9.53	9.96	10.39	99
25+25+25+35	2.34	2.34	2.34	3.28	-	10.30 3.40 - 13.30	2.436 0.590 - 3.826	10.23	10.70	11.17	99
25+25+25+42	2.22	2.22	2.22	3.73	-	10.40 3.40 - 13.30	2.536 0.590 - 3.826	10.66	11.14	11.62	99
25+25+25+50	2.10	2.10	2.10	4.20	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+25+60	1.94	1.94	1.94	4.67	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+25+71	1.80	1.80	1.80	5.11	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99
25+25+35+35	2.19	2.19	3.06	3.06	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	10.74	11.23	11.72	99
25+25+35+42	2.07	2.07	2.89	3.47	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	10.82	11.31	11.80	99
25+25+35+50	1.94	1.94	2.72	3.89	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+35+60	1.81	1.81	2.53	4.34	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	10.80	11.29	11.78	99
25+25+35+71	1.68	1.68	2.36	4.78	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	10.72	11.21	11.70	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
25+25+42+42	1.96	1.96	3.29	3.29	-	10.50 3.40 - 13.30	2.557 - 3.807	10.74	11.23	11.72	99
25+25+42+50	1.85	1.85	3.11	3.70	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+25+42+60	1.73	1.73	2.90	4.14	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+25+42+71	1.61	1.61	2.71	4.57	-	10.50 3.50 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
25+25+50+50	1.75	1.75	3.50	3.50	-	10.50 3.40 - 13.30	2.551 - 3.801	10.71	11.20	11.69	99
25+25+50+60	1.64	1.64	3.28	3.94	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+25+50+71	1.54	1.54	3.07	4.36	-	10.50 3.50 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
25+25+60+60	1.54	1.54	3.71	3.71	-	10.50 3.50 - 13.30	2.551 - 3.801	10.71	11.20	11.69	99
25+35+35+35	2.02	2.83	2.83	2.83	-	10.50 3.40 - 13.30	2.530 - 3.780	10.63	11.11	11.59	99
25+35+35+42	1.92	2.68	2.68	3.22	-	10.50 3.40 - 13.30	2.576 - 3.826	10.82	11.31	11.80	99
25+35+35+50	1.81	2.53	2.53	3.62	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
25+35+35+60	1.69	2.37	2.37	4.06	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
25+35+35+71	1.58	2.21	2.21	4.49	-	10.50 3.50 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
25+35+42+42	1.82	2.55	3.06	3.06	-	10.50 3.40 - 13.30	2.557 - 3.807	10.74	11.23	11.72	99
25+35+42+50	1.73	2.42	2.90	3.45	-	10.50 3.40 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+35+42+60	1.62	2.27	2.72	3.89	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+35+50+50	1.64	2.30	3.28	3.28	-	10.50 3.50 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
25+35+50+60	1.54	2.16	3.09	3.71	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
25+42+42+42	1.74	2.92	2.92	2.92	-	10.50 3.40 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
25+42+42+50	1.65	2.77	2.77	3.30	-	10.50 3.50 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
25+42+42+60	1.55	2.61	2.61	3.73	-	10.50 3.50 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
25+42+50+50	1.57	2.64	3.14	3.14	-	10.50 3.50 - 13.30	2.541 - 3.791	10.67	11.16	11.65	99
35+35+35+35	2.63	2.63	2.63	2.63	-	10.50 3.40 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
35+35+35+42	2.50	2.50	2.50	3.00	-	10.50 3.40 - 13.30	2.576 - 3.826	10.82	11.31	11.80	99
35+35+35+50	2.37	2.37	2.37	3.39	-	10.50 3.40 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
35+35+35+60	2.23	2.23	2.23	3.82	-	10.50 3.50 - 13.30	2.570 - 3.820	10.80	11.29	11.78	99
35+35+42+42	2.39	2.39	2.86	2.86	-	10.50 3.40 - 13.30	2.553 - 3.803	10.72	11.21	11.70	99
35+35+42+50	2.27	2.27	2.72	3.24	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
35+35+42+60	2.14	2.14	2.56	3.66	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
35+35+50+50	2.16	2.16	3.09	3.09	-	10.50 3.50 - 13.30	2.547 - 3.797	10.70	11.19	11.68	99
35+42+42+42	2.28	2.74	2.74	2.74	-	10.50 3.50 - 13.30	2.564 - 3.814	10.77	11.26	11.75	99
35+42+42+50	2.17	2.61	2.61	3.11	-	10.50 3.50 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
42+42+42+42	2.63	2.63	2.63	2.63	-	10.50 3.50 - 13.30	2.558 - 3.808	10.74	11.23	11.72	99
15+15+15+15+15	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 13.00	2.182 - 3.902	9.16	9.58	10.00	99
15+15+15+15+18	1.92	1.92	1.92	1.92	2.31	10.00 4.10 - 13.20	2.225 - 3.945	9.35	9.77	10.19	99
15+15+15+15+20	1.89	1.89	1.89	1.89	2.53	10.10 4.10 - 13.33	2.216 - 3.936	9.31	9.73	10.15	99
15+15+15+15+22	1.83	1.83	1.83	1.83	2.68	10.00 4.10 - 13.47	2.223 - 3.943	9.34	9.76	10.18	99
15+15+15+15+25	1.78	1.78	1.78	1.78	2.97	10.10 4.10 - 13.67	2.206 - 3.936	9.27	9.69	10.11	99
15+15+15+15+35	1.59	1.59	1.59	1.59	3.72	10.10 4.10 - 14.00	2.196 - 3.936	9.22	9.64	10.06	99
15+15+15+15+42	1.49	1.49	1.49	1.49	4.16	10.10 4.10 - 14.00	2.186 - 3.936	9.18	9.60	10.02	99
15+15+15+15+50	1.38	1.38	1.38	1.38	4.59	10.10 4.10 - 14.00	2.180 - 3.920	9.15	9.57	9.99	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+15+60	1.26	1.26	1.26	1.26	5.05	10.10 4.10 - 14.00	2.170 0.640 - 3.920	9.12	9.53	9.94	99
15+15+15+15+71	1.16	1.16	1.16	1.16	5.47	10.10 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+15+18+18	1.87	1.87	1.87	2.24	2.24	10.10 4.10 - 13.40	2.197 0.640 - 3.917	9.23	9.65	10.07	99
15+15+15+18+20	1.84	1.84	1.84	2.21	2.46	10.20 4.10 - 13.53	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+18+22	1.78	1.78	1.78	2.14	2.61	10.10 4.10 - 13.67	2.204 0.640 - 3.934	9.26	9.68	10.10	99
15+15+15+18+25	1.74	1.74	1.74	2.09	2.90	10.20 4.10 - 13.87	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+18+35	1.56	1.56	1.56	1.87	3.64	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+18+42	1.46	1.46	1.46	1.75	4.08	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+18+50	1.35	1.35	1.35	1.62	4.51	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+15+15+18+60	1.24	1.24	1.24	1.49	4.98	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+18+71	1.14	1.14	1.14	1.37	5.40	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+20+20	1.80	1.80	1.80	2.40	2.40	10.20 4.10 - 13.67	2.178 0.640 - 3.908	9.15	9.57	9.99	99
15+15+15+20+22	1.72	1.72	1.72	2.30	2.53	10.00 4.10 - 13.80	2.211 0.640 - 3.941	9.29	9.71	10.13	99
15+15+15+20+25	1.68	1.68	1.68	2.24	2.81	10.10 4.10 - 14.00	2.204 0.640 - 3.934	9.26	9.68	10.10	99
15+15+15+20+35	1.52	1.52	1.52	2.02	3.54	10.10 4.10 - 14.00	2.194 0.640 - 3.934	9.22	9.64	10.06	99
15+15+15+20+42	1.42	1.42	1.42	1.89	3.96	10.10 4.10 - 14.00	2.194 0.640 - 3.934	9.22	9.64	10.06	99
15+15+15+20+50	1.32	1.32	1.32	1.76	4.39	10.10 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+15+20+60	1.21	1.21	1.21	1.62	4.85	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
15+15+15+20+71	1.11	1.11	1.11	1.49	5.27	10.10 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+15+15+22+22	1.70	1.70	1.70	2.50	2.50	10.10 4.10 - 13.93	2.185 0.640 - 3.915	9.18	9.60	10.02	99
15+15+15+22+25	1.66	1.66	1.66	2.44	2.77	10.20 4.10 - 14.00	2.197 0.640 - 3.927	9.23	9.65	10.07	99
15+15+15+22+35	1.50	1.50	1.50	2.20	3.50	10.20 4.10 - 14.00	2.177 0.640 - 3.927	9.14	9.56	9.98	99
15+15+15+22+42	1.40	1.40	1.40	2.06	3.93	10.20 4.10 - 14.00	2.177 0.640 - 3.917	9.14	9.56	9.98	99
15+15+15+22+50	1.31	1.31	1.31	1.92	4.36	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+15+15+22+60	1.20	1.20	1.20	1.77	4.82	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+22+71	1.11	1.11	1.11	1.63	5.25	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+25+25	1.61	1.61	1.61	2.68	2.68	10.20 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+15+25+35	1.46	1.46	1.46	2.43	3.40	10.20 4.10 - 14.00	2.187 0.640 - 3.927	9.18	9.60	10.02	99
15+15+15+25+42	1.37	1.37	1.37	2.28	3.83	10.20 4.10 - 14.00	2.177 0.640 - 3.917	9.14	9.56	9.98	99
15+15+15+25+50	1.28	1.28	1.28	2.13	4.25	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+25+60	1.18	1.18	1.18	1.96	4.71	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+25+71	1.09	1.09	1.09	1.81	5.14	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+35+35	1.33	1.33	1.33	3.10	3.10	10.20 4.10 - 14.00	2.158 0.640 - 3.898	9.07	9.48	9.89	99
15+15+15+35+42	1.25	1.25	1.25	2.93	3.51	10.20 4.10 - 14.00	2.167 0.640 - 3.917	9.11	9.52	9.93	99
15+15+15+35+50	1.18	1.18	1.18	2.75	3.92	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+35+60	1.09	1.09	1.09	2.55	4.37	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
15+15+15+35+71	1.01	1.01	1.01	2.36	4.80	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+15+15+42+42	1.19	1.19	1.19	3.32	3.32	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
15+15+15+42+50	1.12	1.12	1.12	3.13	3.72	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+42+60	1.04	1.04	1.04	2.91	4.16	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+42+71	0.97	0.97	0.97	2.71	4.58	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+50+50	1.06	1.06	1.06	3.52	3.52	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+15+50+60	0.99	0.99	0.99	3.29	3.95	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
15+15+15+50+71	0.92	0.92	0.92	3.07	4.36	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+15+15+60+60	0.93	0.93	0.93	3.71	3.71	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+18+18+18	1.82	1.82	2.19	2.19	2.19	10.20 4.10 - 13.60	2.151 0.640 - 3.881	9.04	9.45	9.86	99
15+15+18+18+20	1.80	1.80	2.16	2.16	2.40	10.30 4.10 - 13.73	2.188 0.640 - 3.918	9.19	9.61	10.03	99
15+15+18+18+22	1.74	1.74	2.09	2.09	2.55	10.20 4.10 - 13.87	2.195 0.640 - 3.925	9.22	9.64	10.06	99
15+15+18+18+25	1.70	1.70	2.04	2.04	2.83	10.30 4.10 - 14.00	2.188 0.640 - 3.918	9.19	9.61	10.03	99
15+15+18+18+35	1.53	1.53	1.84	1.84	3.57	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
15+15+18+18+42	1.43	1.43	1.72	1.72	4.01	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+18+50	1.33	1.33	1.60	1.60	4.44	10.30 4.10 - 14.00	2.162 0.640 - 3.902	9.08	9.49	9.90	99
15+15+18+18+60	1.23	1.23	1.47	1.47	4.90	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+18+71	1.13	1.13	1.35	1.35	5.34	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+20+20	1.76	1.76	2.11	2.34	2.34	10.30 4.10 - 13.87	2.169 0.640 - 3.899	9.12	9.53	9.94	99
15+15+18+20+22	1.68	1.68	2.02	2.24	2.47	10.10 4.10 - 14.00	2.202 0.640 - 3.932	9.25	9.67	10.09	99
15+15+18+20+25	1.65	1.65	1.97	2.19	2.74	10.20 4.10 - 14.00	2.195 0.640 - 3.925	9.22	9.64	10.06	99
15+15+18+20+35	1.49	1.49	1.78	1.98	3.47	10.20 4.10 - 14.00	2.175 0.640 - 3.925	9.13	9.55	9.97	99
15+15+18+20+42	1.39	1.39	1.67	1.85	3.89	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+18+20+50	1.30	1.30	1.56	1.73	4.32	10.20 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+15+18+20+60	1.20	1.20	1.43	1.59	4.78	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+18+20+71	1.10	1.10	1.32	1.47	5.21	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+18+22+22	1.66	1.66	2.00	2.44	2.44	10.20 4.10 - 14.00	2.176 0.640 - 3.906	9.14	9.56	9.98	99
15+15+18+22+25	1.63	1.63	1.95	2.39	2.71	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+18+22+35	1.47	1.47	1.77	2.16	3.43	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+18+22+42	1.38	1.38	1.66	2.02	3.86	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+22+50	1.29	1.29	1.55	1.89	4.29	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+22+60	1.19	1.19	1.43	1.74	4.75	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+22+71	1.10	1.10	1.31	1.61	5.19	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+25+25	1.58	1.58	1.89	2.63	2.63	10.30 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+15+18+25+35	1.43	1.43	1.72	2.38	3.34	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+25+42	1.34	1.34	1.61	2.24	3.76	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+18+25+50	1.26	1.26	1.51	2.09	4.19	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+25+60	1.16	1.16	1.39	1.94	4.65	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+25+71	1.07	1.07	1.29	1.79	5.08	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+35+35	1.31	1.31	1.57	3.06	3.06	10.30 4.10 - 14.00	2.149 0.640 - 3.889	9.03	9.44	9.85	99
15+15+18+35+42	1.24	1.24	1.48	2.88	3.46	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+18+35+50	1.16	1.16	1.39	2.71	3.87	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+35+60	1.08	1.08	1.30	2.52	4.32	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+18+35+71	1.00	1.00	1.20	2.34	4.75	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+18+42+42	1.17	1.17	1.40	3.28	3.28	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+18+42+50	1.10	1.10	1.32	3.09	3.68	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42+60	1.03	1.03	1.24	2.88	4.12	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+18+42+71	0.96	0.96	1.15	2.69	4.54	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+18+50+50	1.04	1.04	1.25	3.48	3.48	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+18+50+60	0.98	0.98	1.17	3.26	3.91	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+18+50+71	0.91	0.91	1.10	3.05	4.33	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+18+60+60	0.92	0.92	1.10	3.68	3.68	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+20+20+20	1.72	1.72	2.29	2.29	2.29	10.30 4.10 - 14.00	2.142 0.640 - 3.872	9.00	9.41	9.82	99
15+15+20+20+22	1.63	1.63	2.17	2.17	2.39	10.00 4.10 - 14.00	2.209 0.640 - 3.939	9.28	9.70	10.12	99
15+15+20+20+25	1.59	1.59	2.13	2.13	2.66	10.10 4.10 - 14.00	2.192 0.640 - 3.932	9.21	9.63	10.05	99
15+15+20+20+35	1.44	1.44	1.92	1.92	3.37	10.10 4.10 - 14.00	2.192 0.640 - 3.932	9.21	9.63	10.05	99
15+15+20+20+42	1.35	1.35	1.80	1.80	3.79	10.10 4.10 - 14.00	2.182 0.640 - 3.922	9.16	9.58	10.00	99
15+15+20+20+50	1.26	1.26	1.68	1.68	4.21	10.10 4.10 - 14.00	2.166 0.640 - 3.916	9.10	9.51	9.92	99
15+15+20+20+60	1.17	1.17	1.55	1.55	4.66	10.10 4.10 - 14.00	2.166 0.640 - 3.916	9.10	9.51	9.92	99
15+15+20+20+71	1.07	1.07	1.43	1.43	5.09	10.10 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+15+20+22+22	1.61	1.61	2.15	2.36	2.36	10.10 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+15+20+22+25	1.58	1.58	2.10	2.31	2.63	10.20 4.10 - 14.00	2.185 0.640 - 3.925	9.18	9.60	10.02	99
15+15+20+22+35	1.43	1.43	1.91	2.10	3.34	10.20 4.10 - 14.00	2.185 0.640 - 3.925	9.18	9.60	10.02	99
15+15+20+22+42	1.34	1.34	1.79	1.97	3.76	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+22+50	1.25	1.25	1.67	1.84	4.18	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+22+60	1.16	1.16	1.55	1.70	4.64	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+22+71	1.07	1.07	1.43	1.57	5.06	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+25+25	1.53	1.53	2.04	2.55	2.55	10.20 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+15+20+25+35	1.39	1.39	1.85	2.32	3.25	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+25+42	1.31	1.31	1.74	2.18	3.66	10.20 4.10 - 14.00	2.175 0.640 - 3.915	9.13	9.55	9.97	99
15+15+20+25+50	1.22	1.22	1.63	2.04	4.08	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+25+60	1.13	1.13	1.51	1.89	4.53	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+25+71	1.05	1.05	1.40	1.75	4.96	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+35+35	1.28	1.28	1.70	2.98	2.98	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+20+35+42	1.20	1.20	1.61	2.81	3.37	10.20 4.10 - 14.00	2.165 0.640 - 3.915	9.10	9.51	9.92	99
15+15+20+35+50	1.13	1.13	1.51	2.64	3.78	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+35+60	1.06	1.06	1.41	2.46	4.22	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+15+20+35+71	0.98	0.98	1.31	2.29	4.64	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
15+15+20+42+42	1.14	1.14	1.52	3.20	3.20	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+20+42+50	1.08	1.08	1.44	3.02	3.59	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+42+60	1.01	1.01	1.34	2.82	4.03	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+42+71	0.94	0.94	1.25	2.63	4.44	10.20 4.10 - 14.00	2.136 0.640 - 3.886	8.97	9.38	9.79	99
15+15+20+50+50	1.02	1.02	1.36	3.40	3.40	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+20+50+60	0.96	0.96	1.28	3.19	3.83	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.05	9.46	9.87	99
15+15+20+50+71	0.89	0.89	1.19	2.98	4.24	10.20 4.10 - 14.00	2.136 0.640 - 3.886	8.97	9.38	9.79	99
15+15+20+60+60	0.90	0.90	1.20	3.60	3.60	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+22+22+22	1.59	1.59	2.34	2.34	2.34	10.20 4.10 - 14.00	2.139 0.640 - 3.879	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+22+22+25	1.56	1.56	2.29	2.29	2.60	10.30 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
15+15+22+22+35	1.42	1.42	2.08	2.08	3.31	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+22+42	1.33	1.33	1.95	1.95	3.73	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+22+50	1.25	1.25	1.83	1.83	4.15	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+22+60	1.15	1.15	1.69	1.69	4.61	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+22+71	1.07	1.07	1.56	1.56	5.04	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+25+25	1.51	1.51	2.22	2.52	2.52	10.30 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+15+22+25+35	1.38	1.38	2.02	2.30	3.22	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+25+42	1.30	1.30	1.90	2.16	3.64	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+22+25+50	1.22	1.22	1.78	2.03	4.06	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+25+60	1.13	1.13	1.65	1.88	4.51	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+25+71	1.04	1.04	1.53	1.74	4.94	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+35+35	1.27	1.27	1.86	2.95	2.95	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+22+35+42	1.20	1.20	1.76	2.79	3.35	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+22+35+50	1.13	1.13	1.65	2.63	3.76	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+35+60	1.05	1.05	1.54	2.45	4.20	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+22+35+71	0.98	0.98	1.43	2.28	4.63	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+22+42+42	1.14	1.14	1.67	3.18	3.18	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+22+42+50	1.07	1.07	1.57	3.00	3.58	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+42+60	1.00	1.00	1.47	2.81	4.01	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+42+71	0.94	0.94	1.37	2.62	4.43	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+22+50+50	1.02	1.02	1.49	3.39	3.39	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+22+50+60	0.95	0.95	1.40	3.18	3.81	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+22+60+60	0.90	0.90	1.32	3.59	3.59	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+25+25+25	1.47	1.47	2.45	2.45	2.45	10.30 4.10 - 14.00	2.132 0.640 - 3.872	8.95	9.36	9.77	99
15+15+25+25+35	1.34	1.34	2.24	2.24	3.13	10.30 4.10 - 14.00	2.168 0.640 - 3.908	9.11	9.52	9.93	99
15+15+25+25+42	1.27	1.27	2.11	2.11	3.55	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+25+25+50	1.19	1.19	1.98	1.98	3.96	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+25+60	1.10	1.10	1.84	1.84	4.41	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+25+71	1.02	1.02	1.71	1.71	4.84	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+25+35+35	1.24	1.24	2.06	2.88	2.88	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+25+35+42	1.17	1.17	1.95	2.73	3.28	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+25+35+50	1.10	1.10	1.84	2.58	3.68	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+35+60	1.03	1.03	1.72	2.40	4.12	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+25+35+71	0.96	0.96	1.60	2.24	4.54	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+25+42+42	1.11	1.11	1.85	3.11	3.11	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+25+42+50	1.05	1.05	1.75	2.94	3.50	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+25+42+60	0.98	0.98	1.64	2.76	3.94	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+25+42+71	0.92	0.92	1.53	2.58	4.35	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+25+50+50	1.00	1.00	1.66	3.32	3.32	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+15+25+50+60	0.94	0.94	1.56	3.12	3.75	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+35+35+35	1.14	1.14	2.67	2.67	2.67	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+35+35+42	1.09	1.09	2.54	2.54	3.05	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.07	9.48	9.89	99
15+15+35+35+50	1.03	1.03	2.40	2.40	3.43	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+35+35+60	0.97	0.97	2.25	2.25	3.86	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
15+15+35+35+71	0.90	0.90	2.11	2.11	4.28	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
15+15+35+42+42	1.04	1.04	2.42	2.90	2.90	10.30 4.10 - 14.00	2.139 0.640 - 3.889	8.98	9.39	9.80	99
15+15+35+42+50	0.98	0.98	2.30	2.76	3.28	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+35+42+60	0.93	0.93	2.16	2.59	3.70	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+35+50+50	0.94	0.94	2.18	3.12	3.12	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
15+15+42+42+42	0.99	0.99	2.77	2.77	2.77	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.01	9.42	9.83	99
15+15+42+42+50	0.94	0.94	2.64	2.64	3.14	10.30 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+15+42+50+50	0.90	0.90	2.52	2.99	2.99	10.30 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+18+18+18	1.78	2.13	2.13	2.13	2.13	10.30 4.10 - 13.80	2.170 0.640 - 3.900	9.12	9.53	9.94	99
15+18+18+18+20	1.75	2.10	2.10	2.10	2.34	10.40 4.10 - 13.93	2.179 0.640 - 3.909	9.15	9.57	9.99	99
15+18+18+18+22	1.70	2.04	2.04	2.04	2.49	10.30 4.10 - 14.00	2.186 0.640 - 3.916	9.18	9.60	10.02	99
15+18+18+18+25	1.66	1.99	1.99	1.99	2.77	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+18+18+18+42	1.41	1.69	1.69	1.69	3.94	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+18+50	1.31	1.57	1.57	1.57	4.37	10.40 4.10 - 14.00	2.153 0.640 - 3.893	9.05	9.46	9.87	99
15+18+18+18+60	1.21	1.45	1.45	1.45	4.84	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+18+71	1.11	1.34	1.34	1.34	5.27	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+20+20	1.71	2.06	2.06	2.29	2.29	10.40 4.10 - 14.00	2.160 0.640 - 3.890	9.08	9.49	9.90	99
15+18+18+20+22	1.65	1.97	1.97	2.19	2.41	10.20 4.10 - 14.00	2.193 0.640 - 3.923	9.21	9.63	10.05	99
15+18+18+20+25	1.61	1.93	1.93	2.15	2.68	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+18+20+35	1.46	1.75	1.75	1.94	3.40	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+18+20+42	1.37	1.64	1.64	1.82	3.83	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+18+20+50	1.28	1.53	1.53	1.70	4.26	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+18+20+60	1.18	1.42	1.42	1.57	4.72	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+18+20+71	1.09	1.31	1.31	1.45	5.15	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+18+22+22	1.63	1.95	1.95	2.39	2.39	10.30 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
15+18+18+22+25	1.59	1.91	1.91	2.33	2.65	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+18+18+22+35	1.44	1.73	1.73	2.12	3.37	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+22+42	1.36	1.63	1.63	1.99	3.80	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+22+50	1.27	1.52	1.52	1.86	4.23	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+22+60	1.17	1.41	1.41	1.72	4.69	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+22+71	1.08	1.30	1.30	1.59	5.13	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+25+25	1.54	1.85	1.85	2.57	2.57	10.40 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+18+25+35	1.41	1.69	1.69	2.34	3.28	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+25+42	1.32	1.59	1.59	2.20	3.70	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+18+25+50	1.24	1.49	1.49	2.06	4.13	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+25+60	1.15	1.38	1.38	1.91	4.59	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+25+71	1.06	1.27	1.27	1.77	5.02	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+35+35	1.29	1.55	1.55	3.01	3.01	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+18+35+42	1.22	1.46	1.46	2.84	3.41	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+18+35+50	1.15	1.38	1.38	2.68	3.82	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+35+60	1.07	1.28	1.28	2.49	4.27	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+18+35+71	0.99	1.19	1.19	2.32	4.70	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+18+42+42	1.16	1.39	1.39	3.24	3.24	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+18+42+50	1.09	1.31	1.31	3.05	3.64	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+42+60	1.02	1.22	1.22	2.85	4.08	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+42+71	0.95	1.14	1.14	2.66	4.50	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+18+50+50	1.03	1.24	1.24	3.44	3.44	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+18+50+60	0.97	1.16	1.16	3.23	3.88	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+18+50+71	0.91	1.09	1.09	3.02	4.29	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+18+60+60	0.91	1.09	1.09	3.65	3.65	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+20+20+20	1.68	2.01	2.24	2.24	2.24	10.40 4.10 - 14.00	2.133 0.640 - 3.863	8.96	9.37	9.78	99
15+18+20+20+22	1.59	1.91	2.13	2.13	2.34	10.10 4.10 - 14.00	2.190 0.640 - 3.930	9.20	9.62	10.04	99
15+18+20+20+25	1.56	1.87	2.08	2.08	2.60	10.20 4.10 - 14.00	2.183 0.640 - 3.923	9.17	9.59	10.01	99
15+18+20+20+35	1.42	1.70	1.89	1.89	3.31	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+18+20+20+42	1.33	1.60	1.77	1.77	3.73	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+18+20+20+50	1.24	1.49	1.66	1.66	4.15	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+18+20+20+60	1.15	1.38	1.53	1.53	4.60	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+18+20+20+71	1.06	1.28	1.42	1.42	5.03	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+18+20+22+22	1.58	1.89	2.10	2.31	2.31	10.20 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
15+18+20+22+25	1.55	1.85	2.06	2.27	2.58	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.14	9.56	9.98	99
15+18+20+22+35	1.40	1.69	1.87	2.06	3.28	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+22+42	1.32	1.58	1.76	1.94	3.70	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+22+50	1.24	1.48	1.65	1.81	4.12	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+22+60	1.14	1.37	1.53	1.68	4.58	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+22+71	1.06	1.27	1.41	1.55	5.01	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+25+25	1.50	1.80	2.00	2.50	2.50	10.30 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
15+18+20+25+35	1.37	1.64	1.82	2.28	3.19	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+18+20+25+42	1.29	1.55	1.72	2.15	3.61	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+18+20+25+50	1.21	1.45	1.61	2.01	4.02	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+25+60	1.12	1.34	1.49	1.87	4.48	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+25+71	1.04	1.24	1.38	1.73	4.91	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+35+35	1.26	1.51	1.67	2.93	2.93	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+20+35+42	1.19	1.43	1.58	2.77	3.33	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+18+20+35+50	1.12	1.34	1.49	2.61	3.73	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+35+60	1.04	1.25	1.39	2.44	4.18	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+18+20+35+71	0.97	1.17	1.30	2.27	4.60	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+18+20+42+42	1.13	1.35	1.50	3.16	3.16	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+20+42+50	1.07	1.28	1.42	2.98	3.55	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+20+42+60	1.00	1.20	1.33	2.79	3.99	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+18+20+42+71	0.93	1.12	1.24	2.61	4.41	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+18+20+50+50	1.01	1.21	1.35	3.37	3.37	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+18+20+50+60	0.95	1.14	1.26	3.16	3.79	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+18+22+22+22	1.56	1.87	2.29	2.29	2.29	10.30 4.10 - 14.00	2.147 0.640 - 3.887	9.02	9.43	9.84	99
15+18+22+22+25	1.53	1.84	2.24	2.24	2.55	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.07	9.48	9.89	99
15+18+22+22+35	1.39	1.67	2.04	2.04	3.25	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+22+42	1.31	1.57	1.92	1.92	3.67	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+22+50	1.23	1.47	1.80	1.80	4.09	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+22+60	1.14	1.37	1.67	1.67	4.55	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+22+71	1.05	1.26	1.55	1.55	4.99	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+25+25	1.49	1.78	2.18	2.48	2.48	10.40 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
15+18+22+25+35	1.36	1.63	1.99	2.26	3.17	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+22+25+42	1.28	1.53	1.88	2.13	3.58	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+22+25+50	1.20	1.44	1.76	2.00	4.00	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+25+60	1.11	1.34	1.63	1.86	4.46	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+25+71	1.03	1.24	1.52	1.72	4.89	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+35+35	1.25	1.50	1.83	2.91	2.91	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+22+35+42	1.18	1.42	1.73	2.76	3.31	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+22+35+50	1.11	1.34	1.63	2.60	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+35+60	1.04	1.25	1.53	2.43	4.16	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+22+35+71	0.97	1.16	1.42	2.26	4.59	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+22+42+42	1.12	1.35	1.65	3.14	3.14	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+22+42+50	1.06	1.27	1.56	2.97	3.54	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+22+42+60	0.99	1.19	1.46	2.78	3.97	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+22+42+71	0.93	1.11	1.36	2.60	4.40	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+22+50+50	1.01	1.21	1.48	3.35	3.35	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+22+50+60	0.95	1.13	1.39	3.15	3.78	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+25+25+25	1.44	1.73	2.41	2.41	2.41	10.40 4.10 - 14.00	2.130 0.640 - 3.870	8.94	9.35	9.76	99
15+18+25+25+35	1.32	1.59	2.20	2.20	3.08	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+18+25+25+42	1.25	1.50	2.08	2.08	3.49	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+25+25+50	1.17	1.41	1.95	1.95	3.91	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+25+60	1.09	1.31	1.82	1.82	4.36	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+25+71	1.01	1.22	1.69	1.69	4.79	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+25+35+35	1.22	1.46	2.03	2.84	2.84	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+25+35+42	1.16	1.39	1.93	2.70	3.24	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+25+35+50	1.09	1.31	1.82	2.55	3.64	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+35+60	1.02	1.22	1.70	2.38	4.08	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+25+35+71	0.95	1.14	1.59	2.22	4.50	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+25+42+42	1.10	1.32	1.83	3.08	3.08	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+18+25+42+50	1.04	1.25	1.73	2.91	3.47	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+25+42+60	0.98	1.17	1.63	2.73	3.90	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+25+42+71	0.91	1.09	1.52	2.55	4.32	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+25+50+50	0.99	1.18	1.65	3.29	3.29	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+18+25+50+60	0.93	1.11	1.55	3.10	3.71	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+35+35	1.13	1.36	2.64	2.64	2.64	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+35+35+42	1.08	1.29	2.51	2.51	3.01	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+18+35+35+50	1.02	1.22	2.38	2.38	3.40	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+35+35+60	0.96	1.15	2.23	2.23	3.83	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+18+35+42+42	1.03	1.23	2.39	2.87	2.87	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+18+35+42+50	0.98	1.17	2.28	2.73	3.25	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+42+60	0.92	1.10	2.14	2.57	3.67	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+35+50+50	0.93	1.11	2.17	3.10	3.10	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+18+42+42+42	0.98	1.18	2.75	2.75	2.75	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+18+42+42+50	0.93	1.12	2.62	2.62	3.11	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+20+20+20+20	1.64	2.19	2.19	2.19	2.19	10.40 4.10 - 14.00	2.151 0.640 - 3.891	9.04	9.45	9.86	99
15+20+20+20+22	1.55	2.06	2.06	2.06	2.27	10.00 4.10 - 14.00	2.197 0.640 - 3.937	9.23	9.65	10.07	99
15+20+20+20+25	1.52	2.02	2.02	2.02	2.53	10.10 4.10 - 14.00	2.190 0.640 - 3.930	9.20	9.62	10.04	99
15+20+20+20+35	1.38	1.84	1.84	1.84	3.21	10.10 4.10 - 14.00	2.180 0.640 - 3.920	9.15	9.57	9.99	99
15+20+20+20+42	1.29	1.73	1.73	1.73	3.63	10.10 4.10 - 14.00	2.180 0.640 - 3.920	9.15	9.57	9.99	99
15+20+20+20+50	1.21	1.62	1.62	1.62	4.04	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
15+20+20+20+60	1.12	1.50	1.50	1.50	4.49	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
15+20+20+20+71	1.04	1.38	1.38	1.38	4.91	10.10 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
15+20+20+22+22	1.53	2.04	2.04	2.24	2.24	10.10 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
15+20+20+22+25	1.50	2.00	2.00	2.20	2.50	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.13	9.54	9.95	99
15+20+20+22+35	1.37	1.82	1.82	2.00	3.19	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+22+42	1.29	1.71	1.71	1.89	3.60	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+22+50	1.20	1.61	1.61	1.77	4.02	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+22+60	1.12	1.49	1.49	1.64	4.47	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+22+71	1.03	1.38	1.38	1.52	4.89	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+25+25	1.46	1.94	1.94	2.43	2.43	10.20 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
15+20+20+25+35	1.33	1.77	1.77	2.22	3.10	10.20 4.10 - 14.00	2.173 0.640 - 3.913	9.13	9.54	9.95	99
15+20+20+25+42	1.25	1.67	1.67	2.09	3.51	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.09	9.50	9.91	99
15+20+20+25+50	1.18	1.57	1.57	1.96	3.92	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+25+60	1.09	1.46	1.46	1.82	4.37	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+25+71	1.01	1.35	1.35	1.69	4.80	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+35+35	1.22	1.63	1.63	2.86	2.86	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+20+35+42	1.16	1.55	1.55	2.70	3.25	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.09	9.50	9.91	99
15+20+20+35+50	1.09	1.46	1.46	2.55	3.64	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+35+60	1.02	1.36	1.36	2.38	4.08	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
15+20+20+35+71	0.95	1.27	1.27	2.22	4.50	10.20 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
15+20+20+42+42	1.10	1.47	1.47	3.08	3.08	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+20+42+50	1.04	1.39	1.39	2.91	3.47	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+20+42+60	0.97	1.30	1.30	2.73	3.90	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+20+42+71	0.91	1.21	1.21	2.55	4.31	10.20 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
15+20+20+50+50	0.99	1.32	1.32	3.29	3.29	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+20+20+50+60	0.93	1.24	1.24	3.09	3.71	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.04	9.45	9.86	99
15+20+22+22+22	1.51	2.02	2.22	2.22	2.22	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+22+35	1.36	1.81	1.99	1.99	3.16	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+20+22+22+42	1.28	1.70	1.87	1.87	3.58	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+22+50	1.20	1.60	1.76	1.76	3.99	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+22+60	1.11	1.48	1.63	1.63	4.45	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+22+71	1.03	1.37	1.51	1.51	4.88	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+25+25	1.44	1.93	2.12	2.41	2.41	10.30 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
15+20+22+25+35	1.32	1.76	1.94	2.20	3.08	10.30 4.10 - 14.00	2.166 0.640 - 3.906	9.10	9.51	9.92	99
15+20+22+25+42	1.25	1.66	1.83	2.08	3.49	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+25+50	1.17	1.56	1.72	1.95	3.90	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+25+60	1.09	1.45	1.60	1.81	4.35	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+25+71	1.01	1.35	1.48	1.68	4.78	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+35+35	1.22	1.62	1.78	2.84	2.84	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+22+35+42	1.15	1.54	1.69	2.69	3.23	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+22+35+50	1.09	1.45	1.60	2.54	3.63	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+35+60	1.02	1.36	1.49	2.37	4.07	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+22+35+71	0.95	1.26	1.39	2.21	4.49	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+22+42+42	1.10	1.46	1.61	3.07	3.07	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+22+42+50	1.04	1.38	1.52	2.90	3.46	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+42+60	0.97	1.30	1.43	2.72	3.89	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+22+42+71	0.91	1.21	1.33	2.54	4.30	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+22+50+50	0.98	1.31	1.44	3.28	3.28	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+20+22+50+60	0.93	1.23	1.36	3.08	3.70	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+25+25+25	1.40	1.87	2.34	2.34	2.34	10.30 4.10 - 14.00	2.137 0.640 - 3.877	8.98	9.39	9.80	99
15+20+25+25+35	1.29	1.72	2.15	2.15	3.00	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+25+42	1.22	1.62	2.03	2.03	3.41	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+25+50	1.14	1.53	1.91	1.91	3.81	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+25+60	1.07	1.42	1.78	1.78	4.26	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+25+71	0.99	1.32	1.65	1.65	4.69	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+25+35+35	1.19	1.58	1.98	2.77	2.77	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+25+35+42	1.13	1.50	1.88	2.63	3.16	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+25+35+50	1.07	1.42	1.78	2.49	3.55	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+35+60	1.00	1.33	1.66	2.33	3.99	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+25+35+71	0.93	1.24	1.55	2.17	4.41	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+25+42+42	1.07	1.43	1.79	3.00	3.00	10.30 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+20+25+42+50	1.02	1.36	1.69	2.85	3.39	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+25+42+60	0.95	1.27	1.59	2.67	3.81	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+25+50+50	0.97	1.29	1.61	3.22	3.22	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+25+50+60	0.91	1.21	1.51	3.03	3.64	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+35+35	1.10	1.47	2.58	2.58	2.58	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+35+35+42	1.05	1.40	2.45	2.45	2.94	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.06	9.47	9.88	99
15+20+35+35+50	1.00	1.33	2.33	2.33	3.32	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+35+35+60	0.94	1.25	2.18	2.18	3.75	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
15+20+35+42+42	1.00	1.34	2.34	2.81	2.81	10.30 4.10 - 14.00	2.133 0.640 - 3.883	8.96	9.37	9.78	99
15+20+35+42+50	0.95	1.27	2.23	2.67	3.18	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+42+60	0.90	1.20	2.10	2.52	3.59	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+35+50+50	0.91	1.21	2.12	3.03	3.03	10.30 4.10 - 14.00	2.127 0.640 - 3.877	8.93	9.34	9.75	99
15+20+42+42+42	0.96	1.28	2.69	2.69	2.69	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.01	9.42	9.83	99
15+20+42+42+50	0.91	1.22	2.56	2.56	3.05	10.30 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
15+22+22+22+22	1.50	2.20	2.20	2.20	2.20	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
15+22+22+22+25	1.47	2.16	2.16	2.16	2.45	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
15+22+22+22+35	1.34	1.97	1.97	1.97	3.14	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+22+22+22+42	1.27	1.86	1.86	1.86	3.55	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+22+50	1.19	1.75	1.75	1.75	3.97	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+22+60	1.11	1.62	1.62	1.62	4.43	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+22+71	1.03	1.51	1.51	1.51	4.86	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+25+25	1.43	2.10	2.10	2.39	2.39	10.40 4.10 - 14.00	2.140 0.640 - 3.880	8.99	9.40	9.81	99
15+22+22+25+35	1.31	1.92	1.92	2.18	3.06	10.40 4.10 - 14.00	2.159 0.640 - 3.899	9.07	9.48	9.89	99
15+22+22+25+42	1.24	1.82	1.82	2.06	3.47	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+25+50	1.16	1.71	1.71	1.94	3.88	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+25+60	1.08	1.59	1.59	1.81	4.33	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+25+71	1.01	1.48	1.48	1.68	4.76	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+35+35	1.21	1.77	1.77	2.82	2.82	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+22+35+42	1.15	1.68	1.68	2.68	3.21	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+22+35+50	1.08	1.59	1.59	2.53	3.61	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+35+60	1.01	1.49	1.49	2.36	4.05	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+22+35+71	0.95	1.39	1.39	2.21	4.48	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+22+42+42	1.09	1.60	1.60	3.05	3.05	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+22+42+50	1.03	1.52	1.52	2.89	3.44	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+22+42+60	0.97	1.42	1.42	2.71	3.88	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+22+42+71	0.91	1.33	1.33	2.54	4.29	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+22+50+50	0.98	1.44	1.44	3.27	3.27	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
15+22+22+50+60	0.92	1.35	1.35	3.08	3.69	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+25+25	1.39	2.04	2.32	2.32	2.32	10.40 4.10 - 14.00	2.130 0.640 - 3.870	8.94	9.35	9.76	99
15+22+25+25+35	1.28	1.88	2.13	2.13	2.98	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+25+42	1.21	1.77	2.02	2.02	3.39	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+25+50	1.14	1.67	1.90	1.90	3.80	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+22+25+25+60	1.06	1.56	1.77	1.77	4.24	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+25+71	0.99	1.45	1.65	1.65	4.67	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+25+35+35	1.18	1.73	1.97	2.76	2.76	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+25+35+42	1.12	1.65	1.87	2.62	3.14	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+25+35+50	1.06	1.56	1.77	2.48	3.54	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+35+60	0.99	1.46	1.66	2.32	3.97	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+25+35+71	0.93	1.36	1.55	2.17	4.40	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+25+42+42	1.07	1.57	1.78	2.99	2.99	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+22+25+42+50	1.01	1.49	1.69	2.84	3.38	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+42+60	0.95	1.40	1.59	2.66	3.80	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+25+50+50	0.96	1.41	1.60	3.21	3.21	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+25+50+60	0.91	1.33	1.51	3.02	3.63	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+35+35+35	1.10	1.61	2.56	2.56	2.56	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+22+35+35+42	1.05	1.54	2.44	2.44	2.93	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+22+35+35+50	0.99	1.46	2.32	2.32	3.31	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+35+35+60	0.93	1.37	2.18	2.18	3.74	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+22+35+42+42	1.00	1.47	2.33	2.80	2.80	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+22+35+42+50	0.95	1.40	2.22	2.66	3.17	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+35+50+50	0.91	1.33	2.12	3.02	3.02	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+42+42+42	0.96	1.40	2.68	2.68	2.68	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+22+42+42+50	0.91	1.34	2.55	2.55	3.04	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+25+25+25+25	1.36	2.26	2.26	2.26	2.26	10.40 4.10 - 14.00	2.141 0.640 - 3.881	8.99	9.40	9.81	99
15+25+25+25+35	1.25	2.08	2.08	2.08	2.91	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+25+42	1.18	1.97	1.97	1.97	3.31	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+25+50	1.11	1.86	1.86	1.86	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+25+60	1.04	1.73	1.73	1.73	4.16	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+25+71	0.97	1.61	1.61	1.61	4.59	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+25+25+35+35	1.16	1.93	1.93	2.70	2.70	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+25+25+35+42	1.10	1.83	1.83	2.56	3.08	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+25+35+50	1.04	1.73	1.73	2.43	3.47	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+35+60	0.98	1.63	1.63	2.28	3.90	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+25+35+71	0.91	1.52	1.52	2.13	4.32	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99
15+25+25+42+42	1.05	1.74	1.74	2.93	2.93	10.40 4.10 - 14.00	2.130 0.640 - 3.880	8.94	9.35	9.76	99
15+25+25+42+50	0.99	1.66	1.66	2.78	3.31	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+25+42+60	0.93	1.56	1.56	2.62	3.74	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+25+50+50	0.95	1.58	1.58	3.15	3.15	10.40 4.10 - 14.00	2.120 0.640 - 3.870	8.91	9.31	9.71	99
15+25+35+35+35	1.08	1.79	2.51	2.51	2.51	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+35+35+42	1.03	1.71	2.39	2.39	2.87	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+25+35+35+50	0.98	1.63	2.28	2.28	3.25	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+35+35+60	0.92	1.53	2.14	2.14	3.67	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+25+35+42+42	0.98	1.64	2.29	2.75	2.75	10.40 4.10 - 14.00	2.126 0.640 - 3.876	8.93	9.34	9.75	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+35+42+50	0.93	1.56	2.18	2.62	3.11	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+25+42+42+42	0.94	1.57	2.63	2.63	2.63	10.40 4.10 - 14.00	2.137 0.640 - 3.887	8.98	9.39	9.80	99
15+35+35+35+35	1.01	2.35	2.35	2.35	2.35	10.40 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
15+35+35+35+42	0.96	2.25	2.25	2.25	2.70	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
15+35+35+35+50	0.92	2.14	2.14	2.14	3.06	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
15+35+35+42+42	0.92	2.15	2.15	2.58	2.58	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.00	9.41	9.82	99
18+18+18+18+18	2.08	2.08	2.08	2.08	2.08	10.40 4.10 - 14.00	2.167 0.640 - 3.897	9.11	9.52	9.93	99
18+18+18+18+20	2.05	2.05	2.05	2.05	2.28	10.50 4.10 - 14.00	2.170 0.640 - 3.900	9.12	9.53	9.94	99
18+18+18+18+22	1.99	1.99	1.99	1.99	2.43	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.11	9.52	9.93	99
18+18+18+18+25	1.95	1.95	1.95	1.95	2.71	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+18+18+35	1.77	1.77	1.77	1.77	3.43	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+18+18+42	1.66	1.66	1.66	1.66	3.87	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+18+50	1.55	1.55	1.55	1.55	4.30	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+18+60	1.43	1.43	1.43	1.43	4.77	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+18+71	1.32	1.32	1.32	1.32	5.21	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+20+20	2.01	2.01	2.01	2.23	2.23	10.50 4.10 - 14.00	2.141 0.640 - 3.881	8.99	9.40	9.81	99
18+18+18+20+22	1.93	1.93	1.93	2.15	2.36	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.13	9.55	9.97	99
18+18+18+20+25	1.89	1.89	1.89	2.10	2.63	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.11	9.52	9.93	99
18+18+18+20+35	1.72	1.72	1.72	1.91	3.34	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+18+20+42	1.61	1.61	1.61	1.79	3.77	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+18+20+50	1.51	1.51	1.51	1.68	4.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+18+20+60	1.40	1.40	1.40	1.55	4.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+18+20+71	1.29	1.29	1.29	1.43	5.09	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+18+22+22	1.91	1.91	1.91	2.33	2.33	10.40 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
18+18+18+22+25	1.87	1.87	1.87	2.29	2.60	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.03	9.44	9.85	99
18+18+18+22+35	1.70	1.70	1.70	2.08	3.31	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+22+42	1.60	1.60	1.60	1.96	3.74	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+22+50	1.50	1.50	1.50	1.83	4.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+22+60	1.39	1.39	1.39	1.70	4.63	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+22+71	1.29	1.29	1.29	1.57	5.07	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+25+25	1.82	1.82	1.82	2.52	2.52	10.50 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+18+18+25+35	1.66	1.66	1.66	2.30	3.22	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+18+25+42	1.56	1.56	1.56	2.17	3.64	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+18+25+50	1.47	1.47	1.47	2.03	4.07	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+25+60	1.36	1.36	1.36	1.89	4.53	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+25+71	1.26	1.26	1.26	1.75	4.97	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+18+35+35	1.52	1.52	1.52	2.96	2.96	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+18+35+42	1.44	1.44	1.44	2.81	3.37	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+18+35+50	1.36	1.36	1.36	2.64	3.78	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+35+60	1.27	1.27	1.27	2.47	4.23	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+18+35+71	1.18	1.18	1.18	2.30	4.66	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+18+42+42	1.37	1.37	1.37	3.20	3.20	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+18+42+50	1.29	1.29	1.29	3.02	3.60	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+18+42+60	1.21	1.21	1.21	2.83	4.04	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+18+42+71	1.13	1.13	1.13	2.64	4.46	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+18+50+50	1.23	1.23	1.23	3.41	3.41	10.50 4.10 - 14.00	2.115 0.640 - 3.865	8.89	9.29	9.69	99
18+18+18+50+60	1.15	1.15	1.15	3.20	3.84	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+20+20	1.97	1.97	2.19	2.19	2.19	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+18+20+20+22	1.87	1.87	2.08	2.08	2.29	10.20 4.10 - 14.00	2.181 0.640 - 3.921	9.16	9.58	10.00	99
18+18+20+20+25	1.84	1.84	2.04	2.04	2.55	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.09	9.50	9.91	99
18+18+20+20+35	1.67	1.67	1.86	1.86	3.25	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+18+20+20+42	1.57	1.57	1.75	1.75	3.67	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+18+20+20+50	1.47	1.47	1.63	1.63	4.09	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+18+20+20+60	1.36	1.36	1.51	1.51	4.54	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+18+20+20+71	1.26	1.26	1.40	1.40	4.97	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+18+20+22+22	1.85	1.85	2.06	2.27	2.27	10.30 4.10 - 14.00	2.155 0.640 - 3.895	9.05	9.46	9.87	99
18+18+20+22+25	1.82	1.82	2.02	2.22	2.52	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.06	9.47	9.88	99
18+18+20+22+35	1.66	1.66	1.84	2.02	3.22	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+20+22+42	1.56	1.56	1.73	1.91	3.64	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+22+50	1.46	1.46	1.63	1.79	4.06	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+22+60	1.36	1.36	1.51	1.66	4.52	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+22+71	1.26	1.26	1.40	1.54	4.96	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+25+25	1.77	1.77	1.96	2.45	2.45	10.40 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
18+18+20+25+35	1.61	1.61	1.79	2.24	3.14	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+18+20+25+42	1.52	1.52	1.69	2.11	3.55	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+25+50	1.43	1.43	1.59	1.98	3.97	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+25+60	1.33	1.33	1.48	1.84	4.43	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+25+71	1.23	1.23	1.37	1.71	4.86	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+35+35	1.49	1.49	1.65	2.89	2.89	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+35+42	1.41	1.41	1.56	2.74	3.28	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+18+20+35+50	1.33	1.33	1.48	2.58	3.69	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+35+60	1.24	1.24	1.38	2.41	4.13	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+18+20+35+71	1.16	1.16	1.28	2.25	4.56	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+18+20+42+42	1.34	1.34	1.49	3.12	3.12	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+20+42+50	1.26	1.26	1.41	2.95	3.51	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+20+42+60	1.18	1.18	1.32	2.76	3.95	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+20+42+71	1.11	1.11	1.23	2.58	4.37	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+18+20+50+50	1.20	1.20	1.33	3.33	3.33	10.40 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+18+20+50+60	1.13	1.13	1.25	3.13	3.76	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+18+22+22+22	1.84	1.84	2.24	2.24	2.24	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+22+25	1.80	1.80	2.20	2.20	2.50	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.08	9.49	9.90	99
18+18+22+22+35	1.64	1.64	2.01	2.01	3.20	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+22+22+42	1.55	1.55	1.89	1.89	3.61	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+22+50	1.45	1.45	1.78	1.78	4.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+22+60	1.35	1.35	1.65	1.65	4.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+22+71	1.25	1.25	1.53	1.53	4.94	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+25+25	1.75	1.75	2.14	2.43	2.43	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+18+22+25+35	1.60	1.60	1.96	2.22	3.11	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+18+22+25+42	1.51	1.51	1.85	2.10	3.53	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+25+50	1.42	1.42	1.74	1.97	3.95	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+25+60	1.32	1.32	1.62	1.84	4.41	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+25+71	1.23	1.23	1.50	1.70	4.84	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+35+35	1.48	1.48	1.80	2.87	2.87	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+22+35+42	1.40	1.40	1.71	2.72	3.27	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+22+35+50	1.32	1.32	1.62	2.57	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+35+60	1.24	1.24	1.51	2.40	4.12	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+22+35+71	1.15	1.15	1.41	2.24	4.55	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+22+42+42	1.33	1.33	1.63	3.11	3.11	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+22+42+50	1.26	1.26	1.54	2.94	3.50	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+42+60	1.18	1.18	1.44	2.76	3.94	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+22+42+71	1.11	1.11	1.35	2.58	4.36	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+22+50+50	1.20	1.20	1.46	3.32	3.32	10.50 4.10 - 14.00	2.115 0.640 - 3.865	8.89	9.29	9.69	99
18+18+22+50+60	1.13	1.13	1.38	3.13	3.75	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+25+25	1.70	1.70	2.36	2.36	2.36	10.50 4.10 - 14.00	2.121 0.640 - 3.861	8.91	9.31	9.71	99
18+18+25+25+35	1.56	1.56	2.17	2.17	3.04	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+25+42	1.48	1.48	2.05	2.05	3.45	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+25+50	1.39	1.39	1.93	1.93	3.86	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+25+60	1.29	1.29	1.80	1.80	4.32	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+25+71	1.20	1.20	1.67	1.67	4.75	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+25+35+35	1.44	1.44	2.00	2.81	2.81	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+25+35+42	1.37	1.37	1.90	2.66	3.20	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+25+35+50	1.29	1.29	1.80	2.52	3.60	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+35+60	1.21	1.21	1.68	2.36	4.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+25+35+71	1.13	1.13	1.57	2.20	4.46	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+25+42+42	1.30	1.30	1.81	3.04	3.04	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+18+25+42+50	1.24	1.24	1.72	2.88	3.43	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+42+60	1.16	1.16	1.61	2.71	3.87	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+25+50+50	1.17	1.17	1.63	3.26	3.26	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+25+50+60	1.11	1.11	1.54	3.07	3.68	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+35+35+35	1.34	1.34	2.61	2.61	2.61	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+18+35+35+42	1.28	1.28	2.48	2.48	2.98	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+18+35+35+50	1.21	1.21	2.36	2.36	3.37	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+18+35+35+60	1.14	1.14	2.21	2.21	3.80	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35+42+42	1.22	1.22	2.37	2.85	2.85	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+18+35+42+50	1.16	1.16	2.25	2.71	3.22	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+35+50+50	1.11	1.11	2.15	3.07	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+42+42+42	1.17	1.17	2.72	2.72	2.72	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+18+42+42+50	1.11	1.11	2.59	2.59	3.09	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+20+20+20+20	1.93	2.14	2.14	2.14	2.14	10.50 4.10 - 14.00	2.142 0.640 - 3.882	9.00	9.41	9.82	99
18+20+20+20+22	1.82	2.02	2.02	2.02	2.22	10.10 4.10 - 14.00	2.188 0.640 - 3.928	9.19	9.61	10.03	99
18+20+20+20+25	1.78	1.98	1.98	1.98	2.48	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.12	9.53	9.94	99
18+20+20+20+35	1.62	1.81	1.81	1.81	3.16	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
18+20+20+20+42	1.53	1.70	1.70	1.70	3.57	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
18+20+20+20+50	1.43	1.59	1.59	1.59	3.98	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
18+20+20+20+60	1.33	1.48	1.48	1.48	4.43	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
18+20+20+20+71	1.23	1.37	1.37	1.37	4.86	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
18+20+20+22+22	1.80	2.00	2.00	2.20	2.20	10.20 4.10 - 14.00	2.152 0.640 - 3.902	9.04	9.45	9.86	99
18+20+20+22+25	1.77	1.96	1.96	2.16	2.45	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.13	9.55	9.97	99
18+20+20+22+35	1.61	1.79	1.79	1.97	3.13	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+20+20+22+42	1.52	1.69	1.69	1.86	3.55	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+22+50	1.43	1.58	1.58	1.74	3.96	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+22+60	1.32	1.47	1.47	1.62	4.41	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+22+71	1.23	1.36	1.36	1.50	4.84	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+25+25	1.72	1.91	1.91	2.38	2.38	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
18+20+20+25+35	1.57	1.75	1.75	2.18	3.06	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
18+20+20+25+42	1.48	1.65	1.65	2.06	3.46	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+25+50	1.39	1.55	1.55	1.94	3.87	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+25+60	1.30	1.44	1.44	1.80	4.32	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+25+71	1.20	1.34	1.34	1.67	4.75	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+35+35	1.45	1.61	1.61	2.82	2.82	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+20+35+42	1.37	1.53	1.53	2.67	3.20	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
18+20+20+35+50	1.30	1.44	1.44	2.52	3.60	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+35+60	1.21	1.35	1.35	2.36	4.04	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
18+20+20+35+71	1.13	1.26	1.26	2.20	4.46	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
18+20+20+42+42	1.31	1.45	1.45	3.05	3.05	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+20+42+50	1.24	1.37	1.37	2.88	3.43	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+20+42+60	1.16	1.29	1.29	2.70	3.86	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+20+42+71	1.08	1.20	1.20	2.53	4.28	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
18+20+20+50+50	1.17	1.30	1.30	3.26	3.26	10.30 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
18+20+20+50+60	1.10	1.23	1.23	3.07	3.68	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
18+20+22+22+25	1.73	1.93	2.12	2.12	2.41	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
18+20+22+22+35	1.60	1.78	1.96	1.96	3.11	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
18+20+22+22+42	1.51	1.68	1.85	1.85	3.52	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+22+50	1.42	1.58	1.73	1.73	3.94	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+22+22+60	1.32	1.46	1.61	1.61	4.39	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+22+71	1.22	1.36	1.50	1.50	4.83	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+25+25	1.70	1.89	2.08	2.36	2.36	10.40 4.10 - 14.00	2.138 0.640 - 3.878	8.98	9.39	9.80	99
18+20+22+25+35	1.56	1.73	1.91	2.17	3.03	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+25+42	1.47	1.64	1.80	2.05	3.44	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+25+50	1.39	1.54	1.69	1.93	3.85	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+25+60	1.29	1.43	1.58	1.79	4.30	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+25+71	1.20	1.33	1.47	1.67	4.73	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+35+35	1.44	1.60	1.76	2.80	2.80	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+22+35+42	1.37	1.52	1.67	2.66	3.19	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+22+35+50	1.29	1.43	1.58	2.51	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+35+60	1.21	1.34	1.48	2.35	4.03	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+22+35+71	1.13	1.25	1.38	2.19	4.45	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+22+42+42	1.30	1.44	1.59	3.03	3.03	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+22+42+50	1.23	1.37	1.51	2.87	3.42	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+22+42+60	1.16	1.28	1.41	2.70	3.85	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+22+50+50	1.17	1.30	1.43	3.25	3.25	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+20+22+50+60	1.10	1.22	1.35	3.06	3.67	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+25+25	1.66	1.84	2.30	2.30	2.30	10.40 4.10 - 14.00	2.128 0.640 - 3.868	8.94	9.35	9.76	99
18+20+25+25+35	1.52	1.69	2.11	2.11	2.96	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+25+42	1.44	1.60	2.00	2.00	3.36	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+25+50	1.36	1.51	1.88	1.88	3.77	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+25+60	1.26	1.41	1.76	1.76	4.22	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+25+71	1.18	1.31	1.64	1.64	4.64	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+25+35+35	1.41	1.56	1.95	2.74	2.74	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+25+35+42	1.34	1.49	1.86	2.60	3.12	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+25+35+50	1.26	1.41	1.76	2.46	3.51	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+35+60	1.18	1.32	1.65	2.30	3.95	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+25+35+71	1.11	1.23	1.54	2.15	4.37	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+25+42+42	1.27	1.41	1.77	2.97	2.97	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+20+25+42+50	1.21	1.34	1.68	2.82	3.35	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+42+60	1.13	1.26	1.58	2.65	3.78	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+25+50+50	1.15	1.28	1.60	3.19	3.19	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
18+20+35+35+35	1.31	1.45	2.55	2.55	2.55	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+35+35+42	1.25	1.39	2.43	2.43	2.91	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
18+20+35+35+50	1.18	1.32	2.30	2.30	3.29	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+35+35+60	1.11	1.24	2.17	2.17	3.71	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
18+20+35+42+42	1.19	1.32	2.32	2.78	2.78	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
18+20+35+42+50	1.13	1.26	2.21	2.65	3.15	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+42+42+42	1.14	1.27	2.66	2.66	2.66	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
18+20+42+42+50	1.09	1.21	2.54	2.54	3.02	10.40 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99



**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+22+22+22	1.77	2.16	2.16	2.16	2.16	10.40 4.10 - 14.00	2.149 0.640 - 3.889	9.03	9.44	9.85	99
18+22+22+22+25	1.73	2.12	2.12	2.12	2.41	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+22+22+22+35	1.59	1.94	1.94	1.94	3.09	10.50 4.10 - 14.00	2.150 0.640 - 3.890	9.03	9.44	9.85	99
18+22+22+22+42	1.50	1.83	1.83	1.83	3.50	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+22+50	1.41	1.72	1.72	1.72	3.92	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+22+60	1.31	1.60	1.60	1.60	4.38	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+22+71	1.22	1.49	1.49	1.49	4.81	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+25+25	1.69	2.06	2.06	2.34	2.34	10.50 4.10 - 14.00	2.131 0.640 - 3.871	8.95	9.36	9.77	99
18+22+22+25+35	1.55	1.89	1.89	2.15	3.01	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+25+42	1.47	1.79	1.79	2.03	3.42	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+25+50	1.38	1.69	1.69	1.92	3.83	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+25+60	1.29	1.57	1.57	1.79	4.29	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+25+71	1.20	1.46	1.46	1.66	4.72	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+35+35	1.43	1.75	1.75	2.78	2.78	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+22+35+42	1.36	1.66	1.66	2.64	3.17	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+22+35+50	1.29	1.57	1.57	2.50	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+35+60	1.20	1.47	1.47	2.34	4.01	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+22+35+71	1.13	1.38	1.38	2.19	4.44	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+22+42+42	1.29	1.58	1.58	3.02	3.02	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+22+42+50	1.23	1.50	1.50	2.86	3.41	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+22+42+60	1.15	1.41	1.41	2.69	3.84	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+22+50+50	1.17	1.43	1.43	3.24	3.24	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+22+22+50+60	1.10	1.34	1.34	3.05	3.66	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+25+25	1.64	2.01	2.28	2.28	2.28	10.50 4.10 - 14.00	2.121 0.640 - 3.861	8.91	9.31	9.71	99
18+22+25+25+35	1.51	1.85	2.10	2.10	2.94	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+25+42	1.43	1.75	1.99	1.99	3.34	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+25+50	1.35	1.65	1.88	1.88	3.75	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+25+60	1.26	1.54	1.75	1.75	4.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+25+71	1.17	1.43	1.63	1.63	4.63	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+25+35+35	1.40	1.71	1.94	2.72	2.72	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+25+35+42	1.33	1.63	1.85	2.59	3.11	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+25+35+50	1.26	1.54	1.75	2.45	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+35+60	1.18	1.44	1.64	2.30	3.94	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+25+35+71	1.11	1.35	1.54	2.15	4.36	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+25+42+42	1.27	1.55	1.76	2.96	2.96	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+22+25+42+50	1.20	1.47	1.67	2.81	3.34	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+42+60	1.13	1.38	1.57	2.64	3.77	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+25+50+50	1.15	1.40	1.59	3.18	3.18	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+22+35+35+35	1.30	1.59	2.53	2.53	2.53	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+35+35+42	1.24	1.52	2.42	2.42	2.90	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+22+35+35+50	1.18	1.44	2.30	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+35+35+60	1.11	1.36	2.16	2.16	3.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+22+35+42+42	1.19	1.45	2.31	2.77	2.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+22+35+42+50	1.13	1.38	2.20	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+22+42+42+42	1.14	1.39	2.66	2.66	2.66	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+25+25	1.60	2.22	2.22	2.22	2.22	10.50 4.10 - 14.00	2.132 0.640 - 3.872	8.95	9.36	9.77	99
18+25+25+25+35	1.48	2.05	2.05	2.05	2.87	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+25+42	1.40	1.94	1.94	1.94	3.27	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+25+50	1.32	1.84	1.84	1.84	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+25+60	1.24	1.72	1.72	1.72	4.12	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+25+71	1.15	1.60	1.60	1.60	4.55	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+25+25+35+35	1.37	1.90	1.90	2.66	2.66	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
18+25+25+35+42	1.30	1.81	1.81	2.53	3.04	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+25+35+50	1.24	1.72	1.72	2.40	3.43	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+35+60	1.16	1.61	1.61	2.25	3.87	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+25+42+42	1.24	1.73	1.73	2.90	2.90	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
18+25+25+42+50	1.18	1.64	1.64	2.76	3.28	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+42+60	1.11	1.54	1.54	2.59	3.71	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+25+50+50	1.13	1.56	1.56	3.13	3.13	10.50 4.10 - 14.00	2.111 0.640 - 3.861	8.87	9.27	9.67	99
18+25+35+35+35	1.28	1.77	2.48	2.48	2.48	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+35+35+42	1.22	1.69	2.37	2.37	2.85	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+25+35+35+50	1.16	1.61	2.25	2.25	3.22	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+35+42+42	1.17	1.62	2.27	2.72	2.72	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
18+25+35+42+50	1.11	1.54	2.16	2.59	3.09	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+25+42+42+42	1.12	1.55	2.61	2.61	2.61	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
18+35+35+35+35	1.20	2.33	2.33	2.33	2.33	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
18+35+35+35+42	1.15	2.23	2.23	2.23	2.67	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
18+35+35+42+42	1.10	2.14	2.14	2.56	2.56	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
20+20+20+20+20	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.148 0.640 - 3.888	9.02	9.43	9.84	99
20+20+20+20+22	1.96	1.96	1.96	1.96	2.16	10.00 4.10 - 14.00	2.185 0.640 - 3.935	9.18	9.60	10.02	99
20+20+20+20+25	1.92	1.92	1.92	1.92	2.40	10.10 4.10 - 14.00	2.188 0.640 - 3.928	9.19	9.61	10.03	99
20+20+20+20+35	1.76	1.76	1.76	1.76	3.07	10.10 4.10 - 14.00	2.178 0.640 - 3.918	9.15	9.57	9.99	99
20+20+20+20+42	1.66	1.66	1.66	1.66	3.48	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.11	9.52	9.93	99
20+20+20+20+50	1.55	1.55	1.55	1.55	3.88	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.08	9.49	9.90	99
20+20+20+20+60	1.44	1.44	1.44	1.44	4.33	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.08	9.49	9.90	99
20+20+20+20+71	1.34	1.34	1.34	1.34	4.75	10.10 4.10 - 14.00	2.145 0.640 - 3.895	9.01	9.42	9.83	99
20+20+20+22+25	1.89	1.89	1.89	2.08	2.36	10.10 4.10 - 14.00	2.169 0.640 - 3.909	9.12	9.53	9.94	99
20+20+20+22+35	1.74	1.74	1.74	1.92	3.05	10.20 4.10 - 14.00	2.171 0.640 - 3.911	9.12	9.53	9.94	99
20+20+20+22+42	1.65	1.65	1.65	1.81	3.45	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+22+50	1.55	1.55	1.55	1.70	3.86	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+22+60	1.44	1.44	1.44	1.58	4.31	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+22+71	1.33	1.33	1.33	1.47	4.73	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+20+25+25	1.85	1.85	1.85	2.32	2.32	10.20 4.10 - 14.00	2.152 0.640 - 3.892	9.04	9.45	9.86	99
20+20+20+25+35	1.70	1.70	1.70	2.13	2.98	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+25+42	1.61	1.61	1.61	2.01	3.37	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+25+50	1.51	1.51	1.51	1.89	3.78	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+25+60	1.41	1.41	1.41	1.76	4.22	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+25+71	1.31	1.31	1.31	1.63	4.64	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
20+20+20+35+35	1.57	1.57	1.57	2.75	2.75	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+20+35+42	1.49	1.49	1.49	2.61	3.13	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.08	9.49	9.90	99
20+20+20+35+50	1.41	1.41	1.41	2.46	3.52	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+35+60	1.32	1.32	1.32	2.30	3.95	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.05	9.46	9.87	99
20+20+20+35+71	1.23	1.23	1.23	2.15	4.36	10.20 4.10 - 14.00	2.138 0.640 - 3.888	8.98	9.39	9.80	99
20+20+20+42+42	1.42	1.42	1.42	2.98	2.98	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+20+42+50	1.34	1.34	1.34	2.82	3.36	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+20+42+60	1.26	1.26	1.26	2.64	3.78	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+20+50+50	1.28	1.28	1.28	3.19	3.19	10.20 4.10 - 14.00	2.132 0.640 - 3.882	8.95	9.36	9.77	99
20+20+20+50+60	1.20	1.20	1.20	3.00	3.60	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.03	9.44	9.85	99
20+20+22+22+22	1.92	1.92	2.12	2.12	2.12	10.20 4.10 - 14.00	2.152 0.640 - 3.892	9.04	9.45	9.86	99
20+20+22+22+25	1.89	1.89	2.08	2.08	2.36	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
20+20+22+22+35	1.73	1.73	1.90	1.90	3.03	10.30 4.10 - 14.00	2.164 0.640 - 3.904	9.09	9.50	9.91	99
20+20+22+22+42	1.63	1.63	1.80	1.80	3.43	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+22+50	1.54	1.54	1.69	1.69	3.84	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+22+60	1.43	1.43	1.57	1.57	4.29	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+22+71	1.33	1.33	1.46	1.46	4.72	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+25+25	1.84	1.84	2.02	2.30	2.30	10.30 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
20+20+22+25+35	1.69	1.69	1.86	2.11	2.95	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+25+42	1.60	1.60	1.76	2.00	3.35	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+25+50	1.50	1.50	1.65	1.88	3.76	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+25+60	1.40	1.40	1.54	1.75	4.20	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+25+71	1.30	1.30	1.43	1.63	4.63	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+35+35	1.56	1.56	1.72	2.73	2.73	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+22+35+42	1.48	1.48	1.63	2.59	3.11	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+22+35+50	1.40	1.40	1.54	2.45	3.50	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+35+60	1.31	1.31	1.44	2.30	3.94	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+22+35+71	1.23	1.23	1.35	2.15	4.35	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+22+42+42	1.41	1.41	1.55	2.96	2.96	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+22+42+50	1.34	1.34	1.47	2.81	3.34	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+22+42+60	1.26	1.26	1.38	2.64	3.77	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+22+50+50	1.27	1.27	1.40	3.18	3.18	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
20+20+22+50+60	1.20	1.20	1.32	2.99	3.59	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+25+25	1.79	1.79	2.24	2.24	2.24	10.30 4.10 - 14.00	2.135 0.640 - 3.875	8.97	9.38	9.79	99
20+20+25+25+35	1.65	1.65	2.06	2.06	2.88	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+25+25+42	1.56	1.56	1.95	1.95	3.28	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+25+25+50	1.47	1.47	1.84	1.84	3.68	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+25+60	1.37	1.37	1.72	1.72	4.12	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+25+71	1.28	1.28	1.60	1.60	4.54	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+25+35+35	1.53	1.53	1.91	2.67	2.67	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+25+35+42	1.45	1.45	1.81	2.54	3.05	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+25+35+50	1.37	1.37	1.72	2.40	3.43	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+35+60	1.29	1.29	1.61	2.25	3.86	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+25+35+71	1.20	1.20	1.51	2.11	4.28	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+25+42+42	1.38	1.38	1.73	2.90	2.90	10.30 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+20+25+42+50	1.31	1.31	1.64	2.76	3.28	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+42+60	1.23	1.23	1.54	2.59	3.70	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+25+50+50	1.25	1.25	1.56	3.12	3.12	10.30 4.10 - 14.00	2.125 0.640 - 3.875	8.92	9.33	9.74	99
20+20+35+35+35	1.42	1.42	2.49	2.49	2.49	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+35+35+42	1.36	1.36	2.37	2.37	2.85	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.05	9.46	9.87	99
20+20+35+35+50	1.29	1.29	2.25	2.25	3.22	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+35+35+60	1.21	1.21	2.12	2.12	3.64	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.02	9.43	9.84	99
20+20+35+42+42	1.30	1.30	2.27	2.72	2.72	10.30 4.10 - 14.00	2.131 0.640 - 3.881	8.95	9.36	9.77	99
20+20+35+42+50	1.23	1.23	2.16	2.59	3.08	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+20+42+42+42	1.24	1.24	2.61	2.61	2.61	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.00	9.41	9.82	99
20+22+22+22+22	1.91	2.10	2.10	2.10	2.10	10.30 4.10 - 14.00	2.146 0.640 - 3.886	9.01	9.42	9.83	99
20+22+22+22+25	1.87	2.06	2.06	2.06	2.34	10.40 4.10 - 14.00	2.157 0.640 - 3.897	9.06	9.47	9.88	99
20+22+22+22+35	1.72	1.89	1.89	1.89	3.01	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+22+42	1.63	1.79	1.79	1.79	3.41	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+22+50	1.53	1.68	1.68	1.68	3.82	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+22+60	1.42	1.57	1.57	1.57	4.27	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+22+71	1.32	1.46	1.46	1.46	4.70	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+25+25	1.82	2.01	2.01	2.28	2.28	10.40 4.10 - 14.00	2.138 0.640 - 3.878	8.98	9.39	9.80	99
20+22+22+25+35	1.68	1.85	1.85	2.10	2.94	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+25+42	1.59	1.75	1.75	1.98	3.33	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+25+50	1.50	1.65	1.65	1.87	3.74	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+25+60	1.40	1.54	1.54	1.74	4.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+25+71	1.30	1.43	1.43	1.63	4.62	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+35+35	1.55	1.71	1.71	2.72	2.72	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+22+35+42	1.48	1.62	1.62	2.58	3.10	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+22+35+50	1.40	1.54	1.54	2.44	3.49	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+35+60	1.31	1.44	1.44	2.29	3.92	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+22+35+71	1.22	1.35	1.35	2.14	4.34	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+22+42+42	1.41	1.55	1.55	2.95	2.95	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+22+42+50	1.33	1.47	1.47	2.80	3.33	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+22+42+60	1.25	1.38	1.38	2.63	3.76	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+22+50+50	1.27	1.40	1.40	3.17	3.17	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+22+25+25+25	1.78	1.96	2.22	2.22	2.22	10.40 4.10 - 14.00	2.145 0.640 - 3.885	9.01	9.42	9.83	99
20+22+25+25+35	1.64	1.80	2.05	2.05	2.87	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+25+42	1.55	1.71	1.94	1.94	3.26	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+25+50	1.46	1.61	1.83	1.83	3.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+25+60	1.37	1.51	1.71	1.71	4.11	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+25+71	1.28	1.40	1.60	1.60	4.53	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+25+35+35	1.52	1.67	1.90	2.66	2.66	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+22+25+35+42	1.44	1.59	1.81	2.53	3.03	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+25+35+50	1.37	1.51	1.71	2.39	3.42	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+35+60	1.28	1.41	1.60	2.25	3.85	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+25+42+42	1.38	1.52	1.72	2.89	2.89	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+25+42+50	1.31	1.44	1.64	2.75	3.27	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+25+42+60	1.23	1.35	1.54	2.58	3.69	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+25+50+50	1.25	1.37	1.56	3.11	3.11	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+22+35+35+35	1.41	1.56	2.48	2.48	2.48	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+35+35+42	1.35	1.49	2.36	2.36	2.84	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+22+35+35+50	1.28	1.41	2.25	2.25	3.21	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+35+35+60	1.21	1.33	2.12	2.12	3.63	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+22+35+42+42	1.29	1.42	2.26	2.71	2.71	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+22+35+42+50	1.23	1.35	2.15	2.58	3.08	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+22+42+42+42	1.24	1.36	2.60	2.60	2.60	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+25+25	1.73	2.17	2.17	2.17	2.17	10.40 4.10 - 14.00	2.129 0.640 - 3.879	8.94	9.35	9.76	99
20+25+25+25+35	1.60	2.00	2.00	2.00	2.80	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+25+42	1.52	1.90	1.90	1.90	3.19	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+25+50	1.43	1.79	1.79	1.79	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+25+60	1.34	1.68	1.68	1.68	4.03	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+25+71	1.25	1.57	1.57	1.57	4.45	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+25+25+35+35	1.49	1.86	1.86	2.60	2.60	10.40 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
20+25+25+35+42	1.41	1.77	1.77	2.48	2.97	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+25+35+50	1.34	1.68	1.68	2.35	3.35	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+35+60	1.26	1.58	1.58	2.21	3.78	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+25+42+42	1.35	1.69	1.69	2.84	2.84	10.40 4.10 - 14.00	2.124 0.640 - 3.874	8.92	9.33	9.74	99
20+25+25+42+50	1.28	1.60	1.60	2.70	3.21	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+42+60	1.21	1.51	1.51	2.54	3.63	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+25+50+50	1.22	1.53	1.53	3.06	3.06	10.40 4.10 - 14.00	2.118 0.640 - 3.868	8.90	9.30	9.70	99
20+25+35+35+35	1.39	1.73	2.43	2.43	2.43	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99
20+25+35+35+42	1.32	1.66	2.32	2.32	2.78	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.02	9.43	9.84	99
20+25+35+35+50	1.26	1.58	2.21	2.21	3.15	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+35+42+42	1.27	1.59	2.22	2.66	2.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	8.99	9.40	9.81	99
20+25+35+42+50	1.21	1.51	2.12	2.54	3.02	10.40 4.10 - 14.00	2.135 0.640 - 3.885	8.97	9.38	9.79	99

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+42+42+42	1.22	1.52	2.55	2.55	2.55	10.40	2.135	8.97	9.38	9.79	99
						4.10 - 14.00	0.640 - 3.885				
20+35+35+35+35	1.30	2.28	2.28	2.28	2.28	10.40	2.129	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.879				
20+35+35+35+42	1.25	2.18	2.18	2.18	2.62	10.40	2.147	9.02	9.43	9.84	99
						4.10 - 14.00	0.640 - 3.897				
22+22+22+22+22	2.08	2.08	2.08	2.08	2.08	10.40	2.151	9.04	9.45	9.86	99
						4.10 - 14.00	0.640 - 3.891				
22+22+22+22+25	2.04	2.04	2.04	2.04	2.32	10.50	2.150	9.03	9.44	9.85	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+22+35	1.88	1.88	1.88	1.88	2.99	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+22+42	1.78	1.78	1.78	1.78	3.39	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+22+50	1.67	1.67	1.67	1.67	3.80	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+22+60	1.56	1.56	1.56	1.56	4.26	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+22+71	1.45	1.45	1.45	1.45	4.69	10.50	2.117	8.90	9.30	9.70	99
						4.10 - 14.00	0.640 - 3.867				
22+22+22+25+25	1.99	1.99	1.99	2.26	2.26	10.50	2.131	8.95	9.36	9.77	99
						4.10 - 14.00	0.640 - 3.871				
22+22+22+25+35	1.83	1.83	1.83	2.08	2.92	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+25+42	1.74	1.74	1.74	1.97	3.32	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+25+50	1.64	1.64	1.64	1.86	3.72	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+25+60	1.53	1.53	1.53	1.74	4.17	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+25+71	1.43	1.43	1.43	1.62	4.60	10.50	2.117	8.90	9.30	9.70	99
						4.10 - 14.00	0.640 - 3.867				
22+22+22+35+35	1.70	1.70	1.70	2.70	2.70	10.50	2.121	8.91	9.31	9.71	99
						4.10 - 14.00	0.640 - 3.871				
22+22+22+35+42	1.62	1.62	1.62	2.57	3.08	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+22+35+50	1.53	1.53	1.53	2.43	3.48	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+35+60	1.43	1.43	1.43	2.28	3.91	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+22+35+71	1.34	1.34	1.34	2.14	4.33	10.50	2.117	8.90	9.30	9.70	99
						4.10 - 14.00	0.640 - 3.867				
22+22+22+42+42	1.54	1.54	1.54	2.94	2.94	10.50	2.121	8.91	9.31	9.71	99
						4.10 - 14.00	0.640 - 3.871				
22+22+22+42+50	1.46	1.46	1.46	2.79	3.32	10.50	2.128	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.878				
22+22+22+42+60	1.38	1.38	1.38	2.63	3.75	10.50	2.128	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.878				
22+22+22+50+50	1.39	1.39	1.39	3.16	3.16	10.50	2.111	8.87	9.27	9.67	99
						4.10 - 14.00	0.640 - 3.861				
22+22+25+25+25	1.94	1.94	2.21	2.21	2.21	10.50	2.138	8.98	9.39	9.80	99
						4.10 - 14.00	0.640 - 3.878				
22+22+25+25+35	1.79	1.79	2.03	2.03	2.85	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+25+25+42	1.70	1.70	1.93	1.93	3.24	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+25+25+50	1.60	1.60	1.82	1.82	3.65	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+25+25+60	1.50	1.50	1.70	1.70	4.09	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+25+25+71	1.40	1.40	1.59	1.59	4.52	10.50	2.117	8.90	9.30	9.70	99
						4.10 - 14.00	0.640 - 3.867				
22+22+25+35+35	1.66	1.66	1.89	2.64	2.64	10.50	2.121	8.91	9.31	9.71	99
						4.10 - 14.00	0.640 - 3.871				
22+22+25+35+42	1.58	1.58	1.80	2.52	3.02	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				
22+22+25+35+50	1.50	1.50	1.70	2.39	3.41	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+25+35+60	1.41	1.41	1.60	2.24	3.84	10.50	2.134	8.96	9.37	9.78	99
						4.10 - 14.00	0.640 - 3.884				
22+22+25+42+42	1.51	1.51	1.72	2.88	2.88	10.50	2.117	8.90	9.30	9.70	99
						4.10 - 14.00	0.640 - 3.867				
22+22+25+42+50	1.43	1.43	1.63	2.74	3.26	10.50	2.128	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.878				
22+22+25+42+60	1.35	1.35	1.54	2.58	3.68	10.50	2.128	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.878				
22+22+25+50+50	1.37	1.37	1.55	3.11	3.11	10.50	2.111	8.87	9.27	9.67	99
						4.10 - 14.00	0.640 - 3.861				
22+22+35+35+35	1.55	1.55	2.47	2.47	2.47	10.50	2.128	8.94	9.35	9.76	99
						4.10 - 14.00	0.640 - 3.878				
22+22+35+35+42	1.48	1.48	2.36	2.36	2.83	10.50	2.140	8.99	9.40	9.81	99
						4.10 - 14.00	0.640 - 3.890				

**MXZ-5F102VF HEATING**

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+22+35+35+50	1.41	1.41	2.24	2.24	3.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+35+42+42	1.42	1.42	2.25	2.71	2.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+22+35+42+50	1.35	1.35	2.15	2.58	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+22+42+42+42	1.36	1.36	2.59	2.59	2.59	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+25+25+25	1.89	2.15	2.15	2.15	2.15	10.50 4.10 - 14.00	2.122 0.640 - 3.872	8.91	9.32	9.73	99
22+25+25+25+35	1.75	1.99	1.99	1.99	2.78	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+25+42	1.66	1.89	1.89	1.89	3.17	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+25+50	1.57	1.79	1.79	1.79	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+25+60	1.47	1.67	1.67	1.67	4.01	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+25+71	1.38	1.56	1.56	1.56	4.44	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+25+25+35+35	1.63	1.85	1.85	2.59	2.59	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
22+25+25+35+42	1.55	1.76	1.76	2.47	2.96	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+25+35+50	1.47	1.67	1.67	2.34	3.34	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+35+60	1.38	1.57	1.57	2.20	3.77	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+25+42+42	1.48	1.68	1.68	2.83	2.83	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
22+25+25+42+50	1.41	1.60	1.60	2.69	3.20	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+25+50+50	1.34	1.53	1.53	3.05	3.05	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+35+35+35	1.52	1.73	2.42	2.42	2.42	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+25+35+35+42	1.45	1.65	2.31	2.31	2.77	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
22+25+35+35+50	1.38	1.57	2.20	2.20	3.14	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+25+35+42+42	1.39	1.58	2.21	2.66	2.66	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
22+35+35+35+35	1.43	2.27	2.27	2.27	2.27	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
22+35+35+35+42	1.37	2.17	2.17	2.17	2.61	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+25	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+35	1.94	1.94	1.94	1.94	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+42	1.85	1.85	1.85	1.85	3.11	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+25+50	1.75	1.75	1.75	1.75	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+60	1.64	1.64	1.64	1.64	3.94	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+25+71	1.54	1.54	1.54	1.54	4.36	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
25+25+25+35+35	1.81	1.81	1.81	2.53	2.53	10.50 4.10 - 14.00	2.121 0.640 - 3.871	8.91	9.31	9.71	99
25+25+25+35+42	1.73	1.73	1.73	2.42	2.90	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+25+35+50	1.64	1.64	1.64	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+35+60	1.54	1.54	1.54	2.16	3.71	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+25+42+42	1.65	1.65	1.65	2.77	2.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	8.90	9.30	9.70	99
25+25+25+42+50	1.57	1.57	1.57	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+25+35+35+35	1.69	1.69	2.37	2.37	2.37	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+25+35+35+42	1.62	1.62	2.27	2.27	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99
25+25+35+35+50	1.54	1.54	2.16	2.16	3.09	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+25+35+42+42	1.55	1.55	2.17	2.61	2.61	10.50 4.10 - 14.00	2.134 0.640 - 3.884	8.96	9.37	9.78	99
25+35+35+35+35	1.59	2.23	2.23	2.23	2.23	10.50 4.10 - 14.00	2.128 0.640 - 3.878	8.94	9.35	9.76	99
25+35+35+35+42	1.53	2.14	2.14	2.14	2.56	10.50 4.10 - 14.00	2.140 0.640 - 3.890	8.99	9.40	9.81	99