

MXZ-2F33VF COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)		
	Unit A	Unit B	Total				220	230	240			
15	1.50	-	1.50	-	2.90	0.360	-	0.840	1.82	1.74	1.67	90
18	1.80	-	1.80	-	4.00	0.360	-	1.120	2.02	1.93	1.85	90
20	2.00	-	2.00	-	2.90	0.360	-	0.840	2.37	2.27	2.18	90
22	2.20	-	2.20	-	4.00	0.360	-	1.120	2.53	2.42	2.31	90
25	2.50	-	2.50	-	4.20	0.360	-	1.140	2.83	2.71	2.59	90
15+15	1.20	1.20	2.40	-	3.80	0.296	-	1.106	2.63	2.51	2.41	90
15+18	1.50	1.80	3.30	-	3.80	0.279	-	1.029	4.11	3.93	3.76	90
15+20	1.41	1.89	3.30	-	3.80	0.304	-	1.104	4.38	4.19	4.01	90
15+22	1.34	1.96	3.30	-	3.80	0.279	-	1.029	4.26	4.07	3.90	90
15+25	1.24	2.06	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
18+18	1.65	1.65	3.30	-	3.80	0.252	-	0.962	3.68	3.52	3.38	90
18+20	1.56	1.74	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
18+22	1.49	1.82	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
18+25	1.38	1.92	3.30	-	3.90	0.252	-	1.002	3.68	3.52	3.38	90
20+20	1.65	1.65	3.30	-	3.80	0.302	-	1.102	4.37	4.18	4.01	90
20+22	1.57	1.73	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
20+25	1.47	1.83	3.30	-	3.80	0.277	-	1.027	4.25	4.06	3.89	90
22+22	1.65	1.65	3.30	-	3.80	0.252	-	0.962	3.68	3.52	3.38	90
22+25	1.54	1.76	3.30	-	3.90	0.252	-	1.002	3.68	3.52	3.38	90
25+25	1.65	1.65	3.30	-	4.00	0.252	-	1.042	3.68	3.52	3.38	90

MXZ-2F33VF HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
15	1.70	-	1.70	0.428	-	1.520	2.16	2.07	1.98	90
18	3.30	-	2.00	0.391	-	1.190	1.97	1.89	1.81	90
20	2.20	-	2.20	0.554	-	1.520	2.80	2.68	2.56	90
22	3.30	-	3.30	0.720	-	1.190	3.64	3.48	3.33	90
25	3.60	-	3.60	0.780	-	1.110	3.94	3.77	3.61	90
15+15	1.50	1.50	3.00	0.623	-	0.936	3.15	3.01	2.89	90
15+18	1.36	2.64	4.00	0.864	-	0.956	4.36	4.17	4.00	90
15+20	1.70	2.20	3.90	0.915	-	0.974	4.62	4.42	4.24	90
15+22	1.36	2.64	4.00	0.898	-	0.956	4.53	4.34	4.16	90
15+25	1.28	2.72	4.00	0.953	-	0.972	4.81	4.60	4.41	90
18+18	2.00	2.00	4.00	0.819	-	0.956	4.14	3.96	3.79	90
18+20	2.40	1.60	4.00	0.896	-	0.954	4.52	4.33	4.15	90
18+22	2.00	2.00	4.00	0.953	-	0.972	4.81	4.60	4.41	90
18+25	1.91	2.09	4.00	0.819	-	0.956	4.14	3.96	3.79	90
20+20	2.00	2.00	4.00	0.953	-	0.972	4.81	4.60	4.41	90
20+22	1.60	2.40	4.00	0.896	-	0.954	4.52	4.33	4.15	90
20+25	1.52	2.48	4.00	0.896	-	0.954	4.52	4.33	4.15	90
22+22	2.00	2.00	4.00	0.819	-	0.956	4.14	3.96	3.79	90
22+25	1.91	2.09	4.00	0.819	-	0.956	4.14	3.96	3.79	90
25+25	2.00	2.00	4.00	0.819	-	0.996	4.14	3.96	3.79	90

MXZ-2F42VF COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Total			220	230	240	
15	1.50	-	1.50	0.250	0.310	1.48	1.42	1.36	95
			1.20 - 2.90		- 0.770				
18	1.80	-	1.80	0.250	0.370	1.77	1.69	1.62	95
			1.20 - 3.40		- 0.800				
20	2.00	-	2.00	0.250	0.430	2.06	1.97	1.89	95
			1.20 - 2.90		- 0.770				
22	2.20	-	2.20	0.250	0.460	2.20	2.11	2.02	95
			1.20 - 3.40		- 0.800				
25	2.50	-	2.50	0.250	0.510	2.44	2.33	2.24	95
			1.30 - 3.60		- 0.800				
35	3.50	-	3.50	0.250	0.780	3.73	3.57	3.42	95
			1.30 - 5.10		- 1.710				
15+15	1.40	1.40	2.80	0.446	0.607	2.91	2.78	2.66	95
			1.10 - 4.30		- 1.286				
15+18	1.50	1.80	3.30	0.289	1.037	4.96	4.75	4.55	95
			1.10 - 4.30		- 1.539				
15+20	1.41	1.89	3.30	0.334	1.275	5.97	5.71	5.48	97
			1.10 - 4.30		- 1.944				
15+22	1.34	1.96	3.30	0.289	1.037	4.86	4.65	4.45	97
			1.10 - 4.30		- 1.539				
15+25	1.50	2.50	4.00	0.292	1.127	5.28	5.05	4.84	97
			1.10 - 4.30		- 1.472				
15+35	1.20	2.80	4.00	0.292	1.127	5.28	5.05	4.84	97
			1.10 - 4.40		- 1.512				
18+18	1.65	1.65	3.30	0.252	0.710	3.33	3.18	3.05	97
			1.10 - 4.30		- 1.142				
18+20	1.66	1.84	3.50	0.287	1.103	5.17	4.94	4.74	97
			1.10 - 4.30		- 1.537				
18+22	1.80	2.20	4.00	0.252	0.914	4.28	4.10	3.93	97
			1.10 - 4.30		- 1.142				
18+25	1.76	2.44	4.20	0.252	0.940	4.40	4.21	4.04	97
			1.10 - 4.40		- 1.182				
18+35	1.43	2.77	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.40		- 1.182				
20+20	2.00	2.00	4.00	0.442	1.185	5.55	5.31	5.09	97
			1.10 - 4.30		- 1.282				
20+25	1.87	2.33	4.20	0.287	1.389	6.51	6.23	5.97	97
			1.10 - 4.30		- 1.537				
20+35	1.53	2.67	4.20	0.287	1.389	6.51	6.23	5.97	97
			1.10 - 4.40		- 1.577				
22+22	2.10	2.10	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.40		- 1.182				
22+25	1.97	2.23	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.40		- 1.182				
22+35	1.62	2.58	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.40		- 1.182				
25+25	2.10	2.10	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.40		- 1.182				
25+35	1.75	2.45	4.20	0.252	0.943	4.42	4.23	4.05	97
			1.10 - 4.50		- 1.212				

MXZ-2F42VF HEATING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
15	1.70	-	1.70	0.360	1.72	1.65	1.58	95		
			1.40 - 2.60	0.300 - 0.630						
18	3.30	-	2.00	0.350	1.67	1.60	1.54	95		
			1.50 - 4.50	0.260 - 1.130						
20	2.20	-	2.20	0.500	2.39	2.29	2.19	95		
			1.40 - 2.60	0.300 - 0.630						
22	3.30	-	3.30	0.670	3.21	3.07	2.94	95		
			1.50 - 4.50	0.260 - 1.130						
25	3.60	-	3.60	0.720	3.44	3.30	3.16	95		
			1.50 - 5.40	0.250 - 1.450						
35	4.00	-	4.00	0.830	3.97	3.80	3.64	95		
			1.50 - 5.40	0.250 - 1.450						
15+15	1.60	1.60	3.20	0.653	3.12	2.99	2.86	95		
			1.00 - 4.80	0.356 - 1.724						
15+18	1.36	2.64	4.00	1.035	4.95	4.74	4.54	95		
			1.00 - 4.80	0.276 - 1.366						
15+20	1.70	2.20	3.90	1.288	6.03	5.77	5.53	97		
			1.00 - 4.80	0.364 - 1.724						
15+22	1.36	2.64	4.00	1.035	4.85	4.64	4.45	97		
			1.00 - 4.80	0.276 - 1.366						
15+25	1.44	3.06	4.50	1.094	5.13	4.90	4.70	97		
			1.00 - 4.80	0.276 - 1.366						
15+35	1.34	3.16	4.50	1.094	5.13	4.90	4.70	97		
			1.00 - 4.90	0.276 - 1.390						
18+18	2.00	2.00	4.00	0.770	3.61	3.45	3.31	97		
			1.00 - 4.80	0.196 - 0.996						
18+20	2.40	1.60	4.00	1.033	4.84	4.63	4.44	97		
			1.00 - 4.80	0.284 - 1.366						
18+22	2.25	2.25	4.50	0.858	4.02	3.85	3.69	97		
			1.00 - 4.80	0.196 - 0.996						
18+25	2.15	2.35	4.50	0.822	3.85	3.68	3.53	97		
			1.00 - 4.80	0.196 - 0.996						
18+35	2.03	2.47	4.50	0.858	4.02	3.85	3.69	97		
			1.00 - 4.90	0.202 - 1.022						
20+20	2.20	2.20	4.40	1.031	4.83	4.62	4.43	97		
			1.00 - 4.80	0.362 - 1.724						
20+25	1.71	2.79	4.50	1.160	5.44	5.20	4.98	97		
			1.00 - 4.80	0.284 - 1.366						
20+35	1.60	2.90	4.50	1.156	5.42	5.18	4.97	97		
			1.00 - 4.90	0.280 - 1.390						
22+22	2.25	2.25	4.50	0.858	4.02	3.85	3.69	97		
			1.00 - 4.80	0.196 - 0.996						
22+25	2.15	2.35	4.50	0.858	4.02	3.85	3.69	97		
			1.00 - 4.80	0.196 - 0.996						
22+35	2.03	2.47	4.50	0.855	4.00	3.83	3.67	97		
			1.00 - 4.90	0.202 - 1.022						
25+25	2.25	2.25	4.50	0.858	4.02	3.85	3.69	97		
			1.00 - 4.90	0.196 - 1.026						
25+35	2.13	2.37	4.50	0.855	4.00	3.83	3.67	97		
			1.10 - 5.00	0.202 - 1.052						

MXZ-2F53VF COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
15	1.50	-	1.50	0.310	1.48	1.42	1.36	95		
			1.20 - 2.90	0.250 - 0.770						
18	1.80	-	1.80	0.370	1.77	1.69	1.62	95		
			1.20 - 3.40	0.250 - 0.800						
20	2.00	-	2.00	0.370	1.77	1.69	1.62	95		
			1.20 - 3.40	0.250 - 0.800						
22	2.20	-	2.20	0.460	2.20	2.11	2.02	95		
			1.20 - 2.90	0.250 - 0.800						
25	2.50	-	2.50	0.510	2.44	2.33	2.24	95		
			1.30 - 3.60	0.250 - 0.800						
35	3.50	-	3.50	0.780	3.73	3.57	3.42	95		
			1.30 - 5.10	0.250 - 1.710						
42	4.20	-	4.20	1.040	4.98	4.76	4.56	95		
			1.30 - 5.19	0.250 - 1.840						
50	4.50	-	4.50	1.420	6.79	6.50	6.23	95		
			1.30 - 5.19	0.250 - 1.840						
15+15	1.50	1.50	3.00	0.685	3.28	3.13	3.00	95		
			1.10 - 4.80	0.326 - 1.326						
15+18	1.50	1.80	3.30	0.756	3.62	3.46	3.31	95		
			1.10 - 5.00	0.289 - 1.299						
15+20	1.50	2.00	3.50	0.887	4.15	3.97	3.81	97		
			1.10 - 4.80	0.334 - 1.324						
15+22	1.50	2.20	3.70	0.930	4.36	4.17	4.00	97		
			1.10 - 5.00	0.289 - 1.299						
15+25	1.50	2.50	4.00	1.292	6.05	5.79	5.55	97		
			1.10 - 4.80	0.372 - 1.652						
15+35	1.50	3.50	5.00	1.408	6.60	6.31	6.05	97		
			1.10 - 5.60	0.292 - 1.882						
15+42	1.39	3.91	5.30	1.680	7.87	7.53	7.22	97		
			1.10 - 5.60	0.292 - 1.882						
15+50	1.22	4.08	5.30	1.799	8.43	8.07	7.73	97		
			1.10 - 5.80	0.295 - 2.035						
18+18	1.80	1.80	3.60	0.885	4.15	3.97	3.80	97		
			1.10 - 5.30	0.252 - 1.512						
18+20	1.80	2.00	3.80	0.957	4.49	4.29	4.11	97		
			1.10 - 5.00	0.287 - 1.297						
18+22	1.80	2.20	4.00	1.079	5.05	4.83	4.63	97		
			1.10 - 4.80	0.332 - 1.322						
18+25	1.80	2.50	4.30	1.040	4.87	4.66	4.47	97		
			1.10 - 5.40	0.252 - 1.532						
18+35	1.80	3.50	5.30	1.356	6.35	6.08	5.82	97		
			1.10 - 5.60	0.252 - 1.552						
18+42	1.59	3.71	5.30	1.467	6.87	6.57	6.30	97		
			1.10 - 5.80	0.252 - 1.582						
18+50	1.40	3.90	5.30	1.463	6.85	6.56	6.28	97		
			1.10 - 6.00	0.248 - 1.618						
20+20	2.00	2.00	4.00	1.079	5.05	4.83	4.63	97		
			1.10 - 4.80	0.332 - 1.322						
20+22	2.00	2.20	4.20	1.074	5.03	4.81	4.61	97		
			1.10 - 5.00	0.287 - 1.297						
20+25	2.00	2.50	4.50	1.142	5.35	5.12	4.90	97		
			1.10 - 5.20	0.287 - 1.617						
20+35	1.93	3.37	5.30	1.801	8.44	8.07	7.74	97		
			1.10 - 5.60	0.287 - 2.007						
20+42	1.71	3.59	5.30	1.801	8.44	8.07	7.74	97		
			1.10 - 5.80	0.287 - 2.037						
20+50	1.51	3.79	5.30	1.680	7.87	7.53	7.22	97		
			1.10 - 6.00	0.292 - 1.952						
22+22	2.20	2.20	4.40	1.069	5.01	4.79	4.59	97		
			1.10 - 5.30	0.252 - 1.512						
22+25	2.20	2.50	4.70	1.127	5.28	5.05	4.84	97		
			1.10 - 5.40	0.252 - 1.532						
22+35	2.05	3.25	5.30	1.467	6.87	6.57	6.30	97		
			1.10 - 5.60	0.252 - 1.552						
22+42	1.44	2.76	4.20	1.467	6.87	6.57	6.30	97		
			1.10 - 5.80	0.252 - 1.582						

MXZ-2F53VF COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)	
	Unit A	Unit B	Total				220	230	240		
22+50	1.62	3.68	5.30	0.248	1.463	-	1.618	6.85	6.56	6.28	97
			1.10								
25+25	2.50	2.50	5.00	0.252	1.195	-	1.552	5.60	5.36	5.13	97
			1.10								
25+35	2.21	3.09	5.30	0.252	1.467	-	1.582	6.87	6.57	6.30	97
			1.10								
25+42	1.98	3.32	5.30	0.252	1.467	-	1.582	6.87	6.57	6.30	97
			1.10								
25+50	1.77	3.53	5.30	0.248	1.463	-	1.618	6.85	6.56	6.28	97
			1.10								
35+35	2.65	2.65	5.30	0.252	1.467	-	1.622	6.87	6.57	6.30	97
			1.10								

MXZ-2F53VF HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
15	1.70	-	1.70	0.300	-	0.630	1.72	1.65	1.58	95
18	3.30	-	2.00	0.260	-	1.130	1.72	1.65	1.58	95
20	2.20	-	2.20	0.300	-	0.630	2.39	2.29	2.19	95
22	3.30	-	3.30	0.260	-	1.130	3.21	3.07	2.94	95
25	3.60	-	3.60	0.250	-	1.450	3.44	3.30	3.16	95
35	4.00	-	4.00	0.250	-	1.450	3.97	3.80	3.64	95
42	4.80	-	4.80	0.250	-	1.450	6.17	5.90	5.65	95
50	5.00	-	5.00	0.250	-	1.477	6.42	6.14	5.89	95
15+15	1.70	1.70	3.40	0.356	-	1.176	3.31	3.17	3.03	95
15+18	1.46	2.84	4.30	0.356	-	1.246	4.34	4.15	3.98	95
15+20	1.70	2.20	3.90	0.364	-	1.314	4.01	3.84	3.68	97
15+22	1.46	2.84	4.30	0.356	-	1.246	4.25	4.07	3.90	97
15+25	1.44	3.06	4.50	0.442	-	1.752	5.66	5.41	5.19	97
15+35	1.70	4.00	5.70	0.276	-	2.126	8.06	7.71	7.39	97
15+42	1.67	4.73	6.40	0.282	-	2.122	8.46	8.09	7.75	97
15+50	1.62	4.78	6.40	0.279	-	2.249	8.95	8.56	8.20	97
18+18	3.05	3.05	6.10	0.196	-	1.736	6.32	6.04	5.79	97
18+20	3.12	2.08	5.20	0.364	-	1.484	5.58	5.33	5.11	97
18+22	2.25	2.25	4.50	0.362	-	1.452	4.74	4.53	4.34	97
18+25	2.97	3.23	6.20	0.196	-	1.766	6.73	6.44	6.17	97
18+35	2.89	3.51	6.40	0.202	-	1.822	7.04	6.73	6.45	97
18+42	2.61	3.79	6.40	0.202	-	1.822	7.54	7.21	6.91	97
18+50	2.54	3.86	6.40	0.199	-	1.819	7.53	7.20	6.90	97
20+20	2.20	2.20	4.40	0.362	-	1.452	4.74	4.53	4.34	97
20+22	2.08	3.12	5.20	0.364	-	1.484	5.58	5.33	5.11	97
20+25	2.05	3.35	5.40	0.364	-	1.574	6.17	5.90	5.66	97
20+35	2.20	4.00	6.20	0.280	-	2.250	8.96	8.57	8.21	97
20+42	2.01	4.39	6.40	0.280	-	2.250	8.96	8.57	8.21	97
20+50	1.96	4.44	6.40	0.278	-	2.118	8.44	8.07	7.74	97
22+22	3.05	3.05	6.10	0.196	-	1.736	6.32	6.04	5.79	97
22+25	2.97	3.23	6.20	0.196	-	1.766	6.73	6.44	6.17	97
22+35	2.89	3.51	6.40	0.202	-	1.822	7.54	7.21	6.91	97
22+42	2.61	3.79	6.40	0.202	-	1.822	7.54	7.21	6.91	97

MXZ-2F53VF HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
22+50	2.54	3.86	6.40	1.606	1.606	1.606	7.53	7.20	6.90	97
			1.00 - 7.00	0.199 - 1.819	0.199 - 1.819	0.199 - 1.819				
25+25	3.15	3.15	6.30	1.525	1.525	1.525	7.15	6.83	6.55	97
			1.00 - 7.00	0.196 - 1.826	0.196 - 1.826	0.196 - 1.826				
25+35	3.03	3.37	6.40	1.609	1.609	1.609	7.54	7.21	6.91	97
			1.00 - 7.00	0.202 - 1.822	0.202 - 1.822	0.202 - 1.822				
25+42	2.74	3.66	6.40	1.609	1.609	1.609	7.54	7.21	6.91	97
			1.00 - 7.00	0.202 - 1.822	0.202 - 1.822	0.202 - 1.822				
25+50	2.68	3.72	6.40	1.606	1.606	1.606	7.53	7.20	6.90	97
			1.00 - 7.00	0.199 - 1.819	0.199 - 1.819	0.199 - 1.819				
35+35	3.20	3.20	6.40	1.605	1.605	1.605	7.52	7.20	6.90	97
			1.00 - 7.00	0.198 - 1.818	0.198 - 1.818	0.198 - 1.818				

MXZ-3F54VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.50	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	1.80	1.80	3.80	0.460	0.460	0.870	2.11	2.02	1.94	99
20	2.00	-	-	2.00	1.60	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	2.20	1.80	3.80	0.460	0.520	0.870	2.39	2.28	2.19	99
25	2.50	-	-	2.50	1.80	3.80	0.520	0.610	0.870	2.80	2.68	2.57	99
35	3.50	-	-	3.50	1.80	5.20	0.520	0.810	1.500	3.72	3.56	3.41	99
42	4.20	-	-	4.20	1.80	5.00	0.520	1.030	1.585	4.73	4.52	4.34	99
50	5.00	-	-	5.00	1.80	5.60	0.520	1.350	1.775	6.20	5.93	5.68	99
15+15	1.50	1.50	-	3.00	2.00	5.40	0.540	0.766	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	3.30	2.00	5.40	0.620	0.816	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	3.50	2.00	5.40	0.700	0.858	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	3.70	2.00	5.40	0.660	0.901	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	4.00	2.00	5.40	0.780	1.096	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	5.00	2.00	6.00	0.620	1.426	2.150	6.55	6.26	6.00	99
15+42	1.42	3.98	-	5.40	2.00	6.80	0.620	1.565	2.790	7.18	6.87	6.59	99
15+50	1.25	4.15	-	5.40	2.00	6.80	0.630	1.565	2.780	7.18	6.87	6.59	99
18+18	1.80	1.80	-	3.60	2.00	5.40	0.540	0.807	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	3.80	2.00	5.40	0.700	0.966	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	4.00	2.00	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	4.30	2.00	5.40	0.580	1.142	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	5.30	2.00	6.60	0.540	1.501	2.460	6.89	6.59	6.32	99
18+42	1.62	3.78	-	5.40	2.00	6.80	0.540	1.536	2.620	7.05	6.74	6.46	99
18+50	1.43	3.97	-	5.40	2.00	6.80	0.550	1.536	2.610	7.05	6.74	6.46	99
20+20	2.00	2.00	-	4.00	2.00	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	4.20	2.00	5.40	0.700	1.146	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	4.50	2.00	5.50	0.620	1.234	1.865	5.67	5.42	5.19	99
20+35	1.96	3.44	-	5.40	2.00	6.80	0.620	1.565	2.790	7.18	6.87	6.59	99
20+42	1.74	3.66	-	5.40	2.00	6.80	0.620	1.565	2.790	7.18	6.87	6.59	99
20+50	1.54	3.86	-	5.40	2.00	6.80	0.630	1.565	2.780	7.18	6.87	6.59	99
22+22	2.20	2.20	-	4.40	2.00	5.40	0.540	1.166	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	4.70	2.00	5.70	0.540	1.281	1.810	5.88	5.63	5.39	99
22+35	2.08	3.32	-	5.40	2.00	6.80	0.540	1.536	2.620	7.05	6.74	6.46	99
22+42	1.86	3.54	-	5.40	2.00	6.80	0.540	1.536	2.620	7.05	6.74	6.46	99
22+50	1.65	3.75	-	5.40	2.00	6.80	0.550	1.536	2.610	7.05	6.74	6.46	99
25+25	2.50	2.50	-	5.00	2.00	6.00	0.540	1.397	1.980	6.41	6.13	5.88	99
25+35	2.25	3.15	-	5.40	2.00	6.80	0.540	1.536	2.620	7.05	6.74	6.46	99

MXZ-3F54VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
25+42	2.01	3.39	-	5.40 2.00 - 6.80	1.536 0.540 - 2.620	7.05	6.74	6.46	99		
25+50	1.80	3.60	-	5.40 2.00 - 6.80	1.536 0.550 - 2.610	7.05	6.74	6.46	99		
35+35	2.70	2.70	-	5.40 2.00 - 6.80	1.536 0.540 - 2.620	7.05	6.74	6.46	99		
35+42	2.45	2.95	-	5.40 2.00 - 6.80	1.536 0.550 - 2.620	7.05	6.74	6.46	99		
35+50	2.22	3.18	-	5.40 2.00 - 6.80	1.533 0.560 - 2.595	7.04	6.73	6.45	99		
42+42	2.70	2.70	-	5.40 2.00 - 6.80	1.536 0.550 - 2.620	7.05	6.74	6.46	99		
42+50	2.47	2.93	-	5.40 2.10 - 6.80	1.510 0.570 - 2.470	6.93	6.63	6.36	99		
50+50	2.70	2.70	-	5.40 2.10 - 6.80	1.484 0.560 - 2.340	6.81	6.52	6.25	99		
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.931 0.670 - 1.770	4.28	4.09	3.92	99		
15+15+18	1.50	1.50	1.80	4.80 2.90 - 6.80	1.141 0.730 - 2.130	5.24	5.01	4.80	99		
15+15+20	1.50	1.50	2.00	5.00 2.90 - 6.80	1.264 0.760 - 2.310	5.80	5.55	5.32	99		
15+15+22	1.50	1.50	2.20	5.20 2.90 - 6.80	1.291 0.730 - 2.130	5.93	5.67	5.43	99		
15+15+25	1.47	1.47	2.45	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
15+15+35	1.25	1.25	2.91	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
15+15+42	1.13	1.13	3.15	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99		
15+15+50	1.01	1.01	3.38	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99		
15+18+18	1.50	1.80	1.80	5.10 2.90 - 6.80	1.205 0.700 - 1.950	5.53	5.29	5.07	99		
15+18+20	1.50	1.80	2.00	5.30 2.90 - 6.80	1.328 0.730 - 2.130	6.10	5.83	5.59	99		
15+18+22	1.47	1.77	2.16	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+18+25	1.40	1.68	2.33	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+18+35	1.19	1.43	2.78	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+18+42	1.08	1.30	3.02	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
15+18+50	0.98	1.17	3.25	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
15+20+20	1.47	1.96	1.96	5.40 2.90 - 6.80	1.414 0.760 - 2.310	6.49	6.21	5.95	99		
15+20+22	1.42	1.89	2.08	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
15+20+25	1.35	1.80	2.25	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
15+20+35	1.16	1.54	2.70	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
15+20+42	1.05	1.40	2.95	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99		
15+20+50	0.95	1.27	3.18	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99		
15+22+22	1.37	2.01	2.01	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+22+25	1.31	1.92	2.18	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+22+35	1.13	1.65	2.63	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+22+42	1.03	1.50	2.87	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
15+22+50	0.93	1.37	3.10	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
15+25+25	1.25	2.08	2.08	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+25+35	1.08	1.80	2.52	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		

MXZ-3F54VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
15+25+42	0.99	1.65	2.77	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
15+25+50	0.90	1.50	3.00	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
15+35+35	0.95	2.22	2.22	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
15+35+42	0.88	2.05	2.47	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
15+35+50	0.81	1.89	2.70	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
15+42+42	0.82	2.29	2.29	5.40 2.90 - 6.80	1.278 0.700 - 1.930	5.87	5.61	5.38	99		
18+18+18	1.80	1.80	1.80	5.40 2.90 - 6.80	1.260 0.670 - 1.770	5.79	5.53	5.30	99		
18+18+20	1.74	1.74	1.93	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
18+18+22	1.68	1.68	2.05	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+18+25	1.59	1.59	2.21	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+18+35	1.37	1.37	2.66	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+18+42	1.25	1.25	2.91	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
18+18+50	1.13	1.13	3.14	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
18+20+20	1.68	1.86	1.86	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
18+20+22	1.62	1.80	1.98	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
18+20+25	1.54	1.71	2.14	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
18+20+35	1.33	1.48	2.59	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
18+20+42	1.22	1.35	2.84	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
18+20+50	1.10	1.23	3.07	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
18+22+22	1.57	1.92	1.92	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+22+25	1.50	1.83	2.08	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+22+35	1.30	1.58	2.52	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+22+42	1.19	1.45	2.77	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
18+22+50	1.08	1.32	3.00	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
18+25+25	1.43	1.99	1.99	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+25+35	1.25	1.73	2.42	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+25+42	1.14	1.59	2.67	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
18+25+50	1.05	1.45	2.90	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
18+35+35	1.10	2.15	2.15	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
18+35+42	1.02	1.99	2.39	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
20+20+20	1.80	1.80	1.80	5.40 2.90 - 6.80	1.414 0.760 - 2.310	6.49	6.21	5.95	99		
20+20+22	1.74	1.74	1.92	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
20+20+25	1.66	1.66	2.08	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
20+20+35	1.44	1.44	2.52	5.40 2.90 - 6.80	1.366 0.730 - 2.130	6.27	6.00	5.75	99		
20+20+42	1.32	1.32	2.77	5.40 2.90 - 6.80	1.346 0.730 - 2.120	6.18	5.91	5.67	99		
20+20+50	1.20	1.20	3.00	5.40 2.90 - 6.80	1.337 0.730 - 2.110	6.14	5.87	5.63	99		

MXZ-3F54VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
20+22+22	1.69	1.86	1.86	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+22+25	1.61	1.77	2.01	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+22+35	1.40	1.54	2.45	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+22+42	1.29	1.41	2.70	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
20+22+50	1.17	1.29	2.93	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
20+25+25	1.54	1.93	1.93	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+25+35	1.35	1.69	2.36	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+25+42	1.24	1.55	2.61	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
20+25+50	1.14	1.42	2.84	5.40 2.90 - 6.80	1.288 0.700 - 1.930	5.91	5.66	5.42	99		
20+35+35	1.20	2.10	2.10	5.40 2.90 - 6.80	1.317 0.700 - 1.950	6.05	5.79	5.54	99		
20+35+42	1.11	1.95	2.34	5.40 2.90 - 6.80	1.298 0.700 - 1.940	5.96	5.70	5.46	99		
22+22+22	1.80	1.80	1.80	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+22+25	1.72	1.72	1.96	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+22+35	1.50	1.50	2.39	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+22+42	1.38	1.38	2.64	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
22+22+50	1.26	1.26	2.87	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
22+25+25	1.65	1.88	1.88	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+25+35	1.45	1.65	2.30	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+25+42	1.33	1.52	2.55	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
22+25+50	1.22	1.39	2.78	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
22+35+35	1.29	2.05	2.05	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
22+35+42	1.20	1.91	2.29	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
25+25+25	1.80	1.80	1.80	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
25+25+35	1.59	1.59	2.22	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		
25+25+42	1.47	1.47	2.47	5.40 2.90 - 6.80	1.249 0.670 - 1.760	5.74	5.49	5.26	99		
25+25+50	1.35	1.35	2.70	5.40 2.90 - 6.80	1.240 0.670 - 1.750	5.69	5.44	5.22	99		
25+35+35	1.42	1.99	1.99	5.40 2.90 - 6.80	1.269 0.670 - 1.770	5.83	5.57	5.34	99		

MXZ-3F54VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.70	-	-	1.70	-	2.50	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	2.00	2.00	4.50	0.480	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	2.20	-	2.50	0.528	-	1.440	2.74	2.63	2.52	99
22	3.30	-	-	2.00	3.30	4.50	0.480	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	2.00	3.60	5.30	0.460	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	2.00	4.00	5.30	0.460	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	2.00	5.40	5.60	0.460	-	1.564	6.92	6.62	6.35	99
50	6.60	-	-	2.00	5.80	6.80	0.460	-	2.431	7.44	7.11	6.82	99
15+15	1.70	1.70	-	1.80	3.40	5.00	0.670	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	1.80	3.90	5.80	0.650	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+35	1.55	3.65	-	1.80	5.20	7.90	0.540	-	2.090	5.53	5.29	5.07	99
15+42	1.25	3.95	-	1.80	5.20	7.90	0.540	-	2.090	5.53	5.29	5.07	99
15+50	1.04	4.16	-	1.80	5.20	7.90	0.540	-	2.080	5.49	5.25	5.03	99
18+18	3.30	3.30	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+35	3.07	3.73	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99
18+42	2.58	4.22	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99
18+50	2.22	4.58	-	1.80	6.80	9.00	0.410	-	2.310	7.06	6.76	6.48	99
20+20	2.20	2.20	-	1.80	4.40	6.60	0.630	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
20+25	2.09	3.41	-	1.80	5.50	7.20	0.520	-	1.950	5.98	5.72	5.49	99
20+35	2.02	3.68	-	1.80	5.70	8.70	0.520	-	2.415	6.30	6.03	5.77	99
20+42	1.65	4.05	-	1.80	5.70	8.70	0.520	-	2.415	6.30	6.03	5.77	99
20+50	1.39	4.31	-	1.80	5.70	8.70	0.520	-	2.405	6.25	5.98	5.73	99
22+22	3.30	3.30	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
22+25	3.20	3.50	-	1.80	6.70	8.10	0.410	-	2.040	6.92	6.62	6.34	99
22+35	3.07	3.73	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99
22+42	2.58	4.22	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99
22+50	2.22	4.58	-	1.80	6.80	9.00	0.410	-	2.300	6.97	6.67	6.39	99
25+25	3.40	3.40	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99
25+35	3.22	3.58	-	1.80	6.80	9.00	0.410	-	2.320	7.11	6.80	6.52	99

MXZ-3F54VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Total			220	230	240		
25+42	2.72	4.08	-	6.80	1.548	0.410	2.320	7.11	6.80	6.52	99
25+50	2.35	4.45	-	6.80	1.490	0.410	2.290	6.84	6.54	6.27	99
35+35	3.40	3.40	-	6.80	1.548	0.410	2.320	7.11	6.80	6.52	99
35+42	2.89	3.91	-	6.80	1.480	0.410	2.290	6.79	6.50	6.23	99
35+50	2.52	4.28	-	6.80	1.398	0.410	2.240	6.42	6.14	5.89	99
42+42	3.40	3.40	-	6.80	1.411	0.410	2.260	6.48	6.20	5.94	99
42+50	3.01	3.79	-	6.80	1.377	0.390	2.170	6.32	6.05	5.80	99
50+50	3.40	3.40	-	6.80	1.343	0.360	2.080	6.16	5.90	5.65	99
15+15+15	1.70	1.70	1.70	5.10	1.126	0.710	2.410	5.17	4.95	4.74	99
15+15+18	1.47	1.47	2.86	5.80	1.244	0.640	2.300	5.71	5.46	5.23	99
15+15+20	1.70	1.70	2.20	5.60	1.293	0.600	2.380	5.93	5.68	5.44	99
15+15+22	1.47	1.47	2.86	5.80	1.244	0.560	2.300	5.71	5.46	5.23	99
15+15+25	1.41	1.41	2.98	5.80	1.244	0.550	2.300	5.71	5.46	5.23	99
15+15+35	1.33	1.33	3.14	5.80	1.244	0.550	2.300	5.71	5.46	5.23	99
15+15+42	1.12	1.12	3.56	5.80	1.244	0.520	2.300	5.71	5.46	5.23	99
15+15+50	0.97	0.97	3.87	5.80	1.244	0.520	2.300	5.71	5.46	5.23	99
15+18+18	1.31	2.54	2.54	6.40	1.361	0.570	2.190	6.25	5.98	5.73	99
15+18+20	1.49	2.89	1.93	6.30	1.410	0.530	2.270	6.47	6.19	5.94	99
15+18+22	1.31	2.54	2.54	6.40	1.361	0.540	2.190	6.25	5.98	5.73	99
15+18+25	1.27	2.46	2.68	6.40	1.361	0.630	2.190	6.25	5.98	5.73	99
15+18+35	1.21	2.35	2.84	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+18+42	1.05	2.03	3.32	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+18+50	0.92	1.79	3.69	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+20+20	1.70	2.20	2.20	6.10	1.459	0.540	2.350	6.70	6.41	6.14	99
15+20+22	1.49	1.93	2.89	6.30	1.410	0.600	2.270	6.47	6.19	5.94	99
15+20+25	1.43	1.85	3.02	6.30	1.410	0.690	2.270	6.47	6.19	5.94	99
15+20+35	1.36	1.75	3.19	6.30	1.410	0.510	2.270	6.47	6.19	5.94	99
15+20+42	1.15	1.49	3.66	6.30	1.410	0.510	2.270	6.47	6.19	5.94	99
15+20+50	1.00	1.30	4.00	6.30	1.410	0.510	2.270	6.47	6.19	5.94	99
15+22+22	1.31	2.54	2.54	6.40	1.361	0.660	2.190	6.25	5.98	5.73	99
15+22+25	1.27	2.46	2.68	6.40	1.361	0.630	2.190	6.25	5.98	5.73	99
15+22+35	1.21	2.35	2.84	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+22+42	1.05	2.03	3.32	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+22+50	0.92	1.79	3.69	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99
15+25+25	1.22	2.59	2.59	6.40	1.361	0.540	2.190	6.25	5.98	5.73	99
15+25+35	1.17	2.48	2.75	6.40	1.361	0.510	2.190	6.25	5.98	5.73	99

MXZ-3F54VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+25+42	1.02	2.15	3.23	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
15+25+50	0.90	1.90	3.60	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
15+35+35	1.12	2.64	2.64	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
15+35+42	0.98	2.31	3.11	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
15+35+50	0.87	2.05	3.48	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
15+42+42	0.87	2.76	2.76	6.40 2.60 - 8.70	1.361 - 2.190	0.510	6.25	5.98	5.73	99
18+18+18	2.33	2.33	2.33	7.00 2.60 - 9.00	1.313 - 2.080	0.500	6.03	5.77	5.53	99
18+18+20	2.59	2.59	1.73	6.90 2.60 - 8.70	1.528 - 2.160	0.560	7.01	6.71	6.43	99
18+18+22	2.33	2.33	2.33	7.00 2.60 - 9.00	1.479 - 2.080	0.620	6.79	6.49	6.22	99
18+18+25	2.26	2.26	2.47	7.00 2.60 - 9.00	1.479 - 2.080	0.650	6.79	6.49	6.22	99
18+18+35	2.18	2.18	2.64	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+18+42	1.93	1.93	3.15	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+18+50	1.72	1.72	3.55	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+20+20	2.91	1.94	1.94	6.80 2.60 - 8.40	1.577 - 2.240	0.620	7.24	6.92	6.64	99
18+20+22	2.59	1.73	2.59	6.90 2.60 - 8.70	1.528 - 2.160	0.680	7.01	6.71	6.43	99
18+20+25	2.50	1.67	2.73	6.90 2.60 - 8.70	1.528 - 2.160	0.590	7.01	6.71	6.43	99
18+20+35	2.40	1.60	2.91	6.90 2.60 - 8.70	1.528 - 2.160	0.500	7.01	6.71	6.43	99
18+20+42	2.09	1.39	3.42	6.90 2.60 - 8.70	1.528 - 2.160	0.500	7.01	6.71	6.43	99
18+20+50	1.85	1.23	3.81	6.90 2.60 - 8.70	1.528 - 2.160	0.500	7.01	6.71	6.43	99
18+22+22	2.33	2.33	2.33	7.00 2.60 - 9.00	1.479 - 2.080	0.620	6.79	6.49	6.22	99
18+22+25	2.26	2.26	2.47	7.00 2.60 - 9.00	1.479 - 2.080	0.530	6.79	6.49	6.22	99
18+22+35	2.18	2.18	2.64	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+22+42	1.93	1.93	3.15	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+22+50	1.72	1.72	3.55	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+25+25	2.20	2.40	2.40	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+25+35	2.12	2.31	2.57	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+25+42	1.88	2.05	3.07	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+25+50	1.69	1.84	3.47	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+35+35	2.04	2.48	2.48	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
18+35+42	1.82	2.20	2.98	7.00 2.60 - 9.00	1.479 - 2.080	0.500	6.79	6.49	6.22	99
20+20+20	2.20	2.20	2.20	6.60 2.60 - 8.00	1.626 - 2.320	0.680	7.46	7.14	6.84	99
20+20+22	1.94	1.94	2.91	6.80 2.60 - 8.40	1.577 - 2.240	0.620	7.24	6.92	6.64	99
20+20+25	1.87	1.87	3.06	6.80 2.60 - 8.40	1.577 - 2.240	0.530	7.24	6.92	6.64	99
20+20+35	1.78	1.78	3.24	6.80 2.60 - 8.40	1.577 - 2.240	0.500	7.24	6.92	6.64	99
20+20+42	1.53	1.53	3.75	6.80 2.60 - 8.40	1.577 - 2.240	0.500	7.24	6.92	6.64	99
20+20+50	1.34	1.34	4.13	6.80 2.60 - 8.40	1.577 - 2.240	0.500	7.24	6.92	6.64	99

MXZ-3F54VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
20+22+22	1.73	2.59	2.59	6.90 2.60 - 8.70	1.528 0.560 - 2.160	7.01	6.71	6.43	99	
20+22+25	1.67	2.50	2.73	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+22+35	1.60	2.40	2.91	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+22+42	1.39	2.09	3.42	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+22+50	1.23	1.85	3.81	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+25+25	1.61	2.64	2.64	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+25+35	1.55	2.53	2.82	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+25+42	1.36	2.22	3.33	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+25+50	1.20	1.97	3.72	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+35+35	1.49	2.71	2.71	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
20+35+42	1.31	2.38	3.21	6.90 2.60 - 8.70	1.528 0.500 - 2.160	7.01	6.71	6.43	99	
22+22+22	2.33	2.33	2.33	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+22+25	2.26	2.26	2.47	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+22+35	2.18	2.18	2.64	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+22+42	1.93	1.93	3.15	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+22+50	1.72	1.72	3.55	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+25+25	2.20	2.40	2.40	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+25+35	2.12	2.31	2.57	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+25+42	1.88	2.05	3.07	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+25+50	1.69	1.84	3.47	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+35+35	2.04	2.48	2.48	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
22+35+42	1.82	2.20	2.98	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
25+25+25	2.33	2.33	2.33	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
25+25+35	2.25	2.25	2.50	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
25+25+42	2.00	2.00	3.00	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
25+25+50	1.80	1.80	3.40	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	
25+35+35	2.17	2.41	2.41	7.00 2.60 - 9.00	1.479 0.500 - 2.080	6.79	6.49	6.22	99	

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.50	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	1.80	1.80	3.80	0.460	0.460	0.870	2.11	2.02	1.94	99
20	2.00	-	-	2.00	1.60	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	2.20	1.60	3.80	0.460	0.520	0.870	2.39	2.28	2.19	99
25	2.50	-	-	2.50	1.80	3.80	0.520	0.810	0.870	3.72	3.56	3.41	99
35	3.50	-	-	3.50	1.80	5.20	0.520	0.810	1.500	3.72	3.56	3.41	99
42	4.20	-	-	4.20	1.80	5.00	0.520	1.030	1.585	4.73	4.52	4.34	99
50	5.00	-	-	5.00	1.80	5.60	0.520	1.350	1.775	6.20	5.93	5.68	99
60	6.00	-	-	6.00	1.90	6.60	0.450	1.730	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	3.00	2.00	5.40	0.540	0.766	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	3.30	2.00	5.40	0.620	0.816	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	3.50	2.00	5.40	0.700	0.858	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	3.70	2.00	5.40	0.660	0.901	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	4.00	2.00	5.40	0.780	1.096	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	5.00	2.00	6.00	0.620	1.426	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	5.70	2.00	6.40	0.620	1.640	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	6.50	2.00	6.90	0.630	2.002	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	6.80	2.00	7.10	0.640	2.165	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	3.60	2.00	5.40	0.540	0.807	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	3.80	2.00	5.40	0.700	0.966	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	4.00	2.00	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	4.30	2.00	5.40	0.580	1.142	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	5.30	2.00	6.20	0.540	1.489	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	6.00	2.00	6.60	0.540	1.702	2.480	7.82	7.48	7.16	99
18+60	1.57	5.23	-	6.80	2.00	7.10	0.560	2.136	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	4.00	2.00	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	4.20	2.00	5.40	0.700	1.146	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	4.50	2.00	5.50	0.620	1.234	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	5.50	2.00	6.30	0.620	1.579	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	6.20	2.00	6.70	0.620	1.840	2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	6.80	2.00	7.10	0.630	2.165	2.990	9.94	9.51	9.11	99
20+60	1.70	5.10	-	6.80	2.00	7.10	0.640	2.165	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	4.40	2.00	5.40	0.540	1.166	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	4.70	2.00	5.70	0.540	1.281	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	5.70	2.00	6.40	0.540	1.611	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	6.40	2.00	6.90	0.540	1.920	2.655	8.81	8.43	8.08	99

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
22+50	2.08	4.72	-	6.80	2.136	2.136	9.81	9.38	8.99	99
22+60	1.82	4.98	-	6.80	2.136	2.136	9.81	9.38	8.99	99
25+25	2.50	2.50	-	5.00	1.397	1.397	6.41	6.13	5.88	99
25+35	2.50	3.50	-	6.00	1.702	1.702	7.82	7.48	7.16	99
25+42	2.50	4.20	-	6.70	2.082	2.082	9.56	9.14	8.76	99
25+50	2.27	4.53	-	6.80	2.136	2.136	9.81	9.38	8.99	99
25+60	2.00	4.80	-	6.80	2.128	2.128	9.77	9.35	8.96	99
35+35	3.40	3.40	-	6.80	2.136	2.136	9.81	9.38	8.99	99
35+42	3.09	3.71	-	6.80	2.136	2.136	9.81	9.38	8.99	99
35+50	2.80	4.00	-	6.80	2.128	2.128	9.77	9.35	8.96	99
35+60	2.51	4.29	-	6.80	2.055	2.055	9.44	9.03	8.65	99
42+42	3.40	3.40	-	6.80	2.136	2.136	9.81	9.38	8.99	99
42+50	3.10	3.70	-	6.80	2.078	2.078	9.54	9.12	8.74	99
42+60	2.80	4.00	-	6.80	2.002	2.002	9.19	8.79	8.43	99
50+50	3.40	3.40	-	6.80	2.019	2.019	9.27	8.87	8.50	99
50+60	3.09	3.71	-	6.80	1.937	1.937	8.89	8.51	8.15	99
60+60	3.40	3.40	-	6.80	1.855	1.855	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	4.50	0.786	0.786	3.61	3.45	3.31	99
15+15+18	1.50	1.50	1.80	4.80	1.064	1.064	4.89	4.67	4.48	99
15+15+20	1.50	1.50	2.00	5.00	1.229	1.229	5.64	5.40	5.17	99
15+15+22	1.50	1.50	2.20	5.20	1.296	1.296	5.95	5.69	5.45	99
15+15+25	1.50	1.50	2.50	5.50	1.454	1.454	6.68	6.39	6.12	99
15+15+35	1.50	1.50	3.50	6.50	1.870	1.870	8.59	8.21	7.87	99
15+15+42	1.42	1.42	3.97	6.80	2.169	2.169	9.96	9.53	9.13	99
15+15+50	1.28	1.28	4.25	6.80	2.100	2.100	9.64	9.22	8.84	99
15+15+60	1.13	1.13	4.53	6.80	1.952	1.952	8.96	8.57	8.21	99
15+18+18	1.50	1.80	1.80	5.10	1.186	1.186	5.45	5.21	4.99	99
15+18+20	1.50	1.80	2.00	5.30	1.350	1.350	6.20	5.93	5.68	99
15+18+22	1.50	1.80	2.20	5.50	1.402	1.402	6.44	6.16	5.90	99
15+18+25	1.50	1.80	2.50	5.80	1.527	1.527	7.01	6.71	6.43	99
15+18+42	1.36	1.63	3.81	6.80	2.117	2.117	9.72	9.30	8.91	99
15+18+50	1.23	1.47	4.10	6.80	2.012	2.012	9.24	8.84	8.47	99
15+18+60	1.10	1.32	4.39	6.80	1.863	1.863	8.56	8.18	7.84	99
15+20+20	1.50	2.00	2.00	5.50	1.499	1.499	6.88	6.58	6.31	99
15+20+22	1.50	2.00	2.20	5.70	1.534	1.534	7.04	6.74	6.45	99
15+20+25	1.50	2.00	2.50	6.00	1.659	1.659	7.62	7.28	6.98	99

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+20+35	1.46	1.94	3.40	6.80	2.184	0.750	10.03	9.59	9.19	99
15+20+42	1.32	1.77	3.71	6.80	2.141	0.750	9.83	9.40	9.01	99
15+20+50	1.20	1.60	4.00	6.80	2.036	0.750	9.35	8.94	8.57	99
15+20+60	1.07	1.43	4.29	6.80	1.888	0.750	8.67	8.29	7.94	99
15+22+22	1.50	2.20	2.20	5.90	1.568	0.710	7.20	6.89	6.60	99
15+22+25	1.50	2.20	2.50	6.20	1.694	0.710	7.78	7.44	7.13	99
15+22+35	1.42	2.08	3.31	6.80	2.136	0.710	9.81	9.38	8.99	99
15+22+42	1.29	1.89	3.62	6.80	2.069	0.710	9.50	9.09	8.71	99
15+22+50	1.17	1.72	3.91	6.80	1.963	0.710	9.01	8.62	8.26	99
15+22+60	1.05	1.54	4.21	6.80	1.815	0.710	8.33	7.97	7.64	99
15+25+25	1.50	2.50	2.50	6.50	1.818	0.710	8.35	7.98	7.65	99
15+25+35	1.36	2.27	3.17	6.80	2.136	0.710	9.81	9.38	8.99	99
15+25+42	1.24	2.07	3.48	6.80	2.033	0.710	9.33	8.93	8.56	99
15+25+50	1.13	1.89	3.78	6.80	1.928	0.710	8.85	8.47	8.12	99
15+25+60	1.02	1.70	4.08	6.80	1.780	0.710	8.17	7.82	7.49	99
15+35+35	1.20	2.80	2.80	6.80	2.017	0.710	9.26	8.86	8.49	99
15+35+42	1.11	2.59	3.10	6.80	1.914	0.710	8.79	8.40	8.05	99
15+35+50	1.02	2.38	3.40	6.80	1.809	0.710	8.31	7.94	7.61	99
15+35+60	0.93	2.16	3.71	6.80	1.720	0.710	7.90	7.55	7.24	99
15+42+42	1.03	2.88	2.88	6.80	1.811	0.710	8.31	7.95	7.62	99
15+42+50	0.95	2.67	3.18	6.80	1.730	0.710	7.94	7.60	7.28	99
15+42+60	0.87	2.44	3.49	6.80	1.700	0.710	7.81	7.47	7.16	99
15+50+50	0.89	2.96	2.96	6.80	1.720	0.710	7.90	7.55	7.24	99
18+18+18	1.80	1.80	1.80	5.40	1.308	0.670	6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	5.60	1.439	0.710	6.61	6.32	6.06	99
18+18+22	1.80	1.80	2.20	5.80	1.474	0.670	6.77	6.48	6.21	99
18+18+25	1.80	1.80	2.50	6.10	1.600	0.670	7.34	7.02	6.73	99
18+18+35	1.72	1.72	3.35	6.80	2.084	0.670	9.57	9.15	8.77	99
18+18+42	1.57	1.57	3.66	6.80	2.028	0.670	9.31	8.91	8.54	99
18+18+50	1.42	1.42	3.95	6.80	1.924	0.670	8.83	8.45	8.10	99
18+18+60	1.28	1.28	4.25	6.80	1.775	0.670	8.15	7.80	7.47	99
18+20+20	1.80	2.00	2.00	5.80	1.571	0.750	7.21	6.90	6.61	99
18+20+22	1.80	2.00	2.20	6.00	1.606	0.710	7.38	7.05	6.76	99
18+20+25	1.80	2.00	2.50	6.30	1.731	0.710	7.95	7.60	7.29	99
18+20+35	1.68	1.86	3.26	6.80	2.132	0.710	9.79	9.36	8.97	99
18+20+42	1.53	1.70	3.57	6.80	2.053	0.710	9.43	9.02	8.64	99

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)					
	Unit A	Unit B	Unit C	Total			220	230	240						
18+20+50	1.39	1.55	3.86	6.80	2.90	-	8.20	1.948	0.710	-	2.935	8.94	8.55	8.20	99
18+20+60	1.25	1.39	4.16	6.80	2.90	-	8.20	1.799	0.710	-	2.920	8.26	7.90	7.57	99
18+22+22	1.80	2.20	2.20	6.20	2.90	-	8.10	1.641	0.670	-	2.835	7.54	7.21	6.91	99
18+22+25	1.80	2.20	2.50	6.50	2.90	-	8.10	1.765	0.670	-	2.875	8.11	7.75	7.43	99
18+22+35	1.63	1.99	3.17	6.80	2.90	-	8.40	2.084	0.670	-	2.930	9.57	9.15	8.77	99
18+22+42	1.49	1.82	3.48	6.80	2.90	-	8.40	1.981	0.670	-	2.920	9.09	8.70	8.34	99
18+22+50	1.36	1.66	3.78	6.80	2.90	-	8.40	1.876	0.670	-	2.905	8.61	8.24	7.90	99
18+22+60	1.22	1.50	4.08	6.80	2.90	-	8.40	1.728	0.670	-	2.890	7.93	7.59	7.27	99
18+25+25	1.80	2.50	2.50	6.80	2.90	-	8.40	1.780	0.670	-	2.930	8.17	7.82	7.49	99
18+25+35	1.57	2.18	3.05	6.80	2.90	-	8.40	2.048	0.670	-	2.930	9.40	8.99	8.62	99
18+25+42	1.44	2.00	3.36	6.80	2.90	-	8.40	1.945	0.670	-	2.915	8.93	8.54	8.19	99
18+25+50	1.32	1.83	3.66	6.80	2.90	-	8.40	1.840	0.670	-	2.905	8.45	8.08	7.74	99
18+25+60	1.19	1.65	3.96	6.80	2.90	-	8.40	1.692	0.670	-	2.890	7.77	7.43	7.12	99
18+35+35	1.39	2.70	2.70	6.80	2.90	-	8.40	1.928	0.670	-	2.925	8.85	8.47	8.12	99
18+35+42	1.29	2.51	3.01	6.80	2.90	-	8.40	1.826	0.670	-	2.915	8.38	8.02	7.68	99
18+35+50	1.19	2.31	3.30	6.80	2.90	-	8.40	1.721	0.670	-	2.900	7.90	7.56	7.24	99
18+35+60	1.08	2.11	3.61	6.80	2.90	-	8.40	1.667	0.670	-	2.890	7.66	7.32	7.02	99
18+42+42	1.20	2.80	2.80	6.80	2.90	-	8.40	1.723	0.670	-	2.900	7.91	7.57	7.25	99
18+42+50	1.11	2.60	3.09	6.80	2.90	-	8.40	1.677	0.670	-	2.890	7.70	7.37	7.06	99
18+42+60	1.02	2.38	3.40	6.80	2.90	-	8.40	1.648	0.670	-	2.880	7.57	7.24	6.94	99
18+50+50	1.04	2.88	2.88	6.80	2.90	-	8.40	1.667	0.670	-	2.880	7.66	7.32	7.02	99
20+20+20	2.00	2.00	2.00	6.00	2.90	-	7.50	1.703	0.790	-	2.900	7.82	7.48	7.17	99
20+20+22	2.00	2.00	2.20	6.20	2.90	-	7.70	1.738	0.750	-	2.895	7.98	7.63	7.32	99
20+20+25	2.00	2.00	2.50	6.50	2.90	-	7.70	1.862	0.750	-	2.935	8.55	8.18	7.84	99
20+20+35	1.81	1.81	3.17	6.80	2.90	-	8.00	2.181	0.750	-	2.990	10.01	9.58	9.18	99
20+20+42	1.66	1.66	3.48	6.80	2.90	-	8.00	2.078	0.750	-	2.980	9.54	9.12	8.74	99
20+20+50	1.51	1.51	3.78	6.80	2.90	-	8.00	1.973	0.750	-	2.965	9.06	8.66	8.30	99
20+20+60	1.36	1.36	4.08	6.80	2.90	-	8.00	1.825	0.750	-	2.950	8.38	8.01	7.68	99
20+22+22	2.00	2.20	2.20	6.40	2.90	-	7.90	1.772	0.710	-	2.895	8.14	7.78	7.46	99
20+22+25	2.00	2.20	2.50	6.70	2.90	-	8.10	1.994	0.710	-	2.940	9.16	8.76	8.39	99
20+22+35	1.77	1.94	3.09	6.80	2.90	-	8.20	2.108	0.710	-	2.960	9.68	9.26	8.87	99
20+22+42	1.62	1.78	3.40	6.80	2.90	-	8.20	2.005	0.710	-	2.945	9.21	8.81	8.44	99
20+22+50	1.48	1.63	3.70	6.80	2.90	-	8.20	1.900	0.710	-	2.935	8.72	8.35	8.00	99
20+22+60	1.33	1.47	4.00	6.80	2.90	-	8.20	1.752	0.710	-	2.920	8.04	7.69	7.37	99
20+25+25	1.94	2.43	2.43	6.80	2.90	-	8.20	2.132	0.710	-	2.960	9.79	9.36	8.97	99
20+25+35	1.70	2.13	2.98	6.80	2.90	-	8.20	2.073	0.710	-	2.960	9.52	9.10	8.72	99

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)					
	Unit A	Unit B	Unit C	Total			220	230	240						
20+25+42	1.56	1.95	3.28	6.80	2.90	-	8.20	1.969	0.710	-	2.945	9.04	8.65	8.29	99
20+25+50	1.43	1.79	3.58	6.80	2.90	-	8.20	1.864	0.710	-	2.935	8.56	8.19	7.85	99
20+25+60	1.30	1.62	3.89	6.80	2.90	-	8.20	1.716	0.710	-	2.920	7.88	7.54	7.22	99
20+35+35	1.51	2.64	2.64	6.80	2.90	-	8.20	1.954	0.710	-	2.955	8.97	8.58	8.22	99
20+35+42	1.40	2.45	2.94	6.80	2.90	-	8.20	1.850	0.710	-	2.945	8.49	8.12	7.79	99
20+35+50	1.30	2.27	3.24	6.80	2.90	-	8.20	1.745	0.710	-	2.930	8.01	7.66	7.34	99
20+35+60	1.18	2.07	3.55	6.80	2.90	-	8.20	1.716	0.710	-	2.920	7.88	7.54	7.22	99
20+42+42	1.31	2.75	2.75	6.80	2.90	-	8.20	1.747	0.710	-	2.930	8.02	7.67	7.35	99
20+42+50	1.21	2.55	3.04	6.80	2.90	-	8.20	1.726	0.710	-	2.920	7.92	7.58	7.26	99
20+50+50	1.13	2.83	2.83	6.80	2.90	-	8.20	1.716	0.710	-	2.910	7.88	7.54	7.22	99
22+22+22	2.20	2.20	2.20	6.60	2.90	-	8.10	1.807	0.670	-	2.890	8.30	7.94	7.61	99
22+22+25	2.17	2.17	2.46	6.80	2.90	-	8.40	2.084	0.670	-	2.930	9.57	9.15	8.77	99
22+22+35	1.89	1.89	3.01	6.80	2.90	-	8.40	2.036	0.670	-	2.930	9.35	8.94	8.57	99
22+22+42	1.74	1.74	3.32	6.80	2.90	-	8.40	1.933	0.670	-	2.915	8.88	8.49	8.14	99
22+22+50	1.59	1.59	3.62	6.80	2.90	-	8.40	1.827	0.670	-	2.905	8.39	8.03	7.69	99
22+22+60	1.44	1.44	3.92	6.80	2.90	-	8.40	1.679	0.670	-	2.890	7.71	7.37	7.07	99
22+25+25	2.08	2.36	2.36	6.80	2.90	-	8.40	2.084	0.670	-	2.930	9.57	9.15	8.77	99
22+25+35	1.82	2.07	2.90	6.80	2.90	-	8.40	2.000	0.670	-	2.930	9.18	8.78	8.42	99
22+25+42	1.68	1.91	3.21	6.80	2.90	-	8.40	1.897	0.670	-	2.915	8.71	8.33	7.99	99
22+25+50	1.54	1.75	3.51	6.80	2.90	-	8.40	1.792	0.670	-	2.905	8.23	7.87	7.54	99
22+25+60	1.40	1.59	3.81	6.80	2.90	-	8.40	1.667	0.670	-	2.890	7.66	7.32	7.02	99
22+35+35	1.63	2.59	2.59	6.80	2.90	-	8.40	1.881	0.670	-	2.925	8.64	8.26	7.92	99
22+35+42	1.51	2.40	2.88	6.80	2.90	-	8.40	1.778	0.670	-	2.910	8.16	7.81	7.48	99
22+35+50	1.40	2.22	3.18	6.80	2.90	-	8.40	1.697	0.670	-	2.900	7.79	7.45	7.14	99
22+35+60	1.28	2.03	3.49	6.80	2.90	-	8.40	1.667	0.670	-	2.890	7.66	7.32	7.02	99
22+42+42	1.41	2.69	2.69	6.80	2.90	-	8.40	1.687	0.670	-	2.900	7.74	7.41	7.10	99
22+42+50	1.31	2.51	2.98	6.80	2.90	-	8.40	1.677	0.670	-	2.890	7.70	7.37	7.06	99
25+25+25	2.27	2.27	2.27	6.80	2.90	-	8.40	2.084	0.670	-	2.930	9.57	9.15	8.77	99
25+25+35	2.00	2.00	2.80	6.80	2.90	-	8.40	1.964	0.670	-	2.925	9.02	8.63	8.27	99
25+25+42	1.85	1.85	3.10	6.80	2.90	-	8.40	1.861	0.670	-	2.915	8.55	8.17	7.83	99
25+25+50	1.70	1.70	3.40	6.80	2.90	-	8.40	1.757	0.670	-	2.900	8.07	7.71	7.39	99
25+25+60	1.55	1.55	3.71	6.80	2.90	-	8.40	1.667	0.670	-	2.890	7.66	7.32	7.02	99
25+35+35	1.79	2.51	2.51	6.80	2.90	-	8.40	1.845	0.670	-	2.925	8.47	8.10	7.76	99
25+35+42	1.67	2.33	2.80	6.80	2.90	-	8.40	1.742	0.670	-	2.910	8.00	7.65	7.33	99
25+35+50	1.55	2.16	3.09	6.80	2.90	-	8.40	1.697	0.670	-	2.900	7.79	7.45	7.14	99
25+35+60	1.42	1.98	3.40	6.80	2.90	-	8.40	1.667	0.670	-	2.890	7.66	7.32	7.02	99

MXZ-3F68VF COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
25+42+42	1.56	2.62	2.62	6.80 2.90 - 8.40	1.687 - 2.900	0.670	7.74	7.41	7.10	99	
25+42+50	1.45	2.44	2.91	6.80 2.90 - 8.40	1.677 - 2.890	0.670	7.70	7.37	7.06	99	
35+35+35	2.27	2.27	2.27	6.80 2.90 - 8.40	1.726 - 2.920	0.670	7.92	7.58	7.26	99	
35+35+42	2.13	2.13	2.55	6.80 2.90 - 8.40	1.706 - 2.910	0.670	7.83	7.49	7.18	99	
35+35+50	1.98	1.98	2.83	6.80 2.90 - 8.40	1.697 - 2.900	0.670	7.79	7.45	7.14	99	
35+42+42	2.00	2.40	2.40	6.80 2.90 - 8.40	1.687 - 2.900	0.670	7.74	7.41	7.10	99	

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.70	-	-	1.70	-	2.50	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	2.00	2.00	4.50	0.480	0.480	1.250	2.20	2.11	2.02	99
20	2.20	-	-	2.00	2.20	2.50	0.590	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	2.00	3.30	4.50	0.480	0.780	1.250	3.58	3.43	3.28	99
25	3.60	-	-	2.00	3.60	5.30	0.460	0.830	1.480	3.81	3.65	3.49	99
35	4.00	-	-	2.00	4.00	5.30	0.460	0.960	1.480	4.41	4.22	4.04	99
42	5.40	-	-	2.00	5.40	5.60	0.460	1.508	1.564	6.92	6.62	6.35	99
50	6.60	-	-	2.00	5.80	6.80	0.460	1.620	2.431	7.44	7.11	6.82	99
60	7.90	-	-	2.00	7.90	8.60	0.440	2.778	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	1.80	3.40	5.00	0.670	0.780	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	1.80	5.00	6.10	0.540	1.123	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	1.80	3.90	5.80	0.650	0.947	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	1.80	5.00	6.10	0.540	1.123	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	1.80	5.00	6.10	0.540	1.123	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	1.80	5.60	7.90	0.540	1.294	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	1.80	6.10	7.90	0.540	1.417	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	1.80	6.70	7.90	0.540	1.544	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	1.80	7.00	7.90	0.540	1.638	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	1.80	6.60	7.20	0.410	1.466	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	1.80	5.50	6.90	0.520	1.290	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	1.80	6.60	7.20	0.410	1.466	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	1.80	6.60	7.20	0.410	1.466	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	1.80	7.30	9.00	0.410	1.690	2.420	7.76	7.42	7.11	99
18+42	3.00	4.90	-	1.80	7.90	9.00	0.410	1.813	2.420	8.32	7.96	7.63	99
18+60	2.53	6.07	-	1.80	8.60	9.00	0.400	1.993	2.365	9.15	8.75	8.39	99
20+20	2.20	2.20	-	1.80	4.40	6.60	0.630	1.113	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	1.80	5.50	6.90	0.520	1.290	1.855	5.92	5.66	5.43	99
20+25	2.12	3.48	-	1.80	5.60	7.20	0.520	1.320	1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	1.80	6.20	8.70	0.520	1.548	2.515	7.11	6.80	6.52	99
20+42	2.00	4.90	-	1.80	6.90	8.70	0.520	1.670	2.515	7.67	7.33	7.03	99
20+50	1.76	5.74	-	1.80	7.50	8.70	0.520	1.793	2.505	8.23	7.88	7.55	99
20+60	1.63	5.87	-	1.80	7.50	8.70	0.510	1.826	2.450	8.38	8.02	7.68	99
22+22	3.30	3.30	-	1.80	6.60	7.20	0.410	1.466	1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	1.80	6.90	8.10	0.410	1.556	2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	1.80	7.30	9.00	0.410	1.760	2.420	8.08	7.73	7.41	99
22+42	3.11	5.09	-	1.80	8.20	9.00	0.410	1.880	2.420	8.63	8.25	7.91	99

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
22+50	2.70	5.90	-	8.60	1.979	9.08	8.69	8.33	99	
22+60	2.53	6.07	-	8.60	2.010	9.23	8.83	8.46	99	
25+25	3.60	3.60	-	7.20	1.646	7.56	7.23	6.93	99	
25+35	3.60	4.00	-	7.60	1.813	8.32	7.96	7.63	99	
25+42	3.36	5.04	-	8.40	1.930	8.86	8.47	8.12	99	
25+50	2.87	5.73	-	8.60	1.990	9.14	8.74	8.38	99	
25+60	2.69	5.91	-	8.60	2.002	9.19	8.79	8.43	99	
35+35	4.00	4.00	-	8.00	1.970	9.04	8.65	8.29	99	
35+42	3.66	4.94	-	8.60	1.999	9.18	8.78	8.41	99	
35+50	3.07	5.53	-	8.60	2.002	9.19	8.79	8.43	99	
35+60	2.89	5.71	-	8.60	1.827	8.39	8.02	7.69	99	
42+42	4.30	4.30	-	8.60	2.029	9.31	8.91	8.54	99	
42+50	3.69	4.91	-	8.60	1.887	8.66	8.29	7.94	99	
42+60	3.49	5.11	-	8.60	1.742	8.00	7.65	7.33	99	
50+50	4.30	4.30	-	8.60	1.744	8.01	7.66	7.34	99	
50+60	4.10	4.50	-	8.60	1.725	7.92	7.57	7.26	99	
60+60	4.30	4.30	-	8.60	1.705	7.83	7.49	7.18	99	
15+15+15	1.70	1.70	1.70	5.10	1.106	5.08	4.86	4.66	99	
15+15+18	1.62	1.62	3.15	6.40	1.489	6.83	6.54	6.27	99	
15+15+20	1.70	1.70	2.20	5.60	1.244	5.71	5.46	5.23	99	
15+15+22	1.62	1.62	3.15	6.40	1.489	6.83	6.54	6.27	99	
15+15+25	1.55	1.55	3.29	6.40	1.489	6.83	6.54	6.27	99	
15+15+35	1.47	1.47	3.46	6.40	1.479	6.79	6.49	6.22	99	
15+15+42	1.24	1.24	3.93	6.40	1.479	6.79	6.49	6.22	99	
15+15+50	1.03	1.03	4.35	6.40	1.469	6.74	6.45	6.18	99	
15+15+60	0.96	0.96	4.47	6.40	1.459	6.70	6.41	6.14	99	
15+18+18	1.54	2.98	2.98	7.50	1.871	8.59	8.22	7.87	99	
15+18+20	1.63	3.16	2.11	6.90	1.626	7.46	7.14	6.84	99	
15+18+22	1.54	2.98	2.98	7.50	1.871	8.59	8.22	7.87	99	
15+18+25	1.48	2.88	3.14	7.50	1.871	8.59	8.22	7.87	99	
15+18+42	1.23	2.38	3.89	7.50	1.861	8.54	8.17	7.83	99	
15+18+50	1.05	2.03	4.43	7.50	1.851	8.50	8.13	7.79	99	
15+18+60	0.99	1.92	4.59	7.50	1.841	8.45	8.09	7.75	99	
15+20+20	1.70	2.20	2.20	6.10	1.381	6.34	6.06	5.81	99	
15+20+22	1.63	2.11	3.16	6.90	1.626	7.46	7.14	6.84	99	
15+20+25	1.56	2.02	3.31	6.90	1.626	7.46	7.14	6.84	99	

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+20+35	1.48	1.92	3.49	6.90 2.60 - 9.70	1.616 0.760 - 2.985	7.42	7.10	6.80	99	
15+20+42	1.26	1.63	4.01	6.90 2.60 - 9.70	1.616 1.060 - 2.985	7.42	7.10	6.80	99	
15+20+50	1.06	1.37	4.48	6.90 2.60 - 9.70	1.606 2.260 - 2.975	7.37	7.05	6.76	99	
15+20+60	0.99	1.29	4.62	6.90 2.60 - 9.70	1.596 3.760 - 2.965	7.33	7.01	6.72	99	
15+22+22	1.54	2.98	2.98	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+22+25	1.48	2.88	3.14	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+22+35	1.42	2.75	3.33	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+22+42	1.23	2.38	3.89	7.50 2.60 - 9.90	1.861 1.230 - 3.115	8.54	8.17	7.83	99	
15+22+50	1.05	2.03	4.43	7.50 2.60 - 9.90	1.851 2.430 - 3.105	8.50	8.13	7.79	99	
15+22+60	0.99	1.92	4.59	7.50 2.60 - 9.90	1.841 3.930 - 3.095	8.45	8.09	7.75	99	
15+25+25	1.43	3.03	3.03	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+25+35	1.37	2.90	3.23	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+25+42	1.19	2.52	3.79	7.50 2.60 - 9.90	1.861 1.680 - 3.115	8.54	8.17	7.83	99	
15+25+50	1.02	2.16	4.32	7.50 2.60 - 9.90	1.851 2.880 - 3.105	8.50	8.13	7.79	99	
15+25+60	0.97	2.05	4.49	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+35	1.31	3.09	3.09	7.50 2.60 - 9.90	1.851 2.130 - 3.105	8.50	8.13	7.79	99	
15+35+42	1.15	2.70	3.65	7.50 2.60 - 9.90	1.851 3.180 - 3.105	8.50	8.13	7.79	99	
15+35+50	0.99	2.33	4.19	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+60	0.94	2.21	4.36	7.50 2.60 - 9.90	1.832 4.060 - 3.085	8.41	8.04	7.71	99	
15+42+42	1.02	3.24	3.24	7.50 2.60 - 9.90	1.851 4.230 - 3.105	8.50	8.13	7.79	99	
15+42+50	0.89	2.83	3.78	7.50 2.60 - 9.90	1.841 4.700 - 3.095	8.45	8.09	7.75	99	
15+42+60	0.85	2.70	3.95	7.50 2.60 - 9.90	1.832 2.560 - 3.085	8.41	8.04	7.71	99	
15+50+50	0.79	3.35	3.35	7.50 2.60 - 9.90	1.832 2.990 - 3.085	8.41	8.04	7.71	99	
18+18+18	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+20	3.00	3.00	2.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+18+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 0.500 - 3.465	10.30	9.85	9.44	99	
18+18+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 0.950 - 3.465	10.30	9.85	9.44	99	
18+18+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 2.150 - 3.455	10.25	9.81	9.40	99	
18+18+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 3.650 - 3.445	10.21	9.77	9.36	99	
18+20+20	3.17	2.11	2.11	7.40 2.60 - 10.20	1.763 0.760 - 3.215	8.09	7.74	7.42	99	
18+20+22	3.00	2.00	3.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+25	2.90	1.93	3.16	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+35	2.78	1.85	3.37	8.00 2.60 - 10.40	1.998 0.630 - 3.335	9.17	8.78	8.41	99	
18+20+42	2.42	1.61	3.96	8.00 2.60 - 10.40	1.998 1.380 - 3.335	9.17	8.78	8.41	99	

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
18+20+50	2.08	1.39	4.54	8.00 2.60 - 10.40	1.988 - 3.325	2.580	9.13	8.73	8.37	99
18+20+60	1.97	1.31	4.72	8.00 2.60 - 10.40	1.979 - 3.315	4.080	9.08	8.69	8.33	99
18+22+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 - 3.475	0.500	10.34	9.89	9.48	99
18+22+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 - 3.475	0.500	10.34	9.89	9.48	99
18+22+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 - 3.465	0.500	10.30	9.85	9.44	99
18+22+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 - 3.465	1.550	10.30	9.85	9.44	99
18+22+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 - 3.455	2.750	10.25	9.81	9.40	99
18+22+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 - 3.445	4.250	10.21	9.77	9.36	99
18+25+25	2.70	2.95	2.95	8.60 2.60 - 10.60	1.823 - 3.475	0.500	8.37	8.01	7.67	99
18+25+35	2.60	2.84	3.16	8.60 2.60 - 10.60	2.243 - 3.465	0.950	10.30	9.85	9.44	99
18+25+42	2.31	2.52	3.78	8.60 2.60 - 10.60	2.243 - 3.465	2.000	10.30	9.85	9.44	99
18+25+50	2.01	2.20	4.39	8.60 2.60 - 10.60	2.233 - 3.455	3.200	10.25	9.81	9.40	99
18+25+60	1.92	2.09	4.59	8.60 2.60 - 10.60	2.224 - 3.445	4.700	10.21	9.77	9.36	99
18+35+35	2.51	3.04	3.04	8.60 2.60 - 10.60	2.233 - 3.455	2.450	10.25	9.81	9.40	99
18+35+42	2.23	2.71	3.66	8.60 2.60 - 10.60	2.233 - 3.455	3.500	10.25	9.81	9.40	99
18+35+50	1.96	2.37	4.27	8.60 2.60 - 10.60	2.224 - 3.445	4.700	10.21	9.77	9.36	99
18+35+60	1.87	2.26	4.47	8.60 2.60 - 10.60	2.214 - 3.435	3.290	10.16	9.72	9.32	99
18+42+42	2.01	3.29	3.29	8.60 2.60 - 10.60	2.233 - 3.455	4.550	10.25	9.81	9.40	99
18+42+50	1.78	2.92	3.89	8.60 2.60 - 10.60	2.224 - 3.445	3.930	10.21	9.77	9.36	99
18+42+60	1.71	2.80	4.09	8.60 2.60 - 10.60	2.214 - 3.435	1.790	10.16	9.72	9.32	99
18+50+50	1.60	3.50	3.50	8.60 2.60 - 10.60	2.214 - 3.435	2.210	10.16	9.72	9.32	99
20+20+20	2.20	2.20	2.20	6.60 2.60 - 10.00	1.518 - 3.085	0.890	6.97	6.67	6.39	99
20+20+22	2.11	2.11	3.17	7.40 2.60 - 10.20	1.763 - 3.215	0.760	8.09	7.74	7.42	99
20+20+25	2.04	2.04	3.33	7.40 2.60 - 10.20	1.763 - 3.215	0.760	8.09	7.74	7.42	99
20+20+35	1.94	1.94	3.52	7.40 2.60 - 10.20	1.753 - 3.205	0.760	8.05	7.70	7.38	99
20+20+42	1.66	1.66	4.08	7.40 2.60 - 10.20	1.753 - 3.205	1.810	8.05	7.70	7.38	99
20+20+50	1.40	1.40	4.59	7.40 2.60 - 10.20	1.743 - 3.195	3.010	8.00	7.66	7.34	99
20+20+60	1.32	1.32	4.75	7.40 2.60 - 10.20	1.734 - 3.185	4.510	7.96	7.61	7.30	99
20+22+22	2.00	3.00	3.00	8.00 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
20+22+25	1.93	2.90	3.16	8.00 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
20+22+35	1.85	2.78	3.37	8.00 2.60 - 10.40	1.998 - 3.335	0.930	9.17	8.78	8.41	99
20+22+42	1.61	2.42	3.96	8.00 2.60 - 10.40	1.998 - 3.335	1.980	9.17	8.78	8.41	99
20+22+50	1.39	2.08	4.54	8.00 2.60 - 10.40	1.988 - 3.325	3.180	9.13	8.73	8.37	99
20+22+60	1.31	1.97	4.72	8.00 2.60 - 10.40	1.979 - 3.315	4.680	9.08	8.69	8.33	99
20+25+25	1.87	3.06	3.06	8.00 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
20+25+35	1.80	2.94	3.27	8.00 2.60 - 10.40	1.998 - 3.335	1.380	9.17	8.78	8.41	99

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
20+25+42	1.57	2.57	3.86	8.00 2.60 - 10.40	1.998 2.430 - 3.335	9.17	8.78	8.41	99	
20+25+50	1.35	2.22	4.43	8.00 2.60 - 10.40	1.988 3.630 - 3.325	9.13	8.73	8.37	99	
20+25+60	1.28	2.10	4.61	8.00 2.60 - 10.40	1.979 5.130 - 3.315	9.08	8.69	8.33	99	
20+35+35	1.73	3.14	3.14	8.00 2.60 - 10.40	1.988 2.880 - 3.325	9.13	8.73	8.37	99	
20+35+42	1.52	2.76	3.72	8.00 2.60 - 10.40	1.988 3.930 - 3.325	9.13	8.73	8.37	99	
20+35+50	1.31	2.39	4.30	8.00 2.60 - 10.40	1.979 5.130 - 3.315	9.08	8.69	8.33	99	
20+35+60	1.25	2.27	4.48	8.00 2.60 - 10.40	1.969 2.990 - 3.305	9.04	8.65	8.29	99	
20+42+42	1.35	3.32	3.32	8.00 2.60 - 10.40	1.988 4.980 - 3.325	9.13	8.73	8.37	99	
20+42+50	1.19	2.92	3.89	8.00 2.60 - 10.40	1.979 3.630 - 3.315	9.08	8.69	8.33	99	
20+50+50	1.06	3.47	3.47	8.00 2.60 - 10.40	1.969 1.920 - 3.305	9.04	8.65	8.29	99	
22+22+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
22+22+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
22+22+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 1.100 - 3.465	10.30	9.85	9.44	99	
22+22+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 2.150 - 3.465	10.30	9.85	9.44	99	
22+22+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 3.350 - 3.455	10.25	9.81	9.40	99	
22+22+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 4.850 - 3.445	10.21	9.77	9.36	99	
22+25+25	2.70	2.95	2.95	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
22+25+35	2.60	2.84	3.16	8.60 2.60 - 10.60	2.243 1.550 - 3.465	10.30	9.85	9.44	99	
22+25+42	2.31	2.52	3.78	8.60 2.60 - 10.60	2.243 2.600 - 3.465	10.30	9.85	9.44	99	
22+25+50	2.01	2.20	4.39	8.60 2.60 - 10.60	2.233 3.800 - 3.455	10.25	9.81	9.40	99	
22+25+60	1.92	2.09	4.59	8.60 2.60 - 10.60	2.224 4.570 - 3.445	10.21	9.77	9.36	99	
22+35+35	2.51	3.04	3.04	8.60 2.60 - 10.60	2.233 3.050 - 3.455	10.25	9.81	9.40	99	
22+35+42	2.23	2.71	3.66	8.60 2.60 - 10.60	2.233 4.100 - 3.455	10.25	9.81	9.40	99	
22+35+50	1.96	2.37	4.27	8.60 2.60 - 10.60	2.224 4.570 - 3.445	10.21	9.77	9.36	99	
22+35+60	1.87	2.26	4.47	8.60 2.60 - 10.60	2.214 2.430 - 3.435	10.16	9.72	9.32	99	
22+42+42	2.01	3.29	3.29	8.60 2.60 - 10.60	2.233 4.790 - 3.455	10.25	9.81	9.40	99	
22+42+50	1.78	2.92	3.89	8.60 2.60 - 10.60	2.224 3.070 - 3.445	10.21	9.77	9.36	99	
25+25+25	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
25+25+35	2.76	2.76	3.07	8.60 2.60 - 10.60	2.243 2.000 - 3.465	10.30	9.85	9.44	99	
25+25+42	2.46	2.46	3.69	8.60 2.60 - 10.60	2.243 3.050 - 3.465	10.30	9.85	9.44	99	
25+25+50	2.15	2.15	4.30	8.60 2.60 - 10.60	2.233 4.250 - 3.455	10.25	9.81	9.40	99	
25+25+60	2.05	2.05	4.50	8.60 2.60 - 10.60	2.224 3.930 - 3.445	10.21	9.77	9.36	99	
25+35+35	2.67	2.97	2.97	8.60 2.60 - 10.60	2.233 3.500 - 3.455	10.25	9.81	9.40	99	
25+35+42	2.38	2.65	3.57	8.60 2.60 - 10.60	2.233 4.550 - 3.455	10.25	9.81	9.40	99	
25+35+50	2.09	2.32	4.18	8.60 2.60 - 10.60	2.224 3.930 - 3.445	10.21	9.77	9.36	99	
25+35+60	2.00	2.22	4.38	8.60 2.60 - 10.60	2.214 1.790 - 3.435	10.16	9.72	9.32	99	

MXZ-3F68VF HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
25+42+42	2.15	3.23	3.23	8.60 2.60 - 10.60	2.233 4.140 - 3.455	10.25	9.81	9.40	99		
25+42+50	1.91	2.87	3.82	8.60 2.60 - 10.60	2.224 2.430 - 3.445	10.21	9.77	9.36	99		
35+35+35	2.87	2.87	2.87	8.60 2.60 - 10.60	2.224 5.000 - 3.445	10.21	9.77	9.36	99		
35+35+42	2.57	2.57	3.47	8.60 2.60 - 10.60	2.224 3.500 - 3.445	10.21	9.77	9.36	99		
35+35+50	2.26	2.26	4.07	8.60 2.60 - 10.60	2.214 1.790 - 3.435	10.16	9.72	9.32	99		
35+42+42	2.32	3.14	3.14	8.60 2.60 - 10.60	2.224 2.000 - 3.445	10.21	9.77	9.36	99		

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15	1.50	-	-	-	1.50 - 2.80	0.460	0.460 - 0.700	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80 - 3.80	0.460	0.460 - 0.870	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00 1.60 - 2.80	0.460	0.520 - 0.700	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20 1.60 - 3.80	0.460	0.520 - 0.870	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50 1.80 - 3.80	0.520	0.810 - 0.870	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50 1.80 - 5.20	0.520	0.810 - 1.500	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20 1.80 - 5.00	0.520	1.030 - 1.585	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00 1.80 - 5.60	0.520	1.350 - 1.775	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00 1.90 - 6.60	0.450	1.730 - 2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00 2.00 - 5.40	0.540	0.766 - 1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30 2.00 - 5.40	0.620	0.816 - 1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50 2.00 - 5.40	0.700	0.858 - 2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70 2.00 - 5.40	0.660	0.901 - 1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00 2.00 - 5.40	0.780	1.096 - 1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00 2.00 - 6.00	0.620	1.426 - 2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70 2.00 - 6.40	0.620	1.640 - 2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50 2.00 - 6.90	0.630	2.002 - 2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80 2.00 - 7.10	0.640	2.165 - 2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60 2.00 - 5.40	0.540	0.807 - 1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80 2.00 - 5.40	0.700	0.966 - 1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00 2.00 - 5.40	0.700	1.067 - 1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30 2.00 - 5.40	0.580	1.142 - 1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30 2.00 - 6.20	0.540	1.489 - 2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00 2.00 - 6.60	0.540	1.702 - 2.480	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80 2.00 - 7.10	0.550	2.136 - 2.820	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80 2.00 - 7.10	0.560	2.136 - 2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00 2.00 - 5.40	0.700	1.067 - 1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20 2.00 - 5.40	0.700	1.146 - 1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50 2.00 - 5.50	0.620	1.234 - 1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50 2.00 - 6.30	0.620	1.579 - 2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20 2.00 - 6.70	0.620	1.840 - 2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80 2.00 - 7.10	0.630	2.165 - 2.990	9.94	9.51	9.11	99
20+60	1.70	5.10	-	-	6.80 2.00 - 7.10	0.640	2.165 - 2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40 2.00 - 5.40	0.540	1.166 - 1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70 2.00 - 5.70	0.540	1.281 - 1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70 2.00 - 6.40	0.540	1.611 - 2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40 2.00 - 6.90	0.540	1.920 - 2.655	8.81	8.43	8.08	99
22+60	1.82	4.98	-	-	6.80 2.00 - 7.10	0.560	2.136 - 2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00 2.00 - 6.00	0.540	1.397 - 1.980	6.41	6.13	5.88	99

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
25+35	2.50	3.50	-	-	6.00 2.00 - 6.60	1.702 0.540 - 2.480	7.82	7.48	7.16	99	
25+42	2.50	4.20	-	-	6.70 2.00 - 7.00	2.082 0.540 - 2.785	9.56	9.14	8.76	99	
25+50	2.27	4.53	-	-	6.80 2.00 - 7.10	2.136 0.550 - 2.820	9.81	9.38	8.99	99	
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	2.128 0.560 - 2.810	9.77	9.35	8.96	99	
35+35	3.40	3.40	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99	
35+42	3.09	3.71	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99	
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.128 0.550 - 2.820	9.77	9.35	8.96	99	
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.055 0.570 - 2.830	9.44	9.03	8.65	99	
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99	
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.078 0.560 - 2.835	9.54	9.12	8.74	99	
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.002 0.580 - 2.845	9.19	8.79	8.43	99	
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.019 0.560 - 2.860	9.27	8.87	8.50	99	
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.937 0.600 - 2.860	8.89	8.51	8.15	99	
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.855 0.580 - 2.920	8.52	8.15	7.81	99	
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.941 0.780 - 2.310	4.32	4.13	3.96	99	
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 7.60	1.141 0.800 - 2.210	5.24	5.01	4.80	99	
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.70	1.261 0.810 - 2.130	5.79	5.54	5.31	99	
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.90	1.304 0.750 - 1.970	5.99	5.73	5.49	99	
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	1.431 0.750 - 2.205	6.57	6.28	6.02	99	
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99	
15+15+50	1.35	1.35	4.50	-	7.20 2.90 - 8.50	1.850 0.730 - 2.555	8.49	8.12	7.79	99	
15+15+60	1.20	1.20	4.80	-	7.20 2.90 - 8.50	1.756 0.730 - 2.535	8.06	7.71	7.39	99	
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.80	1.224 0.740 - 1.990	5.62	5.38	5.15	99	
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 8.00	1.344 0.740 - 1.910	6.17	5.90	5.66	99	
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	1.392 0.720 - 2.165	6.39	6.11	5.86	99	
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	1.529 0.770 - 3.230	7.02	6.71	6.43	99	
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.20	1.646 0.700 - 2.790	7.56	7.23	6.93	99	
15+18+42	1.44	1.73	4.03	-	7.20 2.90 - 8.50	1.853 0.700 - 2.530	8.51	8.14	7.80	99	
15+18+50	1.30	1.56	4.34	-	7.20 2.90 - 8.50	1.792 0.700 - 2.510	8.23	7.87	7.54	99	
15+18+60	1.16	1.39	4.65	-	7.20 2.90 - 8.50	1.698 0.700 - 2.490	7.79	7.45	7.14	99	
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	1.470 0.780 - 2.245	6.75	6.45	6.18	99	
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	1.522 0.780 - 2.915	6.99	6.68	6.41	99	
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.659 0.830 - 3.980	7.62	7.28	6.98	99	
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.30	1.797 0.740 - 2.690	8.25	7.89	7.56	99	
15+20+42	1.40	1.87	3.93	-	7.20 2.90 - 8.50	1.879 0.730 - 2.570	8.63	8.25	7.91	99	
15+20+50	1.27	1.69	4.24	-	7.20 2.90 - 8.50	1.817 0.730 - 2.550	8.34	7.98	7.65	99	
15+20+60	1.14	1.52	4.55	-	7.20 2.90 - 8.50	1.724 0.730 - 2.530	7.91	7.57	7.25	99	
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	1.574 0.780 - 3.585	7.23	6.91	6.63	99	
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.591 0.770 - 3.605	7.30	6.99	6.70	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42	1.37	2.01	3.83	-	7.20 2.90 - 8.50	1.827 0.700 - 2.525	8.39	8.02	7.69	99	
15+22+50	1.24	1.82	4.14	-	7.20 2.90 - 8.50	1.765 0.700 - 2.510	8.11	7.75	7.43	99	
15+22+60	1.11	1.63	4.45	-	7.20 2.90 - 8.50	1.671 0.700 - 2.490	7.67	7.34	7.03	99	
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.547 0.720 - 3.100	7.10	6.79	6.51	99	
15+25+35	1.44	2.40	3.36	-	7.20 2.90 - 8.50	1.872 0.700 - 2.540	8.60	8.22	7.88	99	
15+25+42	1.32	2.20	3.69	-	7.20 2.90 - 8.50	1.807 0.700 - 2.525	8.30	7.94	7.61	99	
15+25+50	1.20	2.00	4.00	-	7.20 2.90 - 8.50	1.746 0.700 - 2.505	8.02	7.67	7.35	99	
15+25+60	1.08	1.80	4.32	-	7.20 2.90 - 8.50	1.652 0.700 - 2.485	7.58	7.25	6.95	99	
15+35+35	1.27	2.96	2.96	-	7.20 2.90 - 8.50	1.807 0.700 - 2.530	8.30	7.94	7.61	99	
15+35+42	1.17	2.74	3.29	-	7.20 2.90 - 8.50	1.743 0.700 - 2.515	8.00	7.66	7.34	99	
15+35+50	1.08	2.52	3.60	-	7.20 2.90 - 8.50	1.681 0.700 - 2.495	7.72	7.38	7.07	99	
15+35+60	0.98	2.29	3.93	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99	
15+42+42	1.09	3.05	3.05	-	7.20 2.90 - 8.50	1.678 0.700 - 2.495	7.70	7.37	7.06	99	
15+42+50	1.01	2.83	3.36	-	7.20 2.90 - 8.50	1.630 0.700 - 2.480	7.48	7.16	6.86	99	
15+42+60	0.92	2.58	3.69	-	7.20 2.90 - 8.50	1.601 0.700 - 2.470	7.35	7.03	6.74	99	
15+50+50	0.94	3.13	3.13	-	7.20 2.90 - 8.50	1.620 0.700 - 2.470	7.44	7.11	6.82	99	
15+50+60	0.86	2.88	3.46	-	7.20 2.90 - 8.50	1.591 0.700 - 2.460	7.30	6.99	6.70	99	
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	1.308 0.670 - 1.770	6.00	5.74	5.50	99	
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.438 0.730 - 2.520	6.60	6.31	6.05	99	
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	1.490 0.740 - 3.190	6.84	6.54	6.27	99	
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.567 0.750 - 3.730	7.19	6.88	6.59	99	
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.40	1.777 0.680 - 2.540	8.16	7.80	7.48	99	
18+18+42	1.66	1.66	3.88	-	7.20 2.90 - 8.50	1.795 0.670 - 2.485	8.24	7.88	7.55	99	
18+18+50	1.51	1.51	4.19	-	7.20 2.90 - 8.50	1.733 0.670 - 2.470	7.96	7.61	7.30	99	
18+18+60	1.35	1.35	4.50	-	7.20 2.90 - 8.50	1.639 0.670 - 2.450	7.53	7.20	6.90	99	
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.568 0.800 - 3.270	7.20	6.88	6.60	99	
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	1.620 0.800 - 3.940	7.44	7.11	6.82	99	
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	1.576 0.750 - 3.435	7.24	6.92	6.63	99	
18+20+35	1.78	1.97	3.45	-	7.20 2.90 - 8.40	1.872 0.710 - 2.520	8.60	8.22	7.88	99	
18+20+42	1.62	1.80	3.78	-	7.20 2.90 - 8.50	1.821 0.700 - 2.525	8.36	8.00	7.66	99	
18+20+50	1.47	1.64	4.09	-	7.20 2.90 - 8.50	1.759 0.700 - 2.505	8.07	7.72	7.40	99	
18+20+60	1.32	1.47	4.41	-	7.20 2.90 - 8.50	1.665 0.700 - 2.485	7.65	7.31	7.01	99	
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	1.552 0.740 - 3.565	7.13	6.82	6.53	99	
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.508 0.690 - 3.060	6.93	6.62	6.35	99	
18+22+35	1.73	2.11	3.36	-	7.20 2.90 - 8.50	1.833 0.670 - 2.500	8.42	8.05	7.72	99	
18+22+42	1.58	1.93	3.69	-	7.20 2.90 - 8.50	1.768 0.670 - 2.485	8.12	7.77	7.44	99	
18+22+50	1.44	1.76	4.00	-	7.20 2.90 - 8.50	1.707 0.670 - 2.465	7.84	7.50	7.19	99	
18+22+60	1.30	1.58	4.32	-	7.20 2.90 - 8.50	1.613 0.670 - 2.445	7.41	7.08	6.79	99	
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.20	1.607 0.670 - 2.750	7.38	7.06	6.76	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+25+35	1.66	2.31	3.23	-	7.20 2.90 - 8.50	1.814 0.670 - 2.495	8.33	7.97	7.63	99	
18+25+42	1.52	2.12	3.56	-	7.20 2.90 - 8.50	1.749 0.670 - 2.480	8.03	7.68	7.36	99	
18+25+50	1.39	1.94	3.87	-	7.20 2.90 - 8.50	1.688 0.670 - 2.460	7.75	7.41	7.10	99	
18+25+60	1.26	1.75	4.19	-	7.20 2.90 - 8.50	1.594 0.670 - 2.440	7.32	7.00	6.71	99	
18+35+35	1.47	2.86	2.86	-	7.20 2.90 - 8.50	1.749 0.670 - 2.485	8.03	7.68	7.36	99	
18+35+42	1.36	2.65	3.18	-	7.20 2.90 - 8.50	1.685 0.670 - 2.470	7.74	7.40	7.09	99	
18+35+50	1.26	2.45	3.50	-	7.20 2.90 - 8.50	1.623 0.670 - 2.450	7.45	7.13	6.83	99	
18+35+60	1.15	2.23	3.82	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99	
18+42+42	1.27	2.96	2.96	-	7.20 2.90 - 8.50	1.620 0.670 - 2.455	7.44	7.11	6.82	99	
18+42+50	1.18	2.75	3.27	-	7.20 2.90 - 8.50	1.591 0.670 - 2.440	7.30	6.99	6.70	99	
18+42+60	1.08	2.52	3.60	-	7.20 2.90 - 8.50	1.562 0.670 - 2.430	7.17	6.86	6.57	99	
18+50+50	1.10	3.05	3.05	-	7.20 2.90 - 8.50	1.581 0.670 - 2.430	7.26	6.94	6.65	99	
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.581 0.770 - 3.900	7.26	6.94	6.65	99	
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.630 0.800 - 3.645	7.48	7.16	6.86	99	
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99	
20+20+35	1.92	1.92	3.36	-	7.20 2.90 - 8.50	1.911 0.730 - 2.580	8.77	8.39	8.04	99	
20+20+42	1.76	1.76	3.69	-	7.20 2.90 - 8.50	1.846 0.730 - 2.565	8.48	8.11	7.77	99	
20+20+50	1.60	1.60	4.00	-	7.20 2.90 - 8.50	1.785 0.730 - 2.545	8.19	7.84	7.51	99	
20+20+60	1.44	1.44	4.32	-	7.20 2.90 - 8.50	1.691 0.730 - 2.525	7.76	7.43	7.12	99	
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.562 0.730 - 3.265	7.17	6.86	6.57	99	
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.589 0.700 - 2.860	7.30	6.98	6.69	99	
20+22+35	1.87	2.06	3.27	-	7.20 2.90 - 8.50	1.859 0.700 - 2.540	8.54	8.17	7.83	99	
20+22+42	1.71	1.89	3.60	-	7.20 2.90 - 8.50	1.795 0.700 - 2.520	8.24	7.88	7.55	99	
20+22+50	1.57	1.72	3.91	-	7.20 2.90 - 8.50	1.733 0.700 - 2.505	7.96	7.61	7.30	99	
20+22+60	1.41	1.55	4.24	-	7.20 2.90 - 8.50	1.639 0.700 - 2.485	7.53	7.20	6.90	99	
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.30	1.759 0.710 - 2.650	8.07	7.72	7.40	99	
20+25+35	1.80	2.25	3.15	-	7.20 2.90 - 8.50	1.840 0.700 - 2.535	8.45	8.08	7.74	99	
20+25+42	1.66	2.07	3.48	-	7.20 2.90 - 8.50	1.775 0.700 - 2.520	8.15	7.80	7.47	99	
20+25+50	1.52	1.89	3.79	-	7.20 2.90 - 8.50	1.714 0.700 - 2.500	7.87	7.53	7.21	99	
20+25+60	1.37	1.71	4.11	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99	
20+35+35	1.60	2.80	2.80	-	7.20 2.90 - 8.50	1.775 0.700 - 2.525	8.15	7.80	7.47	99	
20+35+42	1.48	2.60	3.12	-	7.20 2.90 - 8.50	1.710 0.700 - 2.510	7.85	7.51	7.20	99	
20+35+50	1.37	2.40	3.43	-	7.20 2.90 - 8.50	1.649 0.700 - 2.490	7.57	7.24	6.94	99	
20+35+60	1.25	2.19	3.76	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99	
20+42+42	1.38	2.91	2.91	-	7.20 2.90 - 8.50	1.646 0.700 - 2.490	7.56	7.23	6.93	99	
20+42+50	1.29	2.70	3.21	-	7.20 2.90 - 8.50	1.630 0.700 - 2.480	7.48	7.16	6.86	99	
20+42+60	1.18	2.48	3.54	-	7.20 2.90 - 8.50	1.601 0.700 - 2.470	7.35	7.03	6.74	99	
20+50+50	1.20	3.00	3.00	-	7.20 2.90 - 8.50	1.620 0.700 - 2.470	7.44	7.11	6.82	99	
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.494 0.670 - 2.890	6.86	6.56	6.29	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.30	1.664 - 2.680	0.680	7.64	7.31	7.00	99
22+22+35	2.01	2.01	3.19	-	7.20 2.90 - 8.50	1.807 - 2.495	0.670	8.30	7.94	7.61	99
22+22+42	1.84	1.84	3.52	-	7.20 2.90 - 8.50	1.743 - 2.480	0.670	8.00	7.66	7.34	99
22+22+50	1.69	1.69	3.83	-	7.20 2.90 - 8.50	1.681 - 2.460	0.670	7.72	7.38	7.07	99
22+22+60	1.52	1.52	4.15	-	7.20 2.90 - 8.50	1.588 - 2.440	0.670	7.29	6.97	6.68	99
22+25+35	1.93	2.20	3.07	-	7.20 2.90 - 8.50	1.788 - 2.495	0.670	8.21	7.85	7.52	99
22+25+42	1.78	2.02	3.40	-	7.20 2.90 - 8.50	1.724 - 2.475	0.670	7.91	7.57	7.25	99
22+25+50	1.63	1.86	3.71	-	7.20 2.90 - 8.50	1.662 - 2.460	0.670	7.63	7.30	6.99	99
22+25+60	1.48	1.68	4.04	-	7.20 2.90 - 8.50	1.581 - 2.440	0.670	7.26	6.94	6.65	99
22+35+35	1.72	2.74	2.74	-	7.20 2.90 - 8.50	1.724 - 2.485	0.670	7.91	7.57	7.25	99
22+35+42	1.60	2.55	3.05	-	7.20 2.90 - 8.50	1.659 - 2.465	0.670	7.62	7.28	6.98	99
22+35+50	1.48	2.36	3.36	-	7.20 2.90 - 8.50	1.610 - 2.450	0.670	7.39	7.07	6.78	99
22+35+60	1.35	2.15	3.69	-	7.20 2.90 - 8.50	1.581 - 2.440	0.670	7.26	6.94	6.65	99
22+42+42	1.49	2.85	2.85	-	7.20 2.90 - 8.50	1.601 - 2.450	0.670	7.35	7.03	6.74	99
22+42+50	1.39	2.65	3.16	-	7.20 2.90 - 8.50	1.591 - 2.440	0.670	7.30	6.99	6.70	99
22+42+60	1.28	2.44	3.48	-	7.20 2.90 - 8.50	1.562 - 2.430	0.670	7.17	6.86	6.57	99
22+50+50	1.30	2.95	2.95	-	7.20 2.90 - 8.50	1.581 - 2.430	0.670	7.26	6.94	6.65	99
25+25+25	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.833 - 2.500	0.670	8.42	8.05	7.72	99
25+25+35	2.12	2.12	2.96	-	7.20 2.90 - 8.50	1.768 - 2.490	0.670	8.12	7.77	7.44	99
25+25+42	1.96	1.96	3.29	-	7.20 2.90 - 8.50	1.704 - 2.475	0.670	7.83	7.48	7.17	99
25+25+50	1.80	1.80	3.60	-	7.20 2.90 - 8.50	1.642 - 2.455	0.670	7.54	7.21	6.91	99
25+25+60	1.64	1.64	3.93	-	7.20 2.90 - 8.50	1.581 - 2.440	0.670	7.26	6.94	6.65	99
25+35+35	1.89	2.65	2.65	-	7.20 2.90 - 8.50	1.704 - 2.480	0.670	7.83	7.48	7.17	99
25+35+42	1.76	2.47	2.96	-	7.20 2.90 - 8.50	1.639 - 2.465	0.670	7.53	7.20	6.90	99
25+35+50	1.64	2.29	3.27	-	7.20 2.90 - 8.50	1.610 - 2.450	0.670	7.39	7.07	6.78	99
25+35+60	1.50	2.10	3.60	-	7.20 2.90 - 8.50	1.581 - 2.440	0.670	7.26	6.94	6.65	99
25+42+42	1.65	2.77	2.77	-	7.20 2.90 - 8.50	1.601 - 2.450	0.670	7.35	7.03	6.74	99
25+42+50	1.54	2.58	3.08	-	7.20 2.90 - 8.50	1.591 - 2.440	0.670	7.30	6.99	6.70	99
25+50+50	1.44	2.88	2.88	-	7.20 2.90 - 8.50	1.581 - 2.430	0.670	7.26	6.94	6.65	99
35+35+35	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.639 - 2.470	0.670	7.53	7.20	6.90	99
35+35+42	2.25	2.25	2.70	-	7.20 2.90 - 8.50	1.620 - 2.460	0.670	7.44	7.11	6.82	99
35+35+50	2.10	2.10	3.00	-	7.20 2.90 - 8.50	1.610 - 2.450	0.670	7.39	7.07	6.78	99
35+42+42	2.12	2.54	2.54	-	7.20 2.90 - 8.50	1.601 - 2.450	0.670	7.35	7.03	6.74	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.734 - 3.190	0.800	7.96	7.62	7.30	99
15+15+15+18	1.50	1.50	1.50	1.80	6.30 3.70 - 8.20	1.950 - 3.340	0.890	8.95	8.56	8.21	99
15+15+15+20	1.50	1.50	1.50	2.00	6.50 3.70 - 8.00	2.053 - 3.390	0.920	9.43	9.02	8.64	99
15+15+15+22	1.50	1.50	1.50	2.20	6.70 3.70 - 8.20	2.081 - 3.340	0.890	9.55	9.14	8.76	99
15+15+15+25	1.50	1.50	1.50	2.50	7.00 3.70 - 8.20	2.179 - 3.340	0.890	10.00	9.57	9.17	99
15+15+15+35	1.35	1.35	1.35	3.15	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.24	1.24	1.24	3.48	7.20 - 3.70 8.20	2.225 - 0.890 3.330	10.22	9.77	9.37	99	
15+15+15+50	1.14	1.14	1.14	3.79	7.20 - 3.70 8.20	2.215 - 0.890 3.320	10.17	9.73	9.32	99	
15+15+15+60	1.03	1.03	1.03	4.11	7.20 - 3.70 8.20	2.186 - 0.890 3.310	10.04	9.60	9.20	99	
15+15+18+18	1.50	1.50	1.80	1.80	6.60 - 3.70 8.40	2.009 - 0.860 3.290	9.22	8.82	8.45	99	
15+15+18+20	1.50	1.50	1.80	2.00	6.80 - 3.70 8.20	2.114 - 0.890 3.340	9.70	9.28	8.90	99	
15+15+18+22	1.50	1.50	1.80	2.20	7.00 - 3.70 8.40	2.140 - 0.860 3.290	9.82	9.40	9.01	99	
15+15+18+25	1.48	1.48	1.78	2.47	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+18+35	1.30	1.30	1.56	3.04	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+18+42	1.20	1.20	1.44	3.36	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99	
15+15+18+50	1.10	1.10	1.32	3.67	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99	
15+15+18+60	1.00	1.00	1.20	4.00	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99	
15+15+20+20	1.50	1.50	2.00	2.00	7.00 - 3.70 8.00	2.217 - 0.920 3.390	10.18	9.74	9.33	99	
15+15+20+25	1.44	1.44	1.92	2.40	7.20 - 3.70 8.20	2.245 - 0.890 3.340	10.31	9.86	9.45	99	
15+15+20+35	1.27	1.27	1.69	2.96	7.20 - 3.70 8.20	2.245 - 0.890 3.340	10.31	9.86	9.45	99	
15+15+20+42	1.17	1.17	1.57	3.29	7.20 - 3.70 8.20	2.225 - 0.890 3.330	10.22	9.77	9.37	99	
15+15+20+50	1.08	1.08	1.44	3.60	7.20 - 3.70 8.20	2.215 - 0.890 3.320	10.17	9.73	9.32	99	
15+15+20+60	0.98	0.98	1.31	3.93	7.20 - 3.70 8.20	2.186 - 0.890 3.310	10.04	9.60	9.20	99	
15+15+22+22	1.46	1.46	2.14	2.14	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+22+25	1.40	1.40	2.06	2.34	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+22+35	1.24	1.24	1.82	2.90	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+22+42	1.15	1.15	1.69	3.22	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99	
15+15+22+50	1.06	1.06	1.55	3.53	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99	
15+15+22+60	0.96	0.96	1.41	3.86	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99	
15+15+25+25	1.35	1.35	2.25	2.25	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+25+35	1.20	1.20	2.00	2.80	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+25+42	1.11	1.11	1.86	3.12	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99	
15+15+25+50	1.03	1.03	1.71	3.43	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99	
15+15+25+60	0.94	0.94	1.57	3.76	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99	
15+15+35+35	1.08	1.08	2.52	2.52	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
15+15+35+42	1.01	1.01	2.36	2.83	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99	
15+15+35+50	0.94	0.94	2.19	3.13	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99	
15+15+35+60	0.86	0.86	2.02	3.46	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99	
15+15+42+42	0.95	0.95	2.65	2.65	7.20 - 3.70 8.40	2.167 - 0.860 3.270	9.95	9.52	9.12	99	
15+15+42+50	0.89	0.89	2.48	2.95	7.20 - 3.70 8.40	2.157 - 0.860 3.260	9.90	9.47	9.08	99	
15+18+18+18	1.50	1.80	1.80	1.80	6.90 - 3.70 8.60	2.069 - 0.830 3.240	9.50	9.09	8.71	99	
15+18+18+20	1.50	1.80	1.80	2.00	7.10 - 3.70 8.40	2.173 - 0.860 3.290	9.98	9.54	9.14	99	
15+18+18+22	1.48	1.78	1.78	2.17	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
15+18+18+25	1.42	1.71	1.71	2.37	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
15+18+18+35	1.26	1.51	1.51	2.93	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+18+42	1.16	1.39	1.39	3.25	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+18+50	1.07	1.28	1.28	3.56	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+18+60	0.97	1.17	1.17	3.89	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+25	1.38	1.66	1.85	2.31	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+35	1.23	1.47	1.64	2.86	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+42	1.14	1.36	1.52	3.18	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+18+20+50	1.05	1.26	1.40	3.50	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+18+20+60	0.96	1.15	1.27	3.82	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+18+22+22	1.40	1.68	2.06	2.06	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+25	1.35	1.62	1.98	2.25	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+35	1.20	1.44	1.76	2.80	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+42	1.11	1.34	1.63	3.12	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+22+50	1.03	1.23	1.51	3.43	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+22+60	0.94	1.13	1.38	3.76	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+25+25	1.30	1.56	2.17	2.17	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+25+35	1.16	1.39	1.94	2.71	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+25+42	1.08	1.30	1.80	3.02	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+25+50	1.00	1.20	1.67	3.33	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+25+60	0.92	1.10	1.53	3.66	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+35+35	1.05	1.26	2.45	2.45	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+35+42	0.98	1.18	2.29	2.75	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+35+50	0.92	1.10	2.14	3.05	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+42+42	0.92	1.11	2.58	2.58	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
15+18+42+50	0.86	1.04	2.42	2.88	7.20 3.70 - 8.60	2.118 - 3.210	0.830	9.73	9.30	8.92	99
15+20+20+20	1.44	1.92	1.92	1.92	7.20 3.70 - 8.00	2.283 - 3.390	0.920	10.48	10.03	9.61	99
15+20+20+22	1.40	1.87	1.87	2.06	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+25	1.35	1.80	1.80	2.25	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+35	1.20	1.60	1.60	2.80	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+42	1.11	1.48	1.48	3.12	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
15+20+20+50	1.03	1.37	1.37	3.43	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
15+20+20+60	0.94	1.25	1.25	3.76	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
15+20+22+22	1.37	1.82	2.01	2.01	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+25	1.32	1.76	1.93	2.20	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+35	1.17	1.57	1.72	2.74	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+42	1.09	1.45	1.60	3.05	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+20+22+50	1.01	1.35	1.48	3.36	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+20+22+60	0.92	1.23	1.35	3.69	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.27	1.69	2.12	2.12	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99	
15+20+25+35	1.14	1.52	1.89	2.65	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99	
15+20+25+42	1.06	1.41	1.76	2.96	7.20 3.70 - 8.40	2.186 0.860 - 3.280	10.04	9.60	9.20	99	
15+20+25+50	0.98	1.31	1.64	3.27	7.20 3.70 - 8.40	2.177 0.860 - 3.270	9.99	9.56	9.16	99	
15+20+25+60	0.90	1.20	1.50	3.60	7.20 3.70 - 8.40	2.148 0.860 - 3.260	9.86	9.43	9.04	99	
15+20+35+35	1.03	1.37	2.40	2.40	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99	
15+20+35+42	0.96	1.29	2.25	2.70	7.20 3.70 - 8.40	2.186 0.860 - 3.280	10.04	9.60	9.20	99	
15+20+35+50	0.90	1.20	2.10	3.00	7.20 3.70 - 8.40	2.177 0.860 - 3.270	9.99	9.56	9.16	99	
15+20+42+42	0.91	1.21	2.54	2.54	7.20 3.70 - 8.40	2.167 0.860 - 3.270	9.95	9.52	9.12	99	
15+22+22+22	1.33	1.96	1.96	1.96	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+22+25	1.29	1.89	1.89	2.14	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+22+35	1.15	1.69	1.69	2.68	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+22+42	1.07	1.57	1.57	2.99	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99	
15+22+22+50	0.99	1.45	1.45	3.30	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99	
15+22+22+60	0.91	1.33	1.33	3.63	7.20 3.70 - 8.60	2.109 0.830 - 3.210	9.68	9.26	8.88	99	
15+22+25+25	1.24	1.82	2.07	2.07	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+25+35	1.11	1.63	1.86	2.60	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+25+42	1.04	1.52	1.73	2.91	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99	
15+22+25+50	0.96	1.41	1.61	3.21	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99	
15+22+25+60	0.89	1.30	1.48	3.54	7.20 3.70 - 8.60	2.109 0.830 - 3.210	9.68	9.26	8.88	99	
15+22+35+35	1.01	1.48	2.36	2.36	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+22+35+42	0.95	1.39	2.21	2.65	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99	
15+22+35+50	0.89	1.30	2.07	2.95	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99	
15+22+42+42	0.89	1.31	2.50	2.50	7.20 3.70 - 8.60	2.128 0.830 - 3.220	9.77	9.35	8.96	99	
15+25+25+25	1.20	2.00	2.00	2.00	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+25+25+35	1.08	1.80	1.80	2.52	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+25+25+42	1.01	1.68	1.68	2.83	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99	
15+25+25+50	0.94	1.57	1.57	3.13	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99	
15+25+25+60	0.86	1.44	1.44	3.46	7.20 3.70 - 8.60	2.109 0.830 - 3.210	9.68	9.26	8.88	99	
15+25+35+35	0.98	1.64	2.29	2.29	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
15+25+35+42	0.92	1.54	2.15	2.58	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99	
15+25+35+50	0.86	1.44	2.02	2.88	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99	
15+25+42+42	0.87	1.45	2.44	2.44	7.20 3.70 - 8.60	2.128 0.830 - 3.220	9.77	9.35	8.96	99	
15+35+35+35	0.90	2.10	2.10	2.10	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	1.770 0.800 - 3.190	8.13	7.77	7.45	99	
18+18+18+20	1.75	1.75	1.75	1.95	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99	
18+18+18+22	1.71	1.71	1.71	2.08	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99	
18+18+18+25	1.64	1.64	1.64	2.28	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99	
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+18+18+42	1.35	1.35	1.35	3.15	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99	
18+18+18+50	1.25	1.25	1.25	3.46	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99	
18+18+18+60	1.14	1.14	1.14	3.79	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99	
18+18+20+20	1.71	1.71	1.89	1.89	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
18+18+20+22	1.66	1.66	1.85	2.03	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+18+20+25	1.60	1.60	1.78	2.22	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+18+20+35	1.42	1.42	1.58	2.77	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+18+20+42	1.32	1.32	1.47	3.09	7.20 - 3.70 8.60	2.148 - 0.830 3.230	9.86	9.43	9.04	99	
18+18+20+50	1.22	1.22	1.36	3.40	7.20 - 3.70 8.60	2.138 - 0.830 3.220	9.82	9.39	9.00	99	
18+18+20+60	1.12	1.12	1.24	3.72	7.20 - 3.70 8.60	2.109 - 0.830 3.210	9.68	9.26	8.88	99	
18+18+22+22	1.62	1.62	1.98	1.98	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+22+25	1.56	1.56	1.91	2.17	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+22+35	1.39	1.39	1.70	2.71	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+22+42	1.30	1.30	1.58	3.02	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99	
18+18+22+50	1.20	1.20	1.47	3.33	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99	
18+18+22+60	1.10	1.10	1.34	3.66	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99	
18+18+25+25	1.51	1.51	2.09	2.09	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+25+35	1.35	1.35	1.88	2.63	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+25+42	1.26	1.26	1.75	2.94	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99	
18+18+25+50	1.17	1.17	1.62	3.24	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99	
18+18+25+60	1.07	1.07	1.49	3.57	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99	
18+18+35+35	1.22	1.22	2.38	2.38	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99	
18+18+35+42	1.15	1.15	2.23	2.68	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99	
18+18+35+50	1.07	1.07	2.08	2.98	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99	
18+18+42+42	1.08	1.08	2.52	2.52	7.20 - 3.70 8.80	2.089 - 0.800 3.170	9.59	9.18	8.79	99	
18+20+20+20	1.66	1.85	1.85	1.85	7.20 - 3.70 8.20	2.245 - 0.890 3.340	10.31	9.86	9.45	99	
18+20+20+22	1.62	1.80	1.80	1.98	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
18+20+20+25	1.56	1.73	1.73	2.17	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
18+20+20+35	1.39	1.55	1.55	2.71	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99	
18+20+20+42	1.30	1.44	1.44	3.02	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99	
18+20+20+50	1.20	1.33	1.33	3.33	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99	
18+20+20+60	1.10	1.22	1.22	3.66	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99	
18+20+22+22	1.58	1.76	1.93	1.93	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+20+22+25	1.52	1.69	1.86	2.12	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+20+22+35	1.36	1.52	1.67	2.65	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	
18+20+22+42	1.27	1.41	1.55	2.96	7.20 - 3.70 8.60	2.148 - 0.830 3.230	9.86	9.43	9.04	99	
18+20+22+50	1.18	1.31	1.44	3.27	7.20 - 3.70 8.60	2.138 - 0.830 3.220	9.82	9.39	9.00	99	
18+20+22+60	1.08	1.20	1.32	3.60	7.20 - 3.70 8.60	2.109 - 0.830 3.210	9.68	9.26	8.88	99	
18+20+25+25	1.47	1.64	2.05	2.05	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99	

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+20+25+35	1.32	1.47	1.84	2.57	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+25+42	1.23	1.37	1.71	2.88	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+20+25+50	1.15	1.27	1.59	3.19	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+20+25+60	1.05	1.17	1.46	3.51	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
18+20+35+35	1.20	1.33	2.33	2.33	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+35+42	1.13	1.25	2.19	2.63	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+20+35+50	1.05	1.17	2.05	2.93	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+20+42+42	1.06	1.18	2.48	2.48	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
18+22+22+22	1.54	1.89	1.89	1.89	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+25	1.49	1.82	1.82	2.07	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+35	1.34	1.63	1.63	2.60	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+42	1.25	1.52	1.52	2.91	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+22+50	1.16	1.41	1.41	3.21	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+22+60	1.06	1.30	1.30	3.54	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+25+35	1.30	1.58	1.80	2.52	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+25+42	1.21	1.48	1.68	2.83	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+25+50	1.13	1.38	1.57	3.13	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+25+60	1.04	1.27	1.44	3.46	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+22+35+35	1.18	1.44	2.29	2.29	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+35+42	1.11	1.35	2.15	2.58	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+35+50	1.04	1.27	2.02	2.88	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+42+42	1.05	1.28	2.44	2.44	7.20 3.70 - 8.80	2.089 - 3.170	0.800	9.59	9.18	8.79	99
18+25+25+25	1.39	1.94	1.94	1.94	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+25+35	1.26	1.75	1.75	2.45	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+25+42	1.18	1.64	1.64	2.75	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+25+25+50	1.10	1.53	1.53	3.05	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+25+35+35	1.15	1.59	2.23	2.23	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+35+42	1.08	1.50	2.10	2.52	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+35+35+35	1.05	2.05	2.05	2.05	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
20+20+20+20	1.80	1.80	1.80	1.80	7.20 3.70 - 8.00	2.128 - 3.190	0.800	9.77	9.35	8.96	99
20+20+20+22	1.76	1.76	1.76	1.93	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+25	1.69	1.69	1.69	2.12	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+35	1.52	1.52	1.52	2.65	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+42	1.41	1.41	1.41	2.96	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
20+20+20+50	1.31	1.31	1.31	3.27	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
20+20+20+60	1.20	1.20	1.20	3.60	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
20+20+22+22	1.71	1.71	1.89	1.89	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+22+25	1.66	1.66	1.82	2.07	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
20+20+22+35	1.48	1.48	1.63	2.60	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+22+42	1.38	1.38	1.52	2.91	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
20+20+22+50	1.29	1.29	1.41	3.21	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
20+20+22+60	1.18	1.18	1.30	3.54	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
20+20+25+25	1.60	1.60	2.00	2.00	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+25+35	1.44	1.44	1.80	2.52	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+25+42	1.35	1.35	1.68	2.83	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
20+20+25+50	1.25	1.25	1.57	3.13	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
20+20+25+60	1.15	1.15	1.44	3.46	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
20+20+35+35	1.31	1.31	2.29	2.29	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+35+42	1.23	1.23	2.15	2.58	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
20+20+35+50	1.15	1.15	2.02	2.88	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
20+20+42+42	1.16	1.16	2.44	2.44	7.20 3.70 - 8.40	2.167 - 3.270	0.860	9.95	9.52	9.12	99
20+22+22+22	1.67	1.84	1.84	1.84	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+22+25	1.62	1.78	1.78	2.02	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+22+35	1.45	1.60	1.60	2.55	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+22+42	1.36	1.49	1.49	2.85	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
20+22+22+50	1.26	1.39	1.39	3.16	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
20+22+22+60	1.16	1.28	1.28	3.48	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
20+22+25+25	1.57	1.72	1.96	1.96	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+25+35	1.41	1.55	1.76	2.47	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+25+42	1.32	1.45	1.65	2.77	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
20+22+25+50	1.23	1.35	1.54	3.08	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
20+22+35+35	1.29	1.41	2.25	2.25	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+22+35+42	1.21	1.33	2.12	2.54	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
20+25+25+25	1.52	1.89	1.89	1.89	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+25+25+35	1.37	1.71	1.71	2.40	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+25+25+42	1.29	1.61	1.61	2.70	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
20+25+25+50	1.20	1.50	1.50	3.00	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
20+25+35+35	1.25	1.57	2.19	2.19	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
20+25+35+42	1.18	1.48	2.07	2.48	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
20+35+35+35	1.15	2.02	2.02	2.02	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
22+22+22+22	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
22+22+22+25	1.74	1.74	1.74	1.98	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
22+22+22+35	1.57	1.57	1.57	2.50	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
22+22+22+42	1.47	1.47	1.47	2.80	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
22+22+22+50	1.37	1.37	1.37	3.10	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
22+22+25+25	1.69	1.69	1.91	1.91	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
22+22+25+35	1.52	1.52	1.73	2.42	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99

MXZ-4F72VF COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
22+22+25+42	1.43	1.43	1.62	2.72	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99	
22+22+25+50	1.33	1.33	1.51	3.03	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99	
22+22+35+35	1.39	1.39	2.21	2.21	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
22+22+35+42	1.31	1.31	2.08	2.50	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99	
22+25+25+25	1.63	1.86	1.86	1.86	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
22+25+25+35	1.48	1.68	1.68	2.36	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
22+25+25+42	1.39	1.58	1.58	2.65	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99	
22+25+25+50	1.30	1.48	1.48	2.95	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99	
22+25+35+35	1.35	1.54	2.15	2.15	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
22+25+35+42	1.28	1.45	2.03	2.44	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99	
25+25+25+25	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
25+25+25+35	1.64	1.64	1.64	2.29	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	
25+25+25+42	1.54	1.54	1.54	2.58	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99	
25+25+25+50	1.44	1.44	1.44	2.88	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99	
25+25+35+35	1.50	1.50	2.10	2.10	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
15	1.70	-	-	-	1.70 - 2.80	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	-	2.00 - 4.50	0.480	-	1.250	2.20	2.11	2.02	99
20	2.20	-	-	-	2.20 - 2.50	0.590	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	-	2.00 - 4.50	0.480	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	-	2.00 - 5.30	0.460	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	-	2.00 - 5.30	0.460	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	-	2.00 - 5.60	0.460	-	1.564	6.92	6.62	6.35	99
50	6.60	-	-	-	2.00 - 6.80	0.460	-	2.431	7.44	7.11	6.82	99
60	7.90	-	-	-	2.00 - 8.60	0.440	-	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	-	1.80 - 5.00	0.670	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	-	1.80 - 6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	-	1.80 - 5.80	0.650	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	-	1.80 - 6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	-	1.80 - 6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	-	1.80 - 7.90	0.540	-	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	-	1.80 - 7.90	0.540	-	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	-	1.80 - 7.90	0.540	-	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	-	1.80 - 7.90	0.540	-	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	-	1.80 - 7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	-	1.80 - 6.90	0.520	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	-	1.80 - 7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	-	1.80 - 7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	-	1.80 - 9.00	0.410	-	2.420	7.76	7.42	7.11	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+42	3.00	4.90	-	-	7.90 1.80 - 9.00	1.813 - 2.420	0.410	8.32	7.96	7.63	99
18+50	2.67	5.83	-	-	8.50 1.80 - 9.00	1.936 - 2.410	0.410	8.89	8.50	8.15	99
18+60	2.53	6.07	-	-	8.60 1.80 - 9.00	1.993 - 2.365	0.400	9.15	8.75	8.39	99
20+20	2.20	2.20	-	-	4.40 1.80 - 6.60	1.113 - 1.950	0.630	5.11	4.89	4.69	99
20+22	2.20	3.30	-	-	5.50 1.80 - 6.90	1.290 - 1.855	0.520	5.92	5.66	5.43	99
20+25	2.12	3.48	-	-	5.60 1.80 - 7.20	1.320 - 1.965	0.520	6.06	5.80	5.56	99
20+35	2.20	4.00	-	-	6.20 1.80 - 8.70	1.548 - 2.515	0.520	7.11	6.80	6.52	99
20+42	2.00	4.90	-	-	6.90 1.80 - 8.70	1.670 - 2.515	0.520	7.67	7.33	7.03	99
20+50	1.76	5.74	-	-	7.50 1.80 - 8.70	1.793 - 2.505	0.520	8.23	7.88	7.55	99
20+60	1.63	5.87	-	-	7.50 1.80 - 8.70	1.826 - 2.450	0.510	8.38	8.02	7.68	99
22+22	3.30	3.30	-	-	6.60 1.80 - 7.20	1.466 - 1.760	0.410	6.73	6.44	6.17	99
22+25	3.30	3.60	-	-	6.90 1.80 - 8.10	1.556 - 2.095	0.410	7.15	6.83	6.55	99
22+35	3.30	4.00	-	-	7.30 1.80 - 9.00	1.760 - 2.420	0.410	8.08	7.73	7.41	99
22+42	3.11	5.09	-	-	8.20 1.80 - 9.00	1.880 - 2.420	0.410	8.63	8.25	7.91	99
22+60	2.53	6.07	-	-	8.60 1.80 - 9.00	2.010 - 2.350	0.400	9.23	8.83	8.46	99
25+25	3.60	3.60	-	-	7.20 1.80 - 9.00	1.646 - 2.430	0.410	7.56	7.23	6.93	99
25+35	3.60	4.00	-	-	7.60 1.80 - 9.00	1.813 - 2.420	0.410	8.32	7.96	7.63	99
25+42	3.36	5.04	-	-	8.40 1.80 - 9.00	1.930 - 2.420	0.410	8.86	8.47	8.12	99
25+50	2.87	5.73	-	-	8.60 1.80 - 9.00	1.990 - 2.390	0.410	9.14	8.74	8.38	99
25+60	2.69	5.91	-	-	8.60 1.80 - 9.00	2.002 - 2.335	0.400	9.19	8.79	8.43	99
35+35	4.00	4.00	-	-	8.00 1.80 - 9.00	1.970 - 2.410	0.410	9.04	8.65	8.29	99
35+42	3.66	4.94	-	-	8.60 1.80 - 9.00	1.999 - 2.380	0.410	9.18	8.78	8.41	99
35+50	3.07	5.53	-	-	8.60 1.80 - 9.00	2.002 - 2.335	0.400	9.19	8.79	8.43	99
35+60	2.89	5.71	-	-	8.60 1.90 - 9.00	1.827 - 2.275	0.370	8.39	8.02	7.69	99
42+42	4.30	4.30	-	-	8.60 1.80 - 9.00	2.029 - 2.350	0.400	9.31	8.91	8.54	99
42+50	3.69	4.91	-	-	8.60 1.90 - 9.00	1.887 - 2.300	0.380	8.66	8.29	7.94	99
42+60	3.49	5.11	-	-	8.60 1.90 - 9.00	1.742 - 2.235	0.360	8.00	7.65	7.33	99
50+50	4.30	4.30	-	-	8.60 1.90 - 9.00	1.744 - 2.250	0.360	8.01	7.66	7.34	99
50+60	4.10	4.50	-	-	8.60 1.90 - 9.00	1.725 - 2.160	0.360	7.92	7.57	7.26	99
60+60	4.30	4.30	-	-	8.60 1.90 - 9.00	1.705 - 2.070	0.360	7.83	7.49	7.18	99
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.106 - 2.425	0.890	5.08	4.86	4.66	99
15+15+18	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	0.770	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	-	5.60 2.60 - 9.00	1.244 - 2.645	0.910	5.71	5.46	5.23	99
15+15+22	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	0.780	6.83	6.54	6.27	99
15+15+25	1.55	1.55	3.29	-	6.40 2.60 - 9.20	1.489 - 2.775	0.790	6.83	6.54	6.27	99
15+15+35	1.47	1.47	3.46	-	6.40 2.60 - 9.20	1.479 - 2.765	0.790	6.79	6.49	6.22	99
15+15+50	1.03	1.03	4.35	-	6.40 2.60 - 9.20	1.469 - 2.755	0.790	6.74	6.45	6.18	99
15+15+60	0.96	0.96	4.47	-	6.40 2.60 - 9.20	1.459 - 2.745	0.790	6.70	6.41	6.14	99
15+18+18	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	0.650	8.59	8.22	7.87	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+20	1.63	3.16	2.11	-	6.90 2.60 - 9.70	1.626 0.790 - 2.995	7.46	7.14	6.84	99	
15+18+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99	
15+18+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99	
15+18+35	1.42	2.75	3.33	-	7.50 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99	
15+18+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99	
15+18+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+18+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99	
15+20+20	1.70	2.20	2.20	-	6.10 2.60 - 9.50	1.381 0.920 - 2.865	6.34	6.06	5.81	99	
15+20+22	1.63	2.11	3.16	-	6.90 2.60 - 9.70	1.626 0.780 - 2.995	7.46	7.14	6.84	99	
15+20+25	1.56	2.02	3.31	-	6.90 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99	
15+20+35	1.48	1.92	3.49	-	6.90 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99	
15+20+42	1.26	1.63	4.01	-	6.90 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99	
15+20+50	1.06	1.37	4.48	-	6.90 2.60 - 9.70	1.606 0.790 - 2.975	7.37	7.05	6.76	99	
15+20+60	0.99	1.29	4.62	-	6.90 2.60 - 9.70	1.596 0.790 - 2.965	7.33	7.01	6.72	99	
15+22+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99	
15+22+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99	
15+22+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99	
15+22+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+22+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99	
15+25+25	1.43	3.03	3.03	-	7.50 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99	
15+25+35	1.37	2.90	3.23	-	7.50 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99	
15+25+42	1.19	2.52	3.79	-	7.50 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99	
15+25+50	1.02	2.16	4.32	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+25+60	0.97	2.05	4.49	-	7.50 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99	
15+35+35	1.31	3.09	3.09	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+35+42	1.15	2.70	3.65	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+35+50	0.99	2.33	4.19	-	7.50 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99	
15+35+60	0.94	2.21	4.36	-	7.50 2.60 - 9.90	1.832 0.660 - 3.085	8.41	8.04	7.71	99	
15+42+42	1.02	3.24	3.24	-	7.50 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99	
15+42+50	0.89	2.83	3.78	-	7.50 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99	
15+42+60	0.85	2.70	3.95	-	7.50 2.60 - 9.90	1.832 0.650 - 3.085	8.41	8.04	7.71	99	
15+50+50	0.79	3.35	3.35	-	7.50 2.60 - 9.90	1.832 0.650 - 3.085	8.41	8.04	7.71	99	
15+50+60	0.76	3.21	3.53	-	7.50 2.60 - 9.90	1.822 0.640 - 3.075	8.36	8.00	7.67	99	
18+18+18	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
18+18+20	3.00	3.00	2.00	-	8.00 2.60 - 10.40	2.008 0.650 - 3.345	9.22	8.82	8.45	99	
18+18+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.510 - 3.475	10.34	9.89	9.48	99	
18+18+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 0.510 - 3.475	10.34	9.89	9.48	99	
18+18+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
18+18+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+18+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+18+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
18+20+20	3.17	2.11	2.11	-	7.40 2.60 - 10.20	1.763 0.770 - 3.215	8.09	7.74	7.42	99	
18+20+22	3.00	2.00	3.00	-	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+25	2.90	1.93	3.16	-	8.00 2.60 - 10.40	2.008 0.650 - 3.345	9.22	8.82	8.45	99	
18+20+35	2.78	1.85	3.37	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	
18+20+42	2.42	1.61	3.96	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	
18+20+50	2.08	1.39	4.54	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
18+20+60	1.97	1.31	4.72	-	8.00 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99	
18+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.510 - 3.475	10.34	9.89	9.48	99	
18+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
18+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
18+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
18+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
18+25+25	2.70	2.95	2.95	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
18+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
18+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
18+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
18+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
18+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
18+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
18+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
18+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
18+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.518 0.890 - 3.085	6.97	6.67	6.39	99	
20+20+22	2.11	2.11	3.17	-	7.40 2.60 - 10.20	1.763 0.770 - 3.215	8.09	7.74	7.42	99	
20+20+25	2.04	2.04	3.33	-	7.40 2.60 - 10.20	1.763 0.790 - 3.215	8.09	7.74	7.42	99	
20+20+35	1.94	1.94	3.52	-	7.40 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99	
20+20+42	1.66	1.66	4.08	-	7.40 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99	
20+20+50	1.40	1.40	4.59	-	7.40 2.60 - 10.20	1.743 0.790 - 3.195	8.00	7.66	7.34	99	
20+20+60	1.32	1.32	4.75	-	7.40 2.60 - 10.20	1.734 0.790 - 3.185	7.96	7.61	7.30	99	
20+22+22	2.00	3.00	3.00	-	8.00 2.60 - 10.40	2.008 0.650 - 3.345	9.22	8.82	8.45	99	
20+22+25	1.93	2.90	3.16	-	8.00 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99	
20+22+35	1.85	2.78	3.37	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	
20+22+42	1.61	2.42	3.96	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
20+22+50	1.39	2.08	4.54	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
20+22+60	1.31	1.97	4.72	-	8.00 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99	
20+25+25	1.87	3.06	3.06	-	8.00 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99	
20+25+35	1.80	2.94	3.27	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	
20+25+42	1.57	2.57	3.86	-	8.00 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99	
20+25+50	1.35	2.22	4.43	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
20+25+60	1.28	2.10	4.61	-	8.00 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99	
20+35+35	1.73	3.14	3.14	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
20+35+42	1.52	2.76	3.72	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
20+35+50	1.31	2.39	4.30	-	8.00 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99	
20+35+60	1.25	2.27	4.48	-	8.00 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99	
20+42+42	1.35	3.32	3.32	-	8.00 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99	
20+42+50	1.19	2.92	3.89	-	8.00 2.60 - 10.40	1.979 0.650 - 3.315	9.08	8.69	8.33	99	
20+42+60	1.14	2.79	4.08	-	8.00 2.60 - 10.40	1.969 0.640 - 3.305	9.04	8.65	8.29	99	
20+50+50	1.06	3.47	3.47	-	8.00 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99	
22+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
22+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
22+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
22+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99	
22+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99	
22+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99	
25+25+25	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
25+25+35	2.76	2.76	3.07	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
25+25+42	2.46	2.46	3.69	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
25+25+50	2.15	2.15	4.30	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
25+25+60	2.05	2.05	4.50	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
25+35+35	2.67	2.97	2.97	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
25+35+42	2.38	2.65	3.57	-	8.60 2.60 - 10.60	2.233 - 3.455	10.25	9.81	9.40	99	
25+35+50	2.09	2.32	4.18	-	8.60 2.60 - 10.60	2.224 - 3.445	10.21	9.77	9.36	99	
25+35+60	2.00	2.22	4.38	-	8.60 2.60 - 10.60	2.214 - 3.435	10.16	9.72	9.32	99	
25+42+42	2.15	3.23	3.23	-	8.60 2.60 - 10.60	2.233 - 3.455	10.25	9.81	9.40	99	
25+42+50	1.91	2.87	3.82	-	8.60 2.60 - 10.60	2.224 - 3.445	10.21	9.77	9.36	99	
25+50+50	1.72	3.44	3.44	-	8.60 2.60 - 10.60	2.214 - 3.435	10.16	9.72	9.32	99	
35+35+35	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.224 - 3.445	10.21	9.77	9.36	99	
35+35+42	2.57	2.57	3.47	-	8.60 2.60 - 10.60	2.224 - 3.445	10.21	9.77	9.36	99	
35+35+50	2.26	2.26	4.07	-	8.60 2.60 - 10.60	2.214 - 3.435	10.16	9.72	9.32	99	
35+42+42	2.32	3.14	3.14	-	8.60 2.60 - 10.60	2.224 - 3.445	10.21	9.77	9.36	99	
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 - 2.470	6.71	6.42	6.15	99	
15+15+15+18	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.727 - 2.695	7.93	7.58	7.27	99	
15+15+15+22	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+25	1.45	1.45	1.45	3.06	7.40 3.40 - 9.80	1.629 - 2.550	7.48	7.15	6.86	99	
15+15+15+35	1.38	1.38	1.38	3.25	7.40 3.40 - 9.80	1.619 - 2.540	7.43	7.11	6.81	99	
15+15+15+42	1.20	1.20	1.20	3.81	7.40 3.40 - 9.80	1.619 - 2.700	7.43	7.11	6.81	99	
15+15+15+50	1.02	1.02	1.02	4.33	7.40 3.40 - 9.80	1.609 - 2.710	7.39	7.07	6.77	99	
15+15+15+60	0.97	0.97	0.97	4.50	7.40 3.40 - 9.80	1.599 - 2.700	7.34	7.02	6.73	99	
15+15+18+18	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+18+20	1.49	1.49	2.89	1.93	7.80 3.40 - 10.10	1.893 - 2.775	8.69	8.32	7.97	99	
15+15+18+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+18+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+18+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	1.786 - 2.690	8.20	7.84	7.51	99	
15+15+18+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	1.786 - 2.800	8.20	7.84	7.51	99	
15+15+18+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+18+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	1.766 - 2.780	8.11	7.76	7.43	99	
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.991 - 2.920	9.14	8.75	8.38	99	
15+15+20+25	1.44	1.44	1.87	3.05	7.80 3.40 - 10.10	1.893 - 2.775	8.69	8.32	7.97	99	
15+15+20+35	1.38	1.38	1.79	3.25	7.80 3.40 - 10.10	1.884 - 2.880	8.65	8.27	7.93	99	
15+15+20+42	1.21	1.21	1.56	3.83	7.80 3.40 - 10.10	1.884 - 2.945	8.65	8.27	7.93	99	
15+15+20+50	1.04	1.04	1.34	4.39	7.80 3.40 - 10.10	1.874 - 2.935	8.60	8.23	7.89	99	
15+15+20+60	0.98	0.98	1.27	4.56	7.80 3.40 - 10.10	1.864 - 2.925	8.56	8.19	7.84	99	
15+15+22+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+22+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+22+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	1.786 - 2.780	8.20	7.84	7.51	99	
15+15+22+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	1.786 - 2.800	8.20	7.84	7.51	99	
15+15+22+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+22+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	1.766 - 2.780	8.11	7.76	7.43	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+25+25	1.25	1.25	2.65	2.65	7.80 3.40 - 10.10	1.795 - 2.630	8.24	7.88	7.56	99	
15+15+25+35	1.21	1.21	2.55	2.84	7.80 3.40 - 10.10	1.786 - 2.800	8.20	7.84	7.51	99	
15+15+25+42	1.07	1.07	2.26	3.40	7.80 3.40 - 10.10	1.786 - 2.800	8.20	7.84	7.51	99	
15+15+25+50	0.93	0.93	1.98	3.95	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+25+60	0.89	0.89	1.88	4.14	7.80 3.40 - 10.10	1.766 - 2.780	8.11	7.76	7.43	99	
15+15+35+35	1.16	1.16	2.74	2.74	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+35+42	1.04	1.04	2.44	3.29	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+35+50	0.91	0.91	2.14	3.85	7.80 3.40 - 10.10	1.766 - 2.780	8.11	7.76	7.43	99	
15+15+35+60	0.87	0.87	2.04	4.03	7.80 3.40 - 10.10	1.756 - 2.770	8.06	7.71	7.39	99	
15+15+42+42	0.93	0.93	2.97	2.97	7.80 3.40 - 10.10	1.776 - 2.790	8.15	7.80	7.47	99	
15+15+42+50	0.83	0.83	2.63	3.51	7.80 3.40 - 10.10	1.766 - 2.780	8.11	7.76	7.43	99	
15+18+18+18	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	9.01	8.62	8.26	99	
15+18+18+20	1.33	2.58	2.58	1.72	8.20 3.40 - 10.40	2.060 - 2.855	9.46	9.05	8.67	99	
15+18+18+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	9.01	8.62	8.26	99	
15+18+18+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 - 2.710	9.01	8.62	8.26	99	
15+18+18+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 - 2.835	8.96	8.57	8.22	99	
15+18+18+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 - 2.880	8.96	8.57	8.22	99	
15+18+18+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 - 2.870	8.92	8.53	8.17	99	
15+18+18+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 - 2.860	8.87	8.49	8.13	99	
15+18+20+20	1.48	2.88	1.92	1.92	8.20 3.40 - 10.40	2.158 - 3.000	9.91	9.48	9.08	99	
15+18+20+22	1.33	2.58	1.72	2.58	8.20 3.40 - 10.40	2.060 - 2.855	9.46	9.05	8.67	99	
15+18+20+25	1.29	2.51	1.67	2.73	8.20 3.40 - 10.40	2.060 - 2.855	9.46	9.05	8.67	99	
15+18+20+35	1.24	2.42	1.61	2.93	8.20 3.40 - 10.40	2.050 - 3.025	9.41	9.00	8.63	99	
15+18+20+42	1.11	2.15	1.43	3.51	8.20 3.40 - 10.40	2.050 - 3.025	9.41	9.00	8.63	99	
15+18+20+50	0.97	1.88	1.25	4.10	8.20 3.40 - 10.40	2.040 - 3.015	9.37	8.96	8.59	99	
15+18+20+60	0.92	1.79	1.19	4.29	8.20 3.40 - 10.40	2.031 - 3.005	9.32	8.92	8.55	99	
15+18+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	9.01	8.62	8.26	99	
15+18+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 - 2.710	9.01	8.62	8.26	99	
15+18+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 - 2.880	8.96	8.57	8.22	99	
15+18+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 - 2.880	8.96	8.57	8.22	99	
15+18+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 - 2.870	8.92	8.53	8.17	99	
15+18+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 - 2.860	8.87	8.49	8.13	99	
15+18+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 - 2.780	9.01	8.62	8.26	99	
15+18+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 - 2.880	8.96	8.57	8.22	99	
15+18+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 - 2.880	8.96	8.57	8.22	99	
15+18+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 - 2.870	8.92	8.53	8.17	99	
15+18+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 - 2.860	8.87	8.49	8.13	99	
15+18+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 - 2.870	8.92	8.53	8.17	99	
15+18+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 - 2.870	8.92	8.53	8.17	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+18+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+18+42+50	0.79	1.54	2.52	3.35	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+20+20+20	1.68	2.17	2.17	2.17	8.20 3.40 - 10.40	2.256 - 3.145	0.880	10.36	9.91	9.49	99
15+20+20+22	1.48	1.92	1.92	2.88	8.20 3.40 - 10.40	2.158 - 3.000	0.810	9.91	9.48	9.08	99
15+20+20+25	1.44	1.86	1.86	3.04	8.20 3.40 - 10.40	2.158 - 3.000	0.810	9.91	9.48	9.08	99
15+20+20+35	1.38	1.79	1.79	3.25	8.20 3.40 - 10.40	2.148 - 3.170	0.810	9.86	9.43	9.04	99
15+20+20+42	1.21	1.57	1.57	3.85	8.20 3.40 - 10.40	2.148 - 3.170	0.810	9.86	9.43	9.04	99
15+20+20+50	1.05	1.36	1.36	4.44	8.20 3.40 - 10.40	2.138 - 3.160	0.810	9.82	9.39	9.00	99
15+20+20+60	1.00	1.29	1.29	4.63	8.20 3.40 - 10.40	2.129 - 3.150	0.810	9.77	9.35	8.96	99
15+20+22+22	1.33	1.72	2.58	2.58	8.20 3.40 - 10.40	2.060 - 2.855	0.740	9.46	9.05	8.67	99
15+20+22+25	1.29	1.67	2.51	2.73	8.20 3.40 - 10.40	2.060 - 2.900	0.740	9.46	9.05	8.67	99
15+20+22+35	1.24	1.61	2.42	2.93	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+22+42	1.11	1.43	2.15	3.51	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+22+50	0.97	1.25	1.88	4.10	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+20+22+60	0.92	1.19	1.79	4.29	8.20 3.40 - 10.40	2.031 - 3.005	0.740	9.32	8.92	8.55	99
15+20+25+25	1.26	1.63	2.66	2.66	8.20 3.40 - 10.40	2.060 - 2.970	0.740	9.46	9.05	8.67	99
15+20+25+35	1.21	1.57	2.57	2.85	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+25+42	1.08	1.40	2.29	3.43	8.20 3.40 - 10.40	2.050 - 3.025	0.740	9.41	9.00	8.63	99
15+20+25+50	0.95	1.23	2.01	4.02	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+20+25+60	0.91	1.17	1.92	4.21	8.20 3.40 - 10.40	2.031 - 3.005	0.740	9.32	8.92	8.55	99
15+20+35+35	1.17	1.52	2.76	2.76	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+20+35+42	1.05	1.36	2.47	3.33	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+20+35+50	0.92	1.19	2.17	3.91	8.20 3.40 - 10.40	2.031 - 3.005	0.740	9.32	8.92	8.55	99
15+20+42+42	0.95	1.23	3.01	3.01	8.20 3.40 - 10.40	2.040 - 3.015	0.740	9.37	8.96	8.59	99
15+22+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.735	0.670	9.01	8.62	8.26	99
15+22+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 - 2.800	0.670	9.01	8.62	8.26	99
15+22+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+22+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+22+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+22+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+22+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 - 2.870	0.670	9.01	8.62	8.26	99
15+22+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+22+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+22+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+22+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+22+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+22+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+22+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+25+25	1.12	2.36	2.36	2.36	8.20 3.40 - 10.40	1.962 - 2.890	0.670	9.01	8.62	8.26	99
15+25+25+35	1.08	2.29	2.29	2.54	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+42	0.97	2.06	2.06	3.10	8.20 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+50	0.87	1.83	1.83	3.67	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+25+60	0.83	1.76	1.76	3.86	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+35+35	1.05	2.22	2.47	2.47	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+42	0.95	2.01	2.23	3.01	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+50	0.84	1.79	1.99	3.58	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+42+42	0.87	1.83	2.75	2.75	8.20 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+35+35+35	1.02	2.39	2.39	2.39	8.20 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
18+18+18+18	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	1.754 - 2.790	0.600	8.05	7.70	7.38	99
18+18+18+20	2.35	2.35	2.35	1.56	8.60 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+18+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.790	0.600	9.77	9.35	8.96	99
18+18+18+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 - 2.790	0.600	9.77	9.35	8.96	99
18+18+18+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+18+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+20+20	2.58	2.58	1.72	1.72	8.60 3.40 - 10.70	2.325 - 3.080	0.740	10.67	10.21	9.78	99
18+18+20+22	2.35	2.35	1.56	2.35	8.60 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+20+25	2.29	2.29	1.53	2.50	8.60 3.40 - 10.70	2.227 - 2.960	0.670	10.22	9.78	9.37	99
18+18+20+35	2.22	2.22	1.48	2.69	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+42	2.00	2.00	1.33	3.27	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+50	1.77	1.77	1.18	3.87	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+18+20+60	1.70	1.70	1.13	4.07	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+18+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.790	0.600	9.77	9.35	8.96	99
18+18+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 - 2.860	0.600	9.77	9.35	8.96	99
18+18+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 - 2.925	0.600	9.77	9.35	8.96	99
18+18+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+18+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+20+20+20	2.87	1.91	1.91	1.91	8.60 3.40 - 10.70	2.423 - 3.225	0.810	11.12	10.64	10.20	99
18+20+20+22	2.58	1.72	1.72	2.58	8.60 3.40 - 10.70	2.325 - 3.080	0.740	10.67	10.21	9.78	99
18+20+20+25	2.51	1.67	1.67	2.74	8.60 3.40 - 10.70	2.325 - 3.150	0.740	10.67	10.21	9.78	99
18+20+20+35	2.43	1.62	1.62	2.94	8.60 3.40 - 10.70	2.315 - 3.250	0.740	10.63	10.17	9.74	99
18+20+20+42	2.17	1.44	1.44	3.55	8.60 3.40 - 10.70	2.315 - 3.250	0.740	10.63	10.17	9.74	99
18+20+20+50	1.90	1.27	1.27	4.16	8.60 3.40 - 10.70	2.305 - 3.240	0.740	10.58	10.12	9.70	99
18+20+20+60	1.82	1.21	1.21	4.36	8.60 3.40 - 10.70	2.295 - 3.230	0.740	10.54	10.08	9.66	99
18+20+22+22	2.35	1.56	2.35	2.35	8.60 3.40 - 10.70	2.227 - 2.980	0.670	10.22	9.78	9.37	99
18+20+22+25	2.29	1.53	2.29	2.50	8.60 3.40 - 10.70	2.227 - 3.050	0.670	10.22	9.78	9.37	99
18+20+22+35	2.22	1.48	2.22	2.69	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+22+42	2.00	1.33	2.00	3.27	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+22+50	1.77	1.18	1.77	3.87	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+22+60	1.70	1.13	1.70	4.07	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+20+25+25	2.23	1.49	2.44	2.44	8.60 3.40 - 10.70	2.227 - 3.115	0.670	10.22	9.78	9.37	99
18+20+25+35	2.17	1.44	2.36	2.63	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+25+42	1.96	1.30	2.14	3.20	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+25+50	1.74	1.16	1.90	3.80	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+25+60	1.67	1.11	1.82	4.00	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+20+35+35	2.10	1.40	2.55	2.55	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+35+42	1.90	1.27	2.31	3.12	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+35+50	1.70	1.13	2.06	3.71	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+20+42+42	1.74	1.16	2.85	2.85	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.880	0.600	9.77	9.35	8.96	99
18+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 - 2.950	0.600	9.77	9.35	8.96	99
18+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
18+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	2.129 0.600 - 2.970	9.77	9.35	8.96	99	
18+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	2.119 0.600 - 2.960	9.73	9.31	8.92	99	
18+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	2.119 0.600 - 2.960	9.73	9.31	8.92	99	
18+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	2.109 0.600 - 2.950	9.68	9.26	8.88	99	
18+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	2.109 0.600 - 2.950	9.68	9.26	8.88	99	
18+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	2.109 0.600 - 2.950	9.68	9.26	8.88	99	
18+35+35+35	1.85	2.25	2.25	2.25	8.60 3.40 - 10.70	2.099 0.600 - 2.940	9.64	9.22	8.83	99	
20+20+20+20	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.521 0.880 - 3.370	11.57	11.07	10.61	99	
20+20+20+22	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	2.423 0.810 - 3.270	11.12	10.64	10.20	99	
20+20+20+25	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.423 0.810 - 3.340	11.12	10.64	10.20	99	
20+20+20+35	1.78	1.78	1.78	3.25	8.60 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99	
20+20+20+42	1.58	1.58	1.58	3.87	8.60 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99	
20+20+20+50	1.37	1.37	1.37	4.49	8.60 3.40 - 10.70	2.403 0.810 - 3.385	11.03	10.55	10.11	99	
20+20+20+60	1.30	1.30	1.30	4.69	8.60 3.40 - 10.70	2.393 0.810 - 3.375	10.99	10.51	10.07	99	
20+20+22+22	1.72	1.72	2.58	2.58	8.60 3.40 - 10.70	2.325 0.740 - 3.170	10.67	10.21	9.78	99	
20+20+22+25	1.67	1.67	2.51	2.74	8.60 3.40 - 10.70	2.325 0.740 - 3.240	10.67	10.21	9.78	99	
20+20+22+35	1.62	1.62	2.43	2.94	8.60 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99	
20+20+22+42	1.44	1.44	2.17	3.55	8.60 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99	
20+20+22+50	1.27	1.27	1.90	4.16	8.60 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99	
20+20+22+60	1.21	1.21	1.82	4.36	8.60 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99	
20+20+25+25	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.325 0.740 - 3.260	10.67	10.21	9.78	99	
20+20+25+35	1.58	1.58	2.58	2.87	8.60 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99	
20+20+25+42	1.41	1.41	2.31	3.47	8.60 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99	
20+20+25+50	1.24	1.24	2.04	4.07	8.60 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99	
20+20+25+60	1.19	1.19	1.95	4.27	8.60 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99	
20+20+35+35	1.53	1.53	2.77	2.77	8.60 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99	
20+20+35+42	1.37	1.37	2.49	3.37	8.60 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99	
20+20+35+50	1.21	1.21	2.21	3.97	8.60 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99	
20+20+42+42	1.24	1.24	3.06	3.06	8.60 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99	
20+22+22+22	1.56	2.35	2.35	2.35	8.60 3.40 - 10.70	2.227 0.670 - 3.070	10.22	9.78	9.37	99	
20+22+22+25	1.53	2.29	2.29	2.50	8.60 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99	
20+22+22+35	1.48	2.22	2.22	2.69	8.60 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99	
20+22+22+42	1.33	2.00	2.00	3.27	8.60 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99	
20+22+22+50	1.18	1.77	1.77	3.87	8.60 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99	
20+22+22+60	1.13	1.70	1.70	4.07	8.60 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99	
20+22+25+25	1.49	2.23	2.44	2.44	8.60 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99	
20+22+25+35	1.44	2.17	2.36	2.63	8.60 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99	
20+22+25+42	1.30	1.96	2.14	3.20	8.60 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99	
20+22+25+50	1.16	1.74	1.90	3.80	8.60 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
20+22+35+35	1.40	2.10	2.55	2.55	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
20+22+35+42	1.27	1.90	2.31	3.12	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
20+25+25+25	1.46	2.38	2.38	2.38	8.60 3.40 - 10.70	2.227 - 3.115	0.670	10.22	9.78	9.37	99
20+25+25+35	1.41	2.31	2.31	2.57	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
20+25+25+42	1.28	2.09	2.09	3.14	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
20+25+25+50	1.14	1.87	1.87	3.73	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
20+25+35+35	1.37	2.24	2.49	2.49	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
20+25+35+42	1.24	2.04	2.26	3.06	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
20+35+35+35	1.33	2.42	2.42	2.42	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
22+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
22+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
22+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
22+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
25+25+25+35	2.09	2.09	2.09	2.32	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
25+25+25+42	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
25+25+25+50	1.72	1.72	1.72	3.44	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
25+25+35+35	2.04	2.04	2.26	2.26	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99